

# STANLEY®

## SOUTHERN AFRICA POWER TOOLS CATALOGUE



# STANLEY®

## GETTING THE JOB DONE **FASTER, EASIER, BETTER**

From Power Tools to Hand Tools and Accessories, Stanley is the only brand providing a wholesome solution for all tradesmen.

For over 170 years, we've built a legacy by producing some of the most well known hand tools and storage products in the world. It's this rich history of innovation that's made Stanley a trusted name and industry pioneer.

**We provide complete selection of power tools, hand & mechanic tools, accessories, lasers and storage solutions with great innovation:**



# STANLEY®

STANLEY is the longest established and largest hand tool manufacturer in the world.

Since 1843, STANLEY has become a leading name in hand tool industry; we've set the standard for excellence in everything we do. No company on earth has a stronger or more compelling history of delivering the hardworking, powerful and innovational tools that help professionals, tradesmen and consumers around the world.

Whether you're a retailer looking for the best quality products to offer your customers, or a skilled user looking for the best tools, STANLEY is here to serve you.



More than **500**  
World's  
First SKUs

More than **150**  
Patents

More than **150**  
Prestigious  
Awards





# CONTENTS

## CORDLESS

Drill Drivers 9

## DRILLING & FASTENING

Rotary Drills 11

Percussion Drills 11 - 12

## CONCRETE WORKING

SDS-Plus Hammers 14 - 15

Demolition Hammers 15 - 16

Tile Cutter 16

## METAL WORKING

Small Angle Grinders 18

Large Angle Grinders 18 - 19

Polisher 19

Bench Grinder 19

Chop Saw 20

## WOOD WORKING

Mitre Saw 22

Jigsaws 23

Reciprocating Saw 23

Circular Saw 23

Sanders 24

Router 25

Planer 25

## OTHERS

Heat Gun 27

Blower 27

**Service & Warranty 28**

# CORDLESS



**STANLEY cordless drills are designed for strong performance, quality and precision. The lithium-ion range also boasts about their compact size and light weight. Well suited for challenging drilling and screw driving tasks, the range is quintessential for the tradesman.**

## STCD1081B2 10.8V Li-Ion Compact Drill Driver




- Compact and lightweight design allows end-user to carry out long drilling tasks more easily
- Li-Ion battery holds charge when not in use, so less need for recharging
- 20 adjustable torque setting for perfect screwdriving into a variety of materials with different screw sizes
- Two speed settings, variable speed and reverse switch
- Keyless chuck for quick and easy bit change
- Ergonomic handle and rubber over mould to provide maximum end user comfort
- LED light for improved visibility
- Kitbox for safe storage of power tool and all accessories

Voltage	10.8 V
Battery Capacity	1.5 Ah
Max Torque	27 Nm
No Load Speed	0-315/0-1200 rpm
Chuck Capacity	10 mm
Max. Drilling Capacity	
Wood	25 mm
Metal	10 mm
Weight	1.1 kg

### Standard Equipment

2 Batteries, 3hr Charger, Magnetic strip Kitbox



## STDC18LHBK 18V Li-Ion Percussion Drill




- Hammer action for drilling into brick and masonry
- Li-Ion battery holds charge when not in use, so less need for recharging
- 22 adjustable torque setting for perfect screwdriving into a variety of materials with different screw sizes
- 2 Speed motor covers all applications into masonry, wood and metal
- Compact 13mm single sleeve keyless metal chuck with automatic spindle lock for quick and easy bit change with one hand
- Ergonomic handle and rubber over mould to provide maximum end user comfort
- Battery gauge indicates remaining power for better work planning
- LED light for improved visibility
- Steel belt clip and magnetic bit holder
- Kitbox for safe storage of power tool and all accessories

Voltage	18 V
Battery Capacity	2 Ah
Max Torque	51.4 Nm
No Load Speed	0-400/0-1600 rpm
Beats per Minute	6800/27200 bpm
Chuck Capacity	13 mm
Max. Drilling Capacity	
Wood	38 mm
Metal	13 mm
Masonry	13 mm
Weight	1.34 kg

### Standard Equipment

2 Batteries, 1hr Charger, Belt clip Magnetic strip, Kitbox



## STDC18HBK 18V Ni-Cad Compact Percussion Drill




- Hammer action for drilling into brick and masonry
- Slide pack battery allows for superior insertion and removal
- 22 adjustable torque setting for perfect screwdriving into a variety of materials with different screw sizes
- Two speed settings, variable speed and reverse switch
- Keyless chuck for quick and easy bit change
- Ergonomic handle and rubber over mould to provide maximum end user comfort
- Kitbox for safe storage of power tool and all accessories

Voltage	18 V
Battery Capacity	1 Ah
Max Torque	25 Nm
No Load Speed	0-450/0-1350 rpm
Beats per Minute	6508/20250 bpm
Chuck Capacity	10 mm
Max. Drilling Capacity	
Wood	25 mm
Metal	10 mm
Masonry	10 mm
Weight	1.9 kg

### Standard Equipment

2 Batteries, 3hr Charger, Kitbox, Screwdriver bit



# DRILLING & FASTENING



**STANLEY** offers a definitive range of corded drills and a screw-gun for every tradesman need – internal or external. With a choice of power options, chuck capacities, gear configurations and speed variations, no need to look further for your pick.



## STDR5510 550W 10mm Rotary Drill




- Durable chuck prevents bit loosening during operation
- Adjustable variable speed dial allows to pre-set speeds for more control
- Powerful motor for excellent performance and long durability
- Ergonomic hold curve for easy one hand operation
- Reverse function for convenient screw driving
- Lock-on button for one hand control and user safety
- Integrated belt clip allows tool to be carried while freeing up both hands
- Key holder to securely maintain chuck key

Power Input	550 W
Chuck Capacity	1,5-10 mm
Max Torque	14 Nm
No Load Speed	0-2800 rpm
Max. Drilling Capacity	
Wood	25 mm
Steel	10 mm
Weight	1.55 kg

### Standard Equipment

Chuck key



## STDH5510 550W 10mm Percussion Drill




- Hammer action for drilling into brick and masonry
- Durable chuck prevents bit loose during operation
- Variable speed control with forward and reverse mode to suit different materials and applications
- Ergonomic hold curve for easy one hand operation
- Lock-on button for one hand control and user safety
- Rubber grips for maximum user comfort
- Key holder to securely maintain chuck key

Power Input	550 W
Chuck Capacity	1,5-10 mm
Max Torque	20 Nm
No Load Speed	0-2800 rpm
Beats per Minute	0-47600 bpm
Max. Drilling Capacity	
Wood	25 mm
Steel	10 mm
Masonry	13 mm
Weight	1.61 kg

### Standard Equipment

Chuck key



## STDH6513 650W 13mm Percussion Drill



- Hammer action for drilling into brick and masonry
- Durable chuck prevents bit loosening during operation
- Variable speed control with forward and reverse mode to suit different materials and applications
- Ergonomic hold curve for easy one hand operation
- Lock-on button for one hand control and user safety
- Rubber grips for maximum user comfort
- Depth guide for making correct measurement
- Side handle to provide additional control

Power Input	650 W
Chuck Capacity	1,5-13 mm
Max Torque	20 Nm
No Load Speed	0-2800 rpm
Beats per Minute	0-47600 bpm
Max. Drilling Capacity	
Wood	30 mm
Steel	13 mm
Masonry	16 mm
Weight	1.75 kg

### Standard Equipment

Chuck key, Depth guide, Side handle



## STDH7213K 720W 13mm Percussion Drill




- Hammer action for drilling into brick and masonry
- Durable chuck prevents bit loosening during operation
- Durable metal gear housing for a long life
- Adjustable variable speed dial control with forward and reverse mode to suit different materials and applications
- High working efficiency due to excellent rotary and impact speed
- Lock-on button for one hand control and user safety
- Rubber grips for maximum user comfort
- Side handle to provide additional stability control
- Depth guide for drilling accurate pre-determined depths
- Kitbox for safe storage of power tool and all accessories

Power Input	720 W
Chuck Capacity	1,5-13 mm
Max Torque	22 Nm
No Load Speed	0-3000 rpm
Beats per Minute	0-54000 bpm
<b>Max. Drilling Capacity</b>	
Wood	32 mm
Steel	13 mm
Masonry	16 mm
Weight	2.4 kg

### Standard Equipment

Chuck key , Depth guide, Side handle, Kitbox



# CONCRETE WORKING



**Highly durable and best-in-class performance – two traits of the STANLEY Concrete range. While the full range of rotary hammers with the SDS-Plus chuck configuration provides excellent power to weight ratio, the SDS-Max demolition hammers are designed to give comfort during long usages. The tile cutter comes also with a wet kit variant.**

## STHR202K 20mm 620W 2 Mode SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 20mm in diameter
- 2 Modes: Rotary drilling and hammer drilling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- Large 2 finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	620 W
No Load Speed	0-1250 rpm
Beats per Minute	0-3900 bpm
Impact Energy	1.34 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	25 mm
Metal	13 mm
Concrete	20 mm
Weight	2.8 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox



## STHR223K 22mm 720W 3 Mode SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 22mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- Large 2 finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	720 W
No Load Speed	0-980 rpm
Beats per Minute	0-5200 bpm
Impact Energy	2 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	30 mm
Metal	13 mm
Concrete	22 mm
Weight	3 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox



## STHR263K 26mm 800W 3 Mode SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 26mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- Large 2 finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	800 W
No Load Speed	0-1050 rpm
Beats per Minute	0-5200 bpm
Impact Energy	2.7 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	30 mm
Metal	13 mm
Concrete	26 mm
Weight	3.3 kg

**Standard Equipment**  
Depth guide, Side handle, Dust cover, Kitbox



## STHR272KS 26mm 850W 2 Mode L-Shape SDS-Plus Hammer



- With 4.1J of impact energy specially designed to deliver ultimate drilling and chipping power
- 2 Modes: Hammer drilling and chiseling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- L-Shape design provides compact and slim line tool to maximise control
- Textured handle grip for long duration easy usage
- Large 2 finger switch for long duration fatigue free usage
- Carbon brush access caps for easy access and quick change
- Grease cap for easy grease top-up
- Side handle for easy 2 hand operation
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	850 W
No Load Speed	700 rpm
Beats per Minute	3400 bpm
Impact Energy	4.1 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Concrete	26 mm
Weight	5.1 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox




## STHR323K 32mm 1250W 3 Mode L-Shape SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 32mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- L-Shape design provides compact and slim line tool to maximise control
- Large 2 finger switch for long duration fatigue free usage
- Service and brush wear indicators identifying brush replacement and service need
- Carbon brush access caps for easy access and quick change
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	1250 W
No Load Speed	0-850 rpm
Beats per Minute	0-4100 bpm
Impact Energy	3.5 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	40 mm
Metal	13 mm
Concrete	32 mm
Weight	5.4 kg

**Standard Equipment**  
Side handle, 13mm chuck, Kitbox



## STHM5KS 5kg SDS-Max Chipping Hammer



- SDS Max chuck suitable for most common accessories
- Class-leading 1010W motor delivers outstanding performance for light demolition, surface preparation or chiseling
- Ergonomic and compact design maximises control and offers easy access to confined spaces
- Large hammer mechanism delivers extreme durability and excellent concrete breaking performance
- Modular design allows quick access to key components for faster and cheaper service
- Anti Vibration handle with spring delivers extremely low vibration and more comfort
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- ON/OFF rocker switch for hassle-free continuous usage
- Carbon brush access caps for easy access and quick change

Power Input	1010 W
Beats per Minute	2900 bpm
Impact Energy	8.5 J
Tool Holder	SDS-Max
Weight	6.3 kg

**Standard Equipment**  
1 Chisel, Side handle, Grease cap opener, Kitbox



## STHM10K 10kg SDS-Max Demolition Hammer



- Powerful and durable 1600 Watt motor delivers outstanding concrete breaking performance for all heavy demolition applications
- Ergonomic line design ensures user comfort during any application
- Large hammer mechanism delivers maximum durability and excellent concrete breaking performance
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- Electronic variable speed and impact control dial for total control with smaller bits and light material
- Service indicator identifying brush replacement and service need
- ON/OFF rocker switch for hassle-free continuous usage
- Soft start feature ensures accurate clean breaking without chisel walking
- Heavy duty type kit box for safe storage under job-site conditions

Power Input	1600 W
Beats per Minute	900-1890 bpm
Impact Energy	5-25 J
Tool Holder	SDS-Max
Weight	10.5 kg

### Standard Equipment

1 Chisel, Side handle, Kitbox



## STSP125W 1320W 125mm Tile Cutter



- Powerful 1320W motor for highest working efficiency
- 125mm capacity guard for all job-site applications
- High capacity gear set for less vibration, lower noise & longer life span
- Height adjustable shoe allows user to cut at various depths
- Soft handle grip for long duration easy usage
- Lock-on button for fatigue-free continuous running
- Carbon brush access caps for easy access and quick change
- Water cooled for dust free high precision cutting and longer saw blade durability
- Portable residual current device (PRCD) for increased user protection

Power Input	1320 W
Wheel Diameter	125 mm
Bore Size	20 mm
No Load Speed	13500 rpm
Depth of Cut	41 mm
Weight	3.1 kg

### Standard Equipment

Wrench, Key, Wet kit and PRCD



# METAL WORKING



**Resulting in faster material removal while grinding and greater accuracies & comfort while cutting, the STANLEY high performance metal working tools have been developed to combine excellent power to weight characteristics with outstanding ergonomics. They deliver the versatility, power and life that is demanded by a tradesman.**

## STGS7115 710W 115mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	710 W
No Load Speed	11000 rpm
Max. Disc Diameter	115 mm
Spindle Thread	M14
Weight	1.8 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGS9115 900W 115mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	900 W
No Load Speed	11000 rpm
Max. Disc Diameter	115 mm
Spindle Thread	M14
Weight	2.1 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGL2023 2000W 230mm Large Angle Grinder




- Powerful motor designed for professional applications
- Two step safety switch prevents accidental starts
- Multi-angle rotation gear box allows for ideal balance in surface and edge grinding applications
- Spindle lock for quick and easy change of accessories

Power Input	2000 W
No Load Speed	6500 rpm
Max. Disc Diameter	230 mm
Spindle Thread	M14
Weight	5 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner





## STGL2223 2200W 230mm Large Angle Grinder




- Powerful motor designed for professional applications
- Two step safety switch prevents accidental starts
- Multi-angle rotation gear box allows for ideal balance in surface and edge grinding applications
- Spindle lock for quick and easy change of accessories

Power Input	2200 W
No Load Speed	6500 rpm
Max. Disc Diameter	230 mm
Spindle Thread	M14
Weight	6 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGP1318K 1300W 180mm Polisher



- Variable speed control for fast and high quality finishing
- 3 Positions side handle for added comfort and control in a variety of applications
- Lock-on switch for continuous use applications
- Metal gear case increases durability and extends the life of the tool
- Spindle lock for easy accessory changes

Power Input	1300 W
No Load Speed	1000-3600 rpm
Max. Disc Diameter	180 mm
Spindle Thread	M14
Weight	3.5 kg

### Standard Equipment

Back pad, Bonnet, Side handle, Spanner, Kitbox



## STGB3715 373W 152mm Bench Grinder




- Powerful 373W motor
- Accepts cotton buffing and wire brush wheels
- Sturdy cast iron base with rubber mounts

Power Input	373 W
No Load Speed	3450 rpm
Wheel Diameter	152 mm
Wheel Width	16 mm
Bore Size	12.7 mm
Weight	8.6 kg

### Standard Equipment


2 Tool rest, 2 Eye shield



## STSC2135 2100W 355mm Chop Saw



- High power abrasion protected motor delivers high overload capabilities for greater durability
- Ergonomic design for a good handling and less user fatigue
- Quick release clamp results in less time in changing the work piece
- Spindle lock for quick and easy wheel change
- Adjustable spark guard allows user to control the direction of the sparks coming from the machine
- Heavy duty guard for maximum user protection



Power Input	2100 W
No Load Speed	3800 rpm
Wheel Diameter	355 mm
Max. Cutting Capacity at 90°	
Square Profile	115x115 mm
Rectangular Profile	115x130 mm
L-Shape Profile	115x137 mm
Rounded Profile	125 mm
Max. Cutting Capacity at 45°	
Square Profile	98x98 mm
Rectangular Profile	105x95 mm
L-Shape Profile	95 mm
Rounded Profile	115 mm
Weight	15.5 kg

### Standard Equipment

1 Wheel, Hex Wrench



# WOOD WORKING



**Cutting through a variety of materials, the STANLEY Saw range takes on the strain of cutting and sawing with ease. The range is designed to provide a powerful, precise and comfortable experience to the user.**


**STANLEY woodworking range also caters to routing, planing and sanding. While durability is a given in any STANLEY tool, the router boasts about controlled power, Planers with high depth of cut and safety and the Sanders providing smooth results every time, all the time.**

## STSM1510 1500W 254mm Compound Mitre Saw



- Powerful 1500 W motor won't bog down when cutting treated timber
- High sliding fence for better material support and improved accuracy
- Horizontal handle reduces fatigue, provides maximum comfort and control
- 9 Pre-indexed mitre stops for faster, more accurate repeatable cuts
- Easy to read mitre scales improve accuracy
- Auto retracting blade guard for maximum safety and comfort
- Dust bag keeps work area clean
- Replaceable brushes for extended motor life

Power Input	1500 W
Blade Speed	5500 rpm
Blade Diameter	254 mm
Blade Bore	30 mm
Bevel Capacity	45°
Mitre Capacity [right/left]	47/47°
Cutting Capacity at 90°/90° (WxH)	140x70 mm
Cutting Capacity at 45°/90° (WxH)	95x70 mm
Cutting Capacity at 90°/45° (WxH)	140x35 mm
Cutting Capacity at 45°/45° (WxH)	95x35 mm
Max. Depth of Cut [Saws]	75 mm
Weight	16 kg



### Standard Equipment

32 Teeth blade, 80 Teeth blade, Vertical clamp Wrench, Dust bag



## STSJ0600K 600W Jigsaw



- 600W motor delivers power in demanding applications
- Variable speed dial provides multiple speed settings for optimal cutting results
- 4 Pendulum settings provide best cutting performance in a variety of materials
- Tool free bevel adjustments at 0°, 15°, 30° and 45° makes bevel changes fast and easy
- Keyless blade change makes blade replacements fast and easy
- Rubber coated handle grip areas increase user comfort
- Lock-on switch increases user comfort during prolonged cutting tasks
- Magnetic on-board blade change allows different blades to be stored on the tool
- Dust management allows to either blow the dust off the line of cut or extraction for a cleaner work-place

Power Input	600 W
No Load Speed	800-3000 rpm
Stroke Length	20 mm
Bevel Capacity	0-45°
Pendulum Action	4
Max. Cutting Capacity	
Wood	85 mm
Steel	5 mm
Aluminium	15 mm
Weight	2.35 kg

### Standard Equipment

1 Blade, Kitbox



## STPT0900 900W Reciprocating Saw




- Heavy-duty motor for fast cutting in a variety of applications
- Twist lock tool-free blade change for quick & easy blade changes
- Variable-speed trigger maintains speed for multiple cutting tasks
- Pivoting shoe easily maneuvers around objects while cutting
- Toolled shoe adjustment easily allows depth adjustment and extends blade life
- Compact and lightweight design prevents user fatigue

Power Input	900 W
No Load Speed	0-3200 rpm
Stroke Length	28 mm
Max. Cutting Capacity	
Wood	305 mm
Steel Sections & Pipes	75 mm
PVC	305 mm
Weight	3.2 kg

### Standard Equipment

1 Blade



## STSC1518 1510W 185mm Circular Saw




- Powerful 1510W motor delivers power and torque through the toughest applications
- Lightweight saw reduces fatigue & improves user handling
- 45 Degree bevel capacity provides range of applications that can be completed
- 62mm depth of cut for fast and accurate rip, cross and bevel cuts
- Steel shoe with optimum line of sight provides accurate cuts and durable construction
- Spindle lock feature allows for single wrench bit changes

Power Input	1510 W
No Load Speed	5500 rpm
Blade Diameter	185 mm
Blade Bore	15.8 mm
Bevel Capacity	45°
Max. Depth of Cut at 90°	62 mm
Max. Depth of Cut at 45°	46 mm
Weight	3.92 kg

### Standard Equipment

36 Teeth Blade




## STSS025 220W 1/4 Sheet Sander



- Powerful 220W motor gets the job done quicker
- Compact design gets you closer to the work surface for greater control
- Large orbit size and high sander speed for faster material removal
- Versatile - Ideal for paint / varnish, cleaning glass, removing rust and sanding in tight spaces
- Palm grip design for single handed sanding
- Quick & easy paper change - hook & loop or traditional clip attachment
- Large quality dust bag ensure less mess when sanding for cleaner work area

Power Input	220 W
No Load Speed	16000 rpm
Orbit Diameter	1.6 mm
Paper Size	114x109 mm
Weight	1.12 kg

**Standard Equipment**  
1 Sanding Sheet, Dust bag, Punch




## STBS720 720W Belt Sander



- Ideal for large surface areas, e.g. floors and tables
- Smaller front roller for sanding 3 times closer to the edge
- 30% Larger belt sanding areas for faster and more efficient use
- Retractable hood to reach areas, contours and for filling applications
- The bump stop facility situated on the front hood prevents damage to walls and other perpendicular surfaces
- 3 position adjustable handle that maximises comfort and control across a variety of projects
- Manual belt tracking adjustment dial that sets and maintains the belt in the correct operating position
- Lever action belt change mechanism for quick and easy accessory changing
- Easy empty dust bag for more flexibility and a cleaner working environment

Power Input	720 W
Belt Speed	250 m/min
Belt Size	75 x 533 mm
Sanding Size	75 x 190 mm
Weight	3.06 kg

**Standard Equipment**  
1 Sanding Paper, Dust Bag



## STRR1200 1200W 8mm Plunge Router



- 1200W motor for long life and high performance
- 3 collets provided to suit all shank sizes up to 8mm
- Variable speed gives the user more control to prevent burning of the material being shaped
- Safety lock-off trigger to avoid starting the tool accidentally
- Spindle lock for easy cutter change
- Large side handles give a sure grip for improved safety and control
- Flat motor housing enables upside down, easier bit changes
- Triple depth presetting for adjusting plunge depth allows precise working in several steps
- Aluminum shoe, hardwearing for long life time
- Anti-static shoe coating for precise guidance on work piece and high comfort of use

Power Input	1200 W
No Load Speed	8000-27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6/6,35/8 mm
Max. Cutter Diameter	30 mm
Weight	4 kg

### Standard Equipment

6 Router bits, Spanner, 6/6.25/8mm collet, Parallel fence



## STPP7502 750W 2mm Planer




- Robust and powerful 750W motor provides smooth results, even in hard wood and at maximum depth of cut
- 2 high quality reversible TCT blades ensure maximum life and a superior finish
- The choice of left or right chip ejection makes the planer more comfortable to use
- 2mm depth of cut ensures a large amount of wood can be removed in one pass
- 0.2mm depth of cut setting for increased accuracy
- 12mm maximum rebate depth broadens the applications the planer can be used for
- Easy empty dust bag for more flexibility and a cleaner working environment
- 3 different sized chamfer grooves for easy and precise shaping of wood
- Park rest protects both the workpiece and the blades
- Parallel fence for more control and accuracy

Power Input	750 W
No Load Speed	16500 rpm
Maximum Depth of Cut	2 mm
Rebating Depth	12 mm
Planer Width	82 mm
Shoe Length	290 mm
Weight	2.8 kg

### Standard Equipment

2 TCT blades, Parallel fence, Wrench, Dust bag, Vac adaptor



# OTHERS



**STANLEY offers two versatile tools to be part of this popular range. A Heat Gun that is able to remove, solder, deform, etc and a Blower which can be used both as a blower and a vacuum.**




## STXH2000 2000W Variable Speed Heat Gun



- 2 speed heat gun with variable heat control giving maximum control in all heat gun applications
- Variable heat setting for material appropriate working and a large variety of applications
- Ergonomic handle design for comfortable use even over extended periods of time
- Lock-on switch for comfortable, hands-free use
- Standing facility allows using both hands for soldering or bending operations

Power Input	2000W
Operating Temperature	50-450 / 90-600 °C
Air Flow	300/500 l/min
Weight	0.8 kg



## STPT600 600W Variable Speed Blower



- 600W powerful motor for higher tool performance
- 2 Tools in 1: Blower and vacuum cleaner
- Light and compact design for ease of handling
- Optimized fan structure for better air flow
- Variable speed option for easy control of airflow
- Lock-on button for one hand control and user safety
- Rubber nozzle for greater flexibility during work
- Suction mode used in restricted application areas

Power Input	600 W
Air Flow	3.5 m <sup>3</sup> /min
No Load Speed	0-16000 rpm
Weight	1.7 kg

### Standard Equipment

Tube, Dust bag

