

STANLEY®



ONE TOOL COMPANY



PERFORMANCE IN ACTION™

HAND TOOLS & STORAGE

CONTENT



LASER MEASUREMENT

42



TRANSMODULE SYSTEM

214



MEASURING TOOLS

60



WRENCHES

220



LAYOUT TOOLS

72



SOCKETS, WRENCHES, MECHANIC TOOL SETS

236



STORAGE SOLUTIONS

84



IMPACT SOCKETS

288



CUTTING TOOLS

108



TORQUE WRENCHES

306



CLAMPING TOOLS

132



AIR TOOLS

318



FASTENING TOOLS

156



SPECIALITY TOOLS&ACC

328



STRIKING TOOLS

190

PRODUCTS INDEX

334



FINISHING TOOLS

204

DISPLAY SELECTION

348

STANLEY®

TOUGH CASE Short Tapes

- **>180cm** / 5M tape
(**5%** longer than competition)
- Preferred by **85%** of end users

GREAT STANDOUT



NYLON BLADE COATING

Offers **2X** Longer Life
Protects blade from scratches, rust & corrosion



BIG DOUBLE END HOOK

For autonomous use
Offers better grip above and below surface of measuring

SKU#	Case Material	BLADE		
		LENGTH	WIDTH	STANDOUT
STHT30504-8	ABS	3m/10'	13mm	1.4m
STHT30510-8	ABS	3.5m/12'	13mm	1.4m
STHT30505-8	ABS	5m/16'	19mm	1.8m
STHT30506-8	ABS	8m/26'	25mm	2.3m
STHT30507-8	ABS+TPR	3m/10'	13mm	1.4m
STHT30511-8	ABS+TPR	3.5m/12'	13mm	1.4m
STHT30508-8	ABS+TPR	5m/16'	19mm	1.8m
STHT30509-8	ABS+TPR	8m/26'	25mm	2.3m

Available In:

- ABS and ABS & TPR Cases
- 3m/10', 5m/16' & 8m/26' Range

POWERLOCK® TAPE RULES



- High impact chrome ABS case for tough onsite jobs
- Mylar polyester film extends life of entire blade
- Corrosion-resistant Tru-Zero® end hook for accurate measurements



SKU #	Description	Blade length	Blade Width	Blade Printing	Blade Graphics	Blade Coating	Box Qty
STHT33203-8	3m/10' x 13mm Metric/Imperial	3m/10'	13mm	1-sided	Regular	Mylar Yellow	6
STHT33215-8	3.5m/12' x 13mm Metric/Imperial	3.5m/12'	13mm	1-sided	Regular	Mylar Yellow	6
STHT33158-8	5m/16' x 19mm Metric/Imperial	5m/16'	19mm	1-sided	Regular	Mylar Yellow	6
STHT33428-8	8m/26' x 25mm Metric/Imperial	8m/26'	25mm	1-sided	Regular	Mylar Yellow	6
STHT33463-8	10m/33' x 25mm Metric/Imperial	10m/33'	25mm	1-sided	Regular	Mylar Yellow	6

TOUGH CASE TAPE RULES



- High visibility yellow blade
- Bi-material case provide comfortable, anti-slip grip
- Triangle shape offers improved stability
- Ergonomic 45° tilt clip for easy belt hook-on



SKU #	Description	Case Material	Blade Length	Blade Width	Standout	ACCURACY	Blade Coating	Box Qty
STHT30504-8	Tough Case 3m/10' x 13mm	ABS	3m/10'	13mm	1.4m	MID II	Nylon Yellow	6
STHT30510-8	Tough Case 3.5m/12' x 13mm	ABS	3.5m/12'	13mm	1.4m	MID II	Nylon Yellow	6
STHT30505-8	Tough Case 5m/16' x 19mm	ABS	5m/16'	19mm	1.8m	MID II	Nylon Yellow	6
STHT30506-8	Tough Case 8m/26' x 25mm	ABS	8m/26'	25mm	2.3m	MID II	Nylon Yellow	6
STHT30507-8	Tough Case Bi-Mat 3m/10' x 13mm	ABS+TPR	3m/10'	13mm	1.4m	MID II	Nylon Yellow	6
STHT30511-8	Tough Case Bi-Mat 3.5m/12' x 13mm	ABS+TPR	3.5m/12'	13mm	1.4m	MID II	Nylon Yellow	6
STHT30508-8	Tough Case Bi-Mat 5m/16' x 19mm	ABS+TPR	5m/16'	19mm	1.8m	MID II	Nylon Yellow	6
STHT30509-8	Tough Case Bi-Mat 8m/26' x 25mm	ABS+TPR	8m/26'	25mm	2.3m	MID II	Nylon Yellow	6

FATMAX® SHORT TAPE



MADE IN
USA
WITH GLOBAL MATERIALS™

- Patented reverse lock mechanism
- BladeArmor® coating on the first 80mm and complete Mylar® coated blade
- Detachable hook
- Bi-material case for comfort

SKU #	Description
XTHT0-33503	5M/E X32 in Cutcase – Metric / Imperial
XTHT0-33504	8M/E X32 in Cutcase – Metric / Imperial

TYLON™ TAPE RULES



- Tylon coated blade provides anti-glare readings
- Soft touch case
- Tru-Zero® hook for accurate internal and external measurements



SKU #	Description	Blade length	Blade Width	Blade Printing	Blade Graphics	Blade Coating	Box Qty
STHT30686-8	3m/10' x 13mm Metric/Imperial	3m/10'	13mm	1-sided	Regular	Tylon	6
STHT30696-8	5m/16' x 19mm Metric/Imperial	5m/16'	19mm	1-sided	Regular	Tylon	6
STHT30656-8	8m/26' x 25mm Metric/Imperial	8m/26'	25mm	1-sided	Regular	Tylon	6

RUBBERGRIP® TAPE RULE



- Exclusive cushion grip built into case for comfortable non-slip and impact resistance
- Lacquered blade for maximum durability
- Improved blade readability with high contrast colour easy to read in all lighting conditions
- Massive bumper designed for increased hook life

SKU #	Blade Length		Blade Width		Box/CTN
	Feet	Meters	Inches	MM	
30-608L	-	3	½"	12.7	6/36
30-611L	-	3.5	½"	12.7	6/36

GLOBAL TAPE YELLOW BLADE TAPE RULES



- High-impact ABS case for durability
- Matt finish coating provides anti-glare readings
- Corrosion-resistant Tru-zero end hook for accurate measurements



SKU #	Description	Blade length	Blade Width	Blade Printing	Blade Graphics	Blade Coating	Box Qty
STHT30487-8	3m x 13mm Metric	3m	13mm	1-sided	Regular	Tylon	6
STHT30497-8	5m x 19mm Metric	5m	19mm	1-sided	Regular	Tylon	6
STHT30457-8	8m x 25mm Metric	8m	25mm	1-sided	Regular	Tylon	6
STHT30486-8	3m/10' x 13mm Metric/Imperial	3m/10'	13mm	1-sided	Regular	Tylon	6
STHT30496-8	5m/16' x 19mm Metric/Imperial	5m/16'	19mm	1-sided	Regular	Tylon	6
STHT30496-31L	5m/16' x 19mm Metric/Imperial (FCB Tape)	5m/16'	19mm	1-sided	Regular	Tylon	6
STHT30456-8	8m/26' x 25mm Metric/Imperial	8m/26'	25mm	1-sided	Regular	Tylon	6

STANLEY® BASIC TAPE RULES



- High-impact ABS case for durability
- Corrosion-resistant Tru-Zero® end hook for accurate measurements



SKU #	Description	Blade length	Blade Width	Standout	Blade Printing	Blade Coating	Box Qty
STHT30204-8	3m/10' x 13mm Metric/Imperial	3m/10'	13mm	1.5m	1-sided	Lacqueur Yellow	6
STHT33989-8	5m/16' x 19mm Metric/Imperial	5m/16'	19mm	1.5m	1-sided	Lacqueur Yellow	6
STHT33994-8	8m/26' x 25mm Metric/Imperial	8m/26'	25mm	1.5m	1-sided	Lacqueur Yellow	6


LONG TAPE RULES OVERVIEW

	TAPE	CASE MATERIAL	BLADE MATERIAL	BLADE WIDTH	METRIC		METRIC/IMPERIAL	
Fiberglass Blade Long Tape Rules	Open Reel	ABS	Fiberglass	1/2"	•	20m 30m 50m	•	3m/10' 5m/16' 8m/26'
Open Reel Fiberglass Blade Long Tape Rules	Open Reel	ABS	Fiberglass	1/2"	-	-	•	30m/100' 60m/200'
Steel Blade Long Tape Rules	Close Case	ABS	Steel	3/8"	-	-	•	15m/50' 30m/100'

FIBERGLASS BLADE LONG TAPE RULES



- High-impact case for durability
- Reinforced fiberglass blade for accurate measurements
- High visibility case make it easy to detect on the job




SKU #	Description	Blade length	Blade Width	Blade Material	Accuracy	Blade Print	Blade Color	Box Qty
STHT34260-8	15m/50' Metric/Imperial	15m/50'	1/2"	Fiberglass	II (Metric only)	2-sided	Yellow	6
STHT34262-8	30m/100' Metric/Imperial	30m/100'	1/2"	Fiberglass	II (Metric only)	2-sided	Yellow	6
STHT34263-8	50m/165' Metric/Imperial	50m/165'	1/2"	Fiberglass	II (Metric only)	2-sided	Yellow	6
STHT34296-8	20m Metric	20m	1/2"	Fiberglass	II (Metric only)	2-sided	Yellow	6
STHT34298-8	50m Metric	50m	1/2"	Fiberglass	II (Metric only)	2-sided	Yellow	6

OPEN REEL FIBERGLASS BLADE LONG TAPE RULES



- Double sided blade graphics for an easy read
- Corrosion-resistant Tru-zero folding end hook for accurate measurements
- Grip handle for comfortable portage



SKU #	Description	Blade length	Blade Width	Blade Material	Accuracy	Blade Print	Blade Color	Box Qty
STHT34791-8	30m/100' Metric/Imperial	30m/100'	1/2"	Fiberglass	II (Metric)	2-sided	Yellow	2
STHT34794-8	60m/200' Metric/Imperial	60m/200'	1/2"	Fiberglass	II (Metric)	2-sided	Yellow	2
34-777	100m/300' Metric/Imperial	100m/300'	1/2"	Fiberglass	III (Metric)	2-sided	Yellow	2

STEEL BLADE LONG TAPE RULES

- Polymer coated blade withstands abrasion
- Easy-wind drum for efficient retraction
- Belt clip for hands-free usage and convenient transportation



SKU #	Description	Blade length	Blade Width (in.)	Blade Material	Blade Print	Blade Color	Box Qty
STHT34104-8	15m/50' Metric/Imperial	15m/50'	3/8"	Steel	1-sided	Yellow	6
STHT34107-8	30m/100' Metric/Imperial	30m/100'	3/8"	Steel	1-sided	Yellow	6

STRAIGHT EDGE RULER

- Matt finish and anti-glare for accurate readability
- Anti-rust and stainless body



SKU #	Description	Length (mm)	Width (mm)	Thickness (mm)	Box Qty
35-344	150mm Stainless Edge Ruler	150	15	0.6	24
35-345	300mm Stainless Edge Ruler	300	25	1	24
35-346	600mm Stainless Edge Ruler	600	25	1	20
35-347	1000mm Stainless Edge Ruler	1000	30	1.5	10
35-348	1500mm Stainless Edge Ruler	1500	38	1.8	10

STANLEY®

LAYOUT TOOLS



Levels

Squares

Marking Tools



NEVER COMPROMISE ACCURACY

Straight lines and angles will never be a problem again, not if **STANLEY®** is involved. For over 150 years, **STANLEY®** has been perfecting and making layout tools. Featuring levels, squares and chalk line markings, this category promises precision and distinction.



LEVELS

We design and build a wide variety of levels, including the box-beam, I-beam, torpedo, magnetic and adjustable-vial models. Each individual level has its own distinct benefits that permit the user to read and mark any angle between 0 and 90 degrees.



SQUARES

Our Try Square features a lightweight aluminum body with a durable plastic handle. It is ideal for laying out 45° and 90° angles.



MARKING TOOLS

STANLEY® Marking Tools include chalk lines and refills. These provide very easy usage, good adhesion and high visibility.


LEVELS OVERVIEW

PROFILE		BODY MATERIAL	SPEC				
			PRIMARY UTILE SURFACE ACCURACY	# OF VIALS	LENGTH (in.)	LENGTH (mm)	MAGNET
Torpedo	Hi Impact Torpedo Level	ABS+TPR	2mm/m	3	9"	299	●
	Plastic Torpedo Level	ABS	2mm/m	3	8"	200	●
	Plastic Torpedo Level	ABS	2mm/m	3	9"	299	●
	Die Cast Torpedo Level	Aluminum	1.5mm/m	3	9"	299	●
Box-Beam	STANLEY® Classic Box-Beam	Aluminum	0.5mm/m	2~3	12", 16", 24", 31", 39", 48", 59", 72", 78"	300, 400, 600, 800, 1000, 1200, 1500, 1800, 2000	-
	Fatmax® II Level	Aluminum	0.5mm/M	3	24" 36" 48" 72"	600 900 1200 1800	● (43-525, 43-537, 43-549)
I-Beam	Foam Casing	ABS	2mm/m	3	12" 18" 24" 48"	300 450 600 1200	-
	Thrifty	Aluminum	2mm/m	2~3	12" 18" 24" 36" 48"	300 450 600 900 1200	-
	Fatmax® I-Beam Level	Aluminum	1mm/m	3	24" 48" 72"	600 1200 1800	● (43-554, 43-556, 43-558)

HI IMPACT TORPEDO LEVEL



- Heavy-duty aluminum frame for accuracy and durability
- Open level vial provides maximum readability
- Magnetic base allows hands-free operation on metal surfaces




SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Box Qty
STHT43511-8	STANLEY® 9" Hi Impact Torpedo Level	9"	229	1	1	1	6

PLASTIC TORPEDO LEVEL



- High-impact ABS body provides durability
- Clear visibility from above because of top-reading vial
- Tinted 360° vials to provide distinct readability




SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Box Qty
STHT42291-8	STANLEY® 8" Plastic Torpedo Level	8"	200	1	1	1	6

PLASTIC TORPEDO LEVEL



- High-impact ABS body provides durability
- Top-reading feature allows clear visibility from above
- Tinted 360° vials make measurements easy on the eyes



SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Box Qty
STHT42264-8	STANLEY® 9" Plastic Torpedo Level	9"	229	1	1	1	6

DIE CAST TORPEDO LEVEL



- Durable, heavy-duty, cast aluminum frame
- Features large, top-read vial window
- Pipe groove enables use on rounded surfaces



SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Box Qty
STHT42465-8	STANLEY® 9" Die Cast Torpedo Level	9"	229	1	1	1	6


STANLEY®

CLASSIC BOX-BEAM LEVEL

The **STANLEY®** CLASSIC BOX-BEAM features a wide range of levels that come in various sizes. New features offer better visibility, readability, durability and accuracy.

SOFT MATERIAL
used to make shock-absorbing end caps

EXCELLENT ACCURACY
center vial with 0.05mm/1m
2 PLUMB VIALS
for easy readability



strong yet lightweight

ALUMINUM FRAME
suitable for all-purpose durability

MILLING SURFACE
to provide better accurate measurement

USER TIPS

- The hang-hole allows for easy storage
- Measuring can be done from either direction, offering excellent accuracy

SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	Hang Holes
STHT43118-8	Stanley® Classic Box Beam Level 30Cm/12"	12"	300	1	1	1
STHT43102-8	Stanley® Classic Box Beam Level 40Cm/16"	16"	400	1	1	1
STHT42521-8	Stanley® Classic Box Beam Level 40Cm/16" (3 Vials)	16"	400	1	2	1
STHT43103-8	Stanley® Classic Box Beam Level 60Cm/24"	24"	600	1	1	1
STHT42522-8	Stanley® Classic Box Beam Level 60Cm/24" (3 Vials)	24"	600	1	2	1
STHT43104-8	Stanley® Classic Box Beam Level 80Cm/31"	31"	800	1	1	1
STHT42523-8	Stanley® Classic Box Beam Level 80Cm/31" (3 Vials)	31"	800	1	2	1
STHT43105-8	Stanley® Classic Box Beam Level 100Cm/39"	39"	1000	1	2	2
STHT43106-8	Stanley® Classic Box Beam Level 120Cm/48"	48"	1200	1	2	2
STHT43107-8	Stanley® Classic Box Beam Level 150Cm/59"	59"	1500	1	2	2
STHT43108-8	Stanley® Classic Box Beam Level 180Cm/72"	72"	1800	1	2	2
STHT43109-8	Stanley® Classic Box Beam Level 200Cm/78"	78"	2000	1	2	2

FATMAX® II LEVEL

- Built from a single piece of aluminum extrusion for increased durability and rugged use
- A center MaxEdge™ vial enables users to scribe continuous lines with an improved view
- Features 2 block vials on each end to provide maximum accuracy
- Dual bi-material



SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	Hang Holes	Hand Holes	Magnet	Box Qty
1-43-524	FatMax® II Level 24"/60cm	24"	600	1	2	2	1	—	6
43-536	FatMax® II Level 36"/90cm	36"	900	1	2	2	1	—	6
43-548	FatMax® II Level 48"/120cm	48"	1200	1	2	2	2	—	3
43-525	FatMax® II Level 24"/60cm(Magnetic)	24"	600	1	2	2	1	•	3
43-537	FatMax® II Level 36"/90cm(Magnetic)	36"	900	1	2	2	1	•	6
43-549	FatMax® II Level 48"/120cm(Magnetic)	48"	1200	1	2	2	2	•	6

FOAM CAST LEVEL



- Durable, shock-resistant ABS construction
- Measuring scale adds utility
- Non-marring material helps prevent damage to finished surfaces



SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Hang Holes	Hand Holes
STHT42467-8	18" Foamcast Level	18"	450	1	1	1	1	2
STHT42468-8	24" Foamcast Level	24"	600	1	1	1	1	2
STHT42470-8	48" Foamcast Level	48"	1200	1	1	1	1	2

24" I-BEAM LEVEL MID-GRADE RANGE



- Level accuracy of 0.0015 in./in. (1.5mm/m)
- 360 ° vials set directly into frame never need adjustment
- Heavy-duty aluminum I-beam construction provides rigidity and accuracy

SKU #	Description	Material	Length (mm)	Magnetic	VIALS
42-244	24" i-beam level	Aluminum	24"	Yes	3

FATMAX® I-BEAM LEVEL




- Ergonomic Aluminum body removes excess dirt and prolongs life
- Magnified center vial for increased user comfort
- Vials with accuracy of 0.5mm/m for improved exactness
- MaxEdge center vial : bridged center vial for continuous marking surface
- Pencil clip included for convenient marking
- Shock absorbing end caps makes it long lasting and shock resistant

SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	Hang Holes	Hand Holes	Manget	Box Qty
43-553	FatMax® I-Beam Level 24"/60cm	24"	600	1	2	2	1	—	2
43-555	FatMax® I-Beam Level 48"/120cm	48"	1200	1	2	2	2	—	2
43-557	FatMax® I-Beam Level 72"/180cm	72"	1800	1	2	2	2	—	2
43-554	FatMax® I-Beam Level 24"/60cm(Magnetic)	24"	600	1	2	2	1	•	2
43-556	FatMax® I-Beam Level 48"/120cm(Magnetic)	48"	1200	1	2	2	2	•	2
43-558	FatMax® I-Beam Level 78"/200cm(Magnetic)	78"	2000	1	2	2	2	•	2

THRIFTY




- Durable, lightweight aluminum construction for all purpose use
- Yellow vial covers increase visibility and readability
- Comfortable hand holes for easy handling



SKU #	Description	Length (in.)	Length (mm)	Top Read Vial	Plumb Vial	45° Vial	Hang Holes	Hand Holes
STHT42072-8	12" Thrifty Levels	12"	300	1	1	—	1	—
STHT42073-8	18" Thrifty Levels	18"	450	1	1	1	1	—
STHT42074-8	24" Thrifty Levels	24"	600	1	1	1	1	1
STHT42075-8	36" Thrifty Levels	36"	900	1	1	1	1	1
STHT42076-8	48" Thrifty Levels	48"	1200	1	1	1	2	2

TRY SQUARE



- Try square with stamped graduations and figures
- Cast Zinc handle
- Metric/Imperial marking on ruler



SKU #	Description	Blade (in.)	Blade (mm)	Handle (in.)	Handle(mm)
STHT46530-8	6" Try Square	6"	152	4-7/8"	124
STHT46532-8	8" Try Square	8"	203	4-7/8"	124
STHT46534-8	10" Try Square	10"	254	7-1/4"	184
STHT46536-8	12" Try Square	12"	305	7-1/4"	184

STANLEY® STEEL CARPENTER SQUARE



- Tempered steel designed for durability
- Deep graduations for easy reading on face and back
- Surface protected with a clear finish that resists rust
- Reverse reading scale makes measuring more efficient

SKU #	Finish	Length		Graduation		Box/CTN
		Body	Tongue	Face	Back	
45-500 (Imperial)	Buffed	24" x 12"	16 x 1- 1/2"	1/8"	1/8"	1/4
45-600 (M/E)	Buffed	24" x 16"	16" x 1-1/2"	1/8"	1/8"	6/6

STANLEY® RAFTER / ROOFING SQUARE




- Embossed graduations and figures on work-hardened steel
- Metric roofing table
- Buffed finish with a clear lacquer that resists rust

SKU #	Finish	Length		Graduation		Box/CTN
		Body	Tongue	Face	Back	
45-530 (Metric)	Buffed	600 x 500mm	400 x 8mm	2mm	2mm	6/6

COMBINATION SQUARE

- Try square with stamped graduations and figures
- Cast zinc handle
- Metric / Imperial marking on ruler



SKU #	Description	Length inches	# of Vials	Box/CTN
46-012	12"	36"	3	6/6
46-028	Die Cast	48"	3	3/3

STANLEY® BEVEL EDGE

- High carbon steel-tempered blade
- Nickel-plated
- Tough plastic handle




SKU #	Description		O/A Length		Box/CTN
	mm	Inches	mm	Inches	
46-825-0	203	8"	140	5-1/2"	6/36

CHALK LINE



- Stainless steel end hook for added durability and rust prevention
- High impact ABS case for durability
- Sliding door for quick and easy refill



SKU #	Description	Chalk Line Length (ft.)	Chalk Line Length (m)	Chalk Refill Weight (oz)	Chalk Refill Weight (g)	Box Qty
STHT47440-8	Chalk Line Reel	100	30	—	—	6
STHT47442-8	Chalk Line Reel, Bule Chalk 4 oz	100	30	4	113	—
STHT47443-8	Chalk Line Reel, Bule Chalk 4 oz & Plastic Line Level	100	30	4	113	2
47-460	Chalk Line Powerwinder®	100	30	-	-	1

CHALK REFILL

- Powder specially formulated for good adhesion and high visibility
- Water resistant
- Good resistance to all atmospheric conditions




SKU #	Description	Weight (oz)	Weight (g)
STHT47403-8	Chalk Refill Blue 4 oz	4	113
STHT47404-8	Chalk Refill Red 4 oz	4	113


STANLEY® ROLLER CABINET

MOBILE STORAGE CART


COMPATIBLE with
**TRANS
MODULE**
system



Perforated side panels for more storage options.



Ball bearing slide for smooth and heavy loading drawer operation.



Two lockable 4" x 2" swivelling PP castors for easy maneuverability and secure parking.

Corner bumpers protect against impact damage.



X 3

EACH DRAWER OF ROLLER CABINET ACCOMMODATES 3 MODULES, YOU MAY ADJUST THE CONFIGURATION ACCORDING TO YOUR OWN WORKING PREFERENCE.

* Refer to page 182-187 for STANLEY® Transmodule System details






4 DRAWERS ROLLER CABINET



COMPATIBLE with
**TRANS
MODULE**
system

- Multiple drawer sizes for flexible storage options
- Perforated side panels for more storage options
- Ball bearing slides for smooth and heavy loading drawer operation
- Lockable castors
- PVC bumpers on corners
- Lockable drawers





SKU #	Description	Overall Dimension (Length x Width x Height mm)	Effective Drawer Di- mension (mm)	Total Load Capacity (kg)	Drawer Load Capacity (kg)	Compartment Load Capacity (kg)	Drawer Qty
STST74305-8	4 Drawers Roller Cabinet	690 x 426 x 889	Top 3: 540 x 408 x 72 Bottom 1: 540 x 408 x 105	300	20	35	4

7 DRAWERS ROLLER CABINET



COMPATIBLE with
**TRANS
MODULE**
system

- Multiple drawer sizes for flexible storage options
- Perforated side panels for vertical storage
- Ball bearing slides for smooth and heavy loading drawer operation
- Lockable castors
- PVC bumpers on corners
- Lockable drawers




SKU #	Description	Overall Dimension (Length x Width x Height mm)	Effective Drawer Di- mension (mm)	Total Load Capacity (kg)	Drawer Load Capacity (kg)	Compartment Load Capacity (kg)	Drawer Qty
STST74306-8	7 Drawers Roller Cabinet	690 x 426 x 889	Top 4: 540 x 408 x 72 Bottom 3: 540 x 408 x 105	300	20	—	7

4 DRAWERS ROLLER CABINET WITH ABS TOP TRAY




COMPATIBLE with
**TRANS
MODULE**
system

- Ball bearing slides for smooth and heavy loading drawer operation
- ABS top tray
- Side folding shelf
- Lockable wheel with rubber castors
- Side can and screwdriver holders
- Rubber bumpers on corners
- Lockable drawers




SKU #	Description	Overall Dimension (Length x Width x Height mm)	Effective Drawer Dimension (mm)	Total Load Capacity (kg)	Drawer Load Capacity (kg)	Compartment Load Capacity (kg)	Drawer Qty
STMT99069-8	4 Drawers Roller Cabinet	698 x 477 x 973	536 x 410 x 75.5	300	25	35	4

18" CASE TROLLEY CART




- Carries up to 4 tool set cases for better organization with tool/cart sharing
- 2 sides vertical tool storage on top shelf
- 4 swivel castors for ease of operation




SKU #	Description	Overall Dimension (Length x Width x Height) (in mm)	Shelf Load Capacity (kg)	Total Load Capacity (kg)
STST74316-8	18" Case Trolley Cart	412 x 456 x 805	50	22

16" METAL CANTILEVER TOOLBOX

The **STANLEY®** 16" Metal Cantilever Toolbox is a one-of-a-kind storage solution for improved efficiency. The toolbox offers a duo layer design for simple organization and unique user-facing storage space for quick tool access.




Long handle makes it easy to carry around and maneuver.



“ UTILIZE THE FULL TRAY SPACE AND STORE BULKIER TOOLS COMPARED TO OTHER SIMILAR SIZED CANTILEVER TOOLBOXES ”

COMPATIBLE with
**TRANS
MODULE**
system



“ SMART BUMPER PROTECTS THE SIDE AND OFFERS SUPPORT BY SERVING AS A STAND ”

* Refer to page 182-187 for STANLEY® Transmodule System details

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Total Load Capacity (kg)	Drawer Load Capacity (kg)	Drawer / Layer Quantity
STST73097-8	16" Metal Toolbox - Cantilever 2 Layers	403	189	169	3.2	16	4.5	1

19" METAL TOOLBOX



STST73099-8



**GOOD DESIGN
AWARD 2014**



COMPATIBLE with
**TRANS
MODULE**
system



STST73100-8




COMPATIBLE with
**TRANS
MODULE**
system

STST73101-8


- One-handed operation
- Long handle



- One-handed operation
- Long handle
- Auto sliding drawer



- One-handed operation
- Long handle
- Central lock mechanism
- Ball bearing drawer slides



SKU #	Description	Overall Dimension (mm)	Effective Drawer Dimension (mm)	Weight (kg)	Total Load Capacity (kg)	Drawer Load Capacity (kg)	Drawer / Layer Quantity
STST73099-8	19" Metal toolbox - no drawer	471 x 221 x 236	-	3.4	20	-	-
STST73100-8	19" Metal toolbox - 1 drawer	471 x 221 x 236	403.8 x 184 x 77	4.5	20	4.5	1
STST73101-8	19" Metal toolbox - 2 drawers	471 x 221 x 236	405 x 189.5 x 47	5.9	20	4.5	2

FM 30GL/113L PROMOBILE JOBCHEST™



- Tough and big enough to fit more tools and accessories
- Big wheels and telescopic handle making it easier to move around on uneven surfaces and stairs
- 113 liter volume, 50 kg capacity

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-94-850	FM 30GL/113L Promobile Jobchest™	516	431	12.7	12.76	Metal

FATMAX® CANTILEVER ROLLING WORKSHOP



- Opens up easily into a 4 level workstation
- Heavy duty road tested wheels
- Large adjustable organizer for nails, screws and other small components
- Large adjustable organizer for nails, screws and other small components
- 82 Liter volume, 50 kg capacity

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-94-210	Fatmax® Cantilever Rolling Workshop	550	370	740	9.6	Metal

ONE TOUCH LATCH CONTRACTOR



- Portability of large tools
- Removable organizer on lid
- Over molded metal pull handle
- 2/3 size portable tray allows for storage of larger/longer tools
- 45 liter volume, 40 kg capacity

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST33080	One Touch Latch Contractor	621	382	423	3.37	Metal

ROLLING WORKSHOP



- 3 in 1 storage options: tool box, organizer, storage bin
- Large bottom bin
- Middle carousel organizer
- Large wheels
- Foldable handle
- 39 liter volume, 20 kg capacity

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST18603	Rolling Workshop	470	295	619	4.34	Metal

3-IN-1 MOBILE WORK CENTER



MADE IN
USA
WITH GLOBAL MATERIALS™

- Includes detachable tool box unit + portable organizer + large bottom bin - the solution for all tool storage needs
- Removable tray allows enough space for larger tools to be stored underneath
- Portable organizer for small parts with multiple compartments which can be carried outside of the main unit
- Large bottom bin for larger hand tools and power tools
- Metal front and side latches for heavy duty usage - side latches can be clicked shut with or without organizer

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST18613	3 -in-1 Mobile Work Center	469.9	279.4	629.92	4.85	Metal

WHEELED CONTRACTOR BOX



- Mobile fittings box with removable organizer
- Heavy-duty wheels for safety and comfort
- Robust handle
- 37 liter volume, 50 kg capacity

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-92-904	Wheeled Contractor Box 33025	620	375	425	6.2	Metal
STST33026	PRO Contractor	620	375	425	5.66	Metal

PLASTIC TOOLBOX STORAGE LINE



METAL LATCH

Durable and anti-rust metal latch

REMOVABLE ORGANIZER

Removable organizer on the lid of the toolbox

INTERNAL TRAY

Comes with internal tray inside the toolbox

STRUCTURAL FOAM TOOLBOX WATERSEALED



- Waterproof storage solution
- All round water seal ensures safe and dry storage
- Constructed of structural foam for extra strength
- Extra large storage capacity
- Tough ergonomic soft grip handle allows heavy loads to be carried with ease
- Large metal rust proof latches with padlock for locking possibilities

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-94-749	23" Structural Foam toolbox	580	208	269	3	Metal
1-93-935	28" Structural Foam toolbox	710	320	295	4.25	Metal

20" METAL-PLASTIC BOX



- Durable metal body
- Big metal latches
- Easy-grip coated handle

HEAVY DUTY

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST20060	20" Metal-Plastic Box	497	293	222	2.4	Metal

20" PRO TOOLBOX



- Long metal handle
- Big metal latches
- Internal tray

HEAVY DUTY

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST20300	20" PRO Toolbox	567	521	811	2.3	Metal

PORTABLE TOTE TRAY



- Constructed from high strength weatherproof plastic
- Adjustable and removable dividers
- Detachable case with integrated handle
- Heavy duty anti-rust metal latches
- Tough polycarbonate lid for extreme protection

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST1-70317	19" Tote + Organizer	556	320.2	249	2.98	Metal
1-97-514	24" Tote + Organizer	670	320	250	3.53	Metal
STST1-70736	19" Organizer	500	95	330	1.6	Metal
STST1-79203	24" Organizer	610	95	330	1.95	Metal

25" ANTI SHOCK BOX



- Impact-absorbing and slip-resistant feet
- Two built into the lid organizer
- Aluminium padlock
- Transparent organizer flap

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-70-353	25" Anti Shock Box	635	280	267	2.9	Metal

18" STRUCTURAL FOAM CANTILEVER TOOLBOX



- Robust and compact for high durability and easy transport
- Protruding compartments for clearly arranged storage and easy access
- Large main compartment – ideal for power tool storage
- Splash proof to the IP53 standard

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
FMST1-71219	18" Structural Foam Cantilever Toolbox	457	236	310	3.5	Metal

CLICK 'N CONNECT™



MADE IN
USA
WITH GLOBAL MATERIALS™

- Stack multiple units for flexible storage structures
- Hinge+Latch feature allows the toolbox to be opened from both sides
- Removable dividers for customizable storage solutions

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST14440	Click 'N Connect™ Organizer	505	290	90	1.3	Plastic
STST19950	Click 'N Connect™ Toolbox	505	310	165	1.6	Plastic
STST19900	Click 'N Connect™ 2 IN 1 Box & Organizer	505	310	245	2.9	Plastic

STANLEY® ONE LATCH



16"



19"

- Single latch one-hand operation
- Organizer on lid
- Internal tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST16410	16" New Stanley® Plastic Latch	394	220	162	1.1	Plastic
STST19410	19" New Stanley® Plastic Latch	486	266	236	2.0	Plastic
STST16400	16" New Stanley® Metal Latch	394	220	162	1.1	Metal
STST19400	19" New Stanley® Metal Latch	486	266	236	2.0	Metal

22" TOOLBOX W/ TPR CORNERS & ALU LATCHES



- Large metal closures
- Lid organizer
- Removable tool tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-97-512	22" Toolbox w/ TPR corners & alu latches	556	257	248	2.2	Metal

19" CLEAR LID METAL LATCH



- Organizer on lid with clear cover
- Metal latches
- Internal tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST19061	19" Clear Lid Metal Latch	483	260	250	1.6	Metal

TOOLBOX



19"



22"

- Organizer top lid with clear cover
- Durable metal latch
- Internal tray



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST74303-8	19" Toolbox metal latch	480	225	230	1.6	Metal
STST74304-8	22" Toolbox metal latch	555	295	265	2.4	Metal

JUMBO



16"



19"

- Removable organizer on lid
- Metal latches
- Internal tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST16028	16" Jumbo Metal Latch	400	250	185	1.1	Metal
STST19028	19" Jumbo Metal Latch	535	495	725	1.6	Metal

TOOL BOX



MADE IN
USA
WITH GLOBAL MATERIALS™

- Built in padlock eye for small locks for secure storage of tools
- Nickel plated metal latches for durability
- Tote tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST19005	19" Toolbox with Metal Latches	492.76	243.84	251.46	1.78	Metal
STST24113	24" Toolbox with Metal Latches	601.98	292.10	284.48	3.15	Metal

SERIES 2000



Metal Latch



Plastic Latch

- Organizer on lid
- Internal tray
- Metal latch

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST13011	12.5" Series 2000 Plastic Latch	318	178	130	0.4	Plastic
STST16011	16" Series 2000 Plastic Latch	403	206	181	1.1	Plastic
STST19011	19" Series 2000 Plastic Latch	489	260	248	1.9	Plastic
STST13013	12.5" Series 2000 Metal Latch	318	178	130	0.5	Metal
STST16013	16" Series 2000 Metal Latch	403	206	181	1.1	Metal
STST19013	19" Series 2000 Metal Latch	489	260	248	1.9	Metal

ECON SERIES



- Organizer on lid with clear cover
- Internal tray

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-71-948	13" Toolbox	320	150	135	0.5	Plastic
1-71-949	16" Toolbox	410	200	180	1.0	Plastic
1-71-950	19" Toolbox	480	230	230	1.6	Plastic
1-71-951	22" Toolbox	555	290	265	2.5	Plastic

PORTABLE TOTE TRAY



- Open access
- Tool rack

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST41001	Portable Storage Tote Tray Blk	496	335	195	0.8	–



NEW 3-IN-1 TOOL ORGANIZER



- Made from polypropylene plastic
- Robust structure that provides security while transporting
- Movable dividers that provide specific configuration for smaller part and tools
- Central rigid tote that is perfect for hand tools

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST1-71963	New 3-in-1 Tool Organizer	425	234	316	2.59	Plastic

SORT MASTER



- Ability to connect back to back
- Unique spacing design
- Removable divider plates



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST14027	Sort Master	431	333	88	1.2	Plastic
STST14022	Sort Master Junior	375	292	67	0.7	Plastic
STST14021	Sort Master light	290	210	63	0.4	Plastic

8 COMPARTMENT PROFESSIONAL DEEP ORGANIZER



- 8 deep compartments for extra storage
- Lockable virtually unbreakable polycarbonate lid

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-92-749	8 Compartment Professional Deep Organizer	419	337	108	1.67	Polycarbonate lid

ORGANIZER



- Removable divider plates
- Integrated handle



S / M



L

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST73822-8	Small Organizer	320	265	50	0.4	Plastic
STST73823-8	Medium Organizer	380	300	60	0.7	Plastic
STST73824-8	Large Organizer	480	375	75	1.2	Plastic

CLEAR ORGANIZER



- Transparent lid and body
- Removable divider plates
- Rounded compartment edges make it simple to remove contents

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST14009	9" Organizer Clear	210	115	35	0.1	Plastic
STST14014	14" Organizer Clear	357	229	48	0.5	Plastic



"UNIQUE LATCH DESIGN THAT CAN BE OPENED FROM BOTH SIDES, ENABLING EASY CONNECTING & DETACHING"

TOOL BAG STORAGE LINE



OPEN BULKY STRUCTURE DESIGN

Easy access to tools

600X600 DENIER FABRIC

Hardwearing, strong and durable

STRONG REINFORCED PLASTIC BASE

Protection from wet and damp surfaces

FREE STANDING OPEN MOUTH

Non collapsible enables easy access to tools at all times

MULTIPLE INTERNAL AND EXTERNAL POCKETS

Maximum organization potential

COVERED FRONT POCKET

Secure storage of small parts or personal items

PERSONAL POUCH



- Fully adjustable to different size of belts
- Large zippered pocket for secure storage of important items

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
1-96-179	Personal Pouch	250	150	40	0.168

TOOL POUCH



- Multiple size pockets & loops; dedicated hammer storage
- Padded back

SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside
STST511324	Tool Pouch	600 denier polyester	235	130	330	0.3	11

9" POUCH



- Side Loop
- Front mesh pocket

SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
STST509104	9" Pouch	600 denier polyester	240	160	110	0.2	1	3

TOOL APRON



- Multiple size pockets & loops; dedicated tape and hammer storage
- Adjustable belt and padded back

SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside
STST511304	Tool Apron	600 denier polyester	600	75	255	0.7	11

STANLEY® TOOL BELT



- Adjustable length

SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
STST73830-8	Stanley® Tool Belt	600 denier polyester	1250	60	15	0.1

FATMAX™ MULTIFUNCTIONAL AND WORK VEST



- Numerous easy-access pockets and attachment options – often for easy transport of used tools
- Breathable – great wearing comfort even at high temperatures, no heat or humidity storage
- Safety through reflective inserts
- Robust-Double material on sensitive areas for protection from sharp objects
- Concealed inner pocket for safe storage of documents, etc

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
FMST1-71181	Fatmax™ Multifunctional and Work Vest	580	10	47	1.32

12" SOFT SIDE TOOL BAG



- Multiple internal and external pockets
- Durable body material



SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
STST512114	12" Soft Side Tool Bag	600 denier polyester	350	140	240	0.5	7	6

16" OPEN MOUTH BAG



- Strong reinforced plastic base
- Adjustable shoulder strap
- Free standing open mouth




SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
STST516126	16" Open Mouth Bag	600 denier polyester	450	235	275	1.1	5	6

16" TOTE FABRIC BOTTOM



- Strong metal handle with comfortable grip
- Multiple internal and external pockets
- Adjustable shoulder strap



SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
STST516114	16" Tote Fabric Bottom	600 denier polyester	410	230	325	1.7	11	11

14" TOOL BAG



- Heavy Duty 600 denier fabric
- Shoulder Strap
- Large rubber zipper

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
STST1-73615	14" Tool Bag	360	21	255	0.9

STANLEY® BACKPACK



- Large inner compartment
- Large storage divider
- Back support system Mesh padding



SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
STST515155	Stanley® Backpack	600 denier polyester	305	185	470	1.9	15	2

FATMAX® TOOLS BACKPACK ON WHEELS



- Strong reinforced plastic base with wheels
- Large inner compartment
- Large storage divider



SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	# of pockets inside	# of pockets outside
FMST514196	Fatmax® Tools Backpack on Wheels	600 denier polyester	360	230	540	3.3	29	4

18" SOFT BAG WITH WHEELS



- Heavy duty 600 denier polyester that resists cuts and scratches
- Multiple internal and external pockets
- Drill and tools storage

SKU #	Description	Material	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
1-97-515	18" soft bag with wheels	600 denier polyester	460	330	450	2.5

7-PIECE TOOLS SET



- 1pc Linesman Pliers : 7"
- 1pc Adjustable Wrench : 8"
- 1pc Cushion Grip : 6x100
- 1pc Cushion Grip : M6x100
- 1pc STANLEY Tape Rules : 3m
- 1pc Snap-Off Blade : 18mm
- 1pc Test Pen : 100-500V24

SKU #	Description	BOX/CTN
90-596N	7-pc Tools Set	1/36

18-PIECE TOOLS SET



- 1pc Precision Screwdriver Set
- 1pc Linesman Pliers : 8"
- 1pc Long Nose Pliers : 6"
- 1pc Adjustable Wrench : 8"
- 1pc Test Pen 100-500V AC : 150mm
- 1pc Snap-Off Knife : 9mm
- 1pc Cushion Grip : 3 x 100mm
- 1pc Cushion Grip : #0 x 100mm
- 1pc Cushion Grip : 6.5 x 150mm
- 1pc Cushion Grip : #2 x 150mm
- 1pc Solder Iron : 30W/220W
- 1pc STANLEY Tape Rules : 8m
- 1pc Metric Hex Key Set : 10pcs
- 1pc Wood Handle Nail Hammers : 130Z
- 1pc Mini Hacksaw : 8-3/4"
- 1pc Torch Light
- 1pc Pinch
- 1pc Scissor
- 1pc Nylon Bag

SKU #	Description	BOX/CTN
90-597	18-pc Tools Set	1/5

25 PCS DO-IT-ALL TOOLS SET



- 1 pc Wood Handle Nail Hammers 7oz
- 1 pc STANLEY Tape Rules 3meter 1
- 1 pc Knife
- 1 pc Metric Hex Key Set 10pcs
- 1 pc Linesman Pliers 8"
- 1 pc Long nose Pliers 6"
- 1 pc Adjustable wrench 8"
- 1 pc 6-way screwdriver
- 1 pc Digital Spark Test Pen
- 1 pc Torch Light
- 1 pc Waterproof Tools Bag

SKU #	Description	BOX/CTN
92-006	25 pcs Electrician's Tools Set	1/9

BLACK & DECKER® WORKMATE 301



- Durable steel construction
- Folds flat for storage
- Dual clamping cranks



SKU #	Description	Working Height	Folded Width	Folded Height	Folded Depth	Max Loading	Max Table Width
WM301-XJ	Workbench w/ Dual Clamping	760	630	890	130	160	341

BLACK & DECKER® WORKMATE 536



- Dual working heights
- Durable steel construction
- Folds flat for storage
- Dual clamping cranks



SKU #	Description	Working Height	Folded Width	Folded Height	Folded Depth	Max Loading	Max Table Width
WM536-XJ	Workbench w/ Dual Working Height	595 / 775	610	740	195	250	384

BLACK & DECKER® WORKMATE 1000



- One-handed quick clamp system
- Quick folding frame enables product free standing
- Folds flat for storage
- Dual clamping cranks



SKU #	Description	Working Height	Folded Width	Folded Height	Folded Depth	Max Loading	Max Table Width
WM1000-XJ	Workbench w/ Advance Quick Clamping System	803	670	1090	210	250	607

STANLEY®

CUTTING TOOLS



Snap-Off Knives

Utility Knives

Knife Blades

Handsaws

Hacksaws

Hacksaw Blades

Pipe Cutters

Snips

PRECISION EVERY TIME

STANLEY® manufactured its first utility knife back in 1935. We are the pioneer and innovator in this category. The **STANLEY®** cutting tool range is built to last, to provide excellent cutting performance and to have noteworthy safety and ergonomic features.



A MUST HAVE KNIFE FOR ALL TRADES

SNAP-OFF KNIVES

STANLEY® Snap-off Knives have high quality carbon steel blades that snap off in sections, providing a fresh and sharp cutting point to the user without the need to open up the knife. We bring innovation to snap-off knives by providing unique features that users have never experienced before.

DO YOU KNOW...

Stanley's blades are very popular in the market. In fact, its state-of-the-art manufacturing facilities must pump out **20,000 miles** of blades each and every year to keep up with the demand.



**THICKER BLADES FOR
HEAVY DUTY TASKS**

UTILITY KNIVES

The **STANLEY®** range of advanced utility knives encompass a design that features more comfort, grip and handling than other brands. They have a thicker knife blade, simplifying efforts when it comes to tough cutting tasks. We provide a wide range of utility knives that offer different blade options and special applications.



Cardboard



Leather



Carpet



Vinyl

FUN FACT

In the UK, Australia and New Zealand, any Utility Knife is simply known as a **STANLEY®** knife

KNIFE BLADES



Extensive tests and the use of advanced technology such as induction heat treated blade edge, make **STANLEY®** the leader in the category.

HANDSAWS



We are one of the largest hand saw manufacturers in the world. Producing over 4 million units a year, **STANLEY®** handsaws are at the top of their class. Its hard point teeth are heat treated to give the tool a much longer lifespan. Tests have proven that they can last up to five or six times longer than other brands.

HACKSAWS



STANLEY® hacksaws have excellent safety features, making them some of the safest and most reliable tools on the market. Its excellent blade tension mechanism system plays a role in ensuring that less accidents happen on the job, creating a safe and tension-free work environment.

PIPE CUTTER



STANLEY® offers an array of pipe cutters that are perfect additions to the tool box. Used for cutting metal and plastic pipes, there is an expectation for these cutters to be strong, durable and precise.

SNIPS



STANLEY® Snips have undergone various durability tests to prove the tools' hardness, cutting load, cutting length, cutting life, corrosion and solvency levels. Every test conducted exceeded ANSI standards, making these tools some of the best in the world.

HACKSAW BLADES



Perfect for cutting metal or plastic piping, **STANLEY®** offers two different hacksaw blades with materials include High Speed Steel (HSS) and Bi-Metal. Bi-Metal hacksaw blades are made from a material that combines the segregated section of HSS and carbon steel.

SNAP-OFF KNIVES & BLADES OVERVIEW

PROFILE	CASE MATERIAL	LOCKING SYSTEM	SNAP-OFF BLADE		
			9mm	18mm	25mm
Professional Snap-Off Knife	Metal + ABS Metal + ABS & TPR	Auto Lock / Dial Lock	●	●	
QuickPoint™ Snap-Off Knife	ABS	Auto Lock	●	●	
Dynagrip™ Snap-Off Knife	Metal + ABS & TPR	Dial Lock	●	●	●
18mm Cartridge Blade Knife	Metal + Plastic	Auto Lock		●	
18mm Snap-Off Blade Knife	Metal + Plastic	Auto Lock		●	
Professional Interlock™ Knife	Metal	Captive Wheel Lock		●	

UTILITY KNIVES & BLADES OVERVIEW

PROFILE		CASE MATERIAL	Utility Knife Blades			
			STHT11921-8 Heavy Duty	11-987 Safe Round-Point	0-11-983 Large Hook Blade	0-11-700 FatMax® Utility Blade
Fixed Blade	STANLEY® Classic 199®	Metal	●	●	●	●
	STANLEY® FatMax®	Metal	●	●	●	●
Retractable	STANLEY® Classic 99®	Metal	●	●	●	●
	Retractable Utility Knife	Plastic	●	●	●	●
	Dynagrip™ Retractable Utility	Metal + TPR	●	●	●	●
	Ergonomic All-Metal Retractable	Metal	●	●	●	●
	STANLEY® FatMax® Retractable	Metal+TPR	●	●	●	●
Safety	Self-Retracting Utility Knife	Metal	●	●	●	●

STANLEY®

18mm Snap-off Knife

KNIFE SKU	DESCRIPTION	BLADE SKU
STHT10276-8	18mm Snap-off Knife	STHT11147-8*

*Fits STANLEY® Double-Point, Quick-Point™ and most other 18mm snap-off blade.



ERGONOMIC+ ANTI SLIP DESIGN

Enables firm and comfortable holding position,
also providing excellent grip control




HANG HOLE
for easy storage

AUTO LOCK SLIDER


automatically holds blade in a fixed position to prevent
blades from being pulled out and pushed in

**2x Cutting
Points**

Equipped with 18mm
DOUBLE POINTS BLADE



Long & Smooth Cut



Hard Cut



STANLEY® knives are equipped with Stanley's high
quality blades made by Stanley's UK plant where more
than **32,000 KMs** of blades are made annually. These blades are made with
intensive testing for quality.

PROFESSIONAL 18MM SNAP-OFF KNIFE



- Ergonomic design of thumb pad and neck down create comfortable grip and control
- Bi-material TPR handle with soft grip or full ABS version for durability
- Fits application needs from light to heavy duty and specially designed to improve cutting performance
- Dial lock or auto slide lock for convenience and safety
- Removable blade snapper in the knife cap
- Storage of spare blades

SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
STHT10265-8	18mm ABS Auto Lock Snap-Off Knife	18	172	Auto Slide Lock	3	12
STHT10266-8	18mm TPR Auto Lock Snap-Off Knife	18	172	Auto Slide Lock	3	12
STHT10268-8	18mm TPR Dial Lock Snap-Off Knife	18	172	Screw Dial Lock	3	12

PROFESSIONAL 9MM SNAP-OFF KNIFE




- Ergonomic design of thumb pad and neck down create comfortable grip and control
- Bi-material TPR handle with soft grip or full ABS version for durability
- Fits application needs from light to heavy duty and specially designed to improve cutting performance
- Removable blade snapper in the knife cap

SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
STHT10264-8	9mm TPR Auto Lock Snap-Off Knife	9	140	Auto Slide Lock	1	12

QUICK POINT™ SNAP-OFF KNIFE



- Light-duty, auto lock knife with Quick Point™ blades
- Durable and compact ABS body for simple storage and handling
- Blade sections snap off providing fresh and sharp cutting points
- Removable blade snapper included in the knife cap



SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
STHT10150-8	9mm QuickPoint™ Snap-Off Knife	9	130	Auto Slide Lock	1	6
STHT10151-8	18mm QuickPoint™ Snap-Off Knife	18	156	Auto Slide Lock	1	6

STANLEY

DYNAGRIP™
SNAP-OFF KNIFE

RIGID STAINLESS STEEL BARREL

corrosion resistant and
provides smooth action



DYNAGRIP™ SERIES

adding the new soft grip on top of the durable case

ERGONOMICALLY DESIGNED HANDLE

Bi-material with soft TPR providing comfort with performance



DIAL LOCK

with security and
firm blade control for
heavy-duty cutting



HIGH PERFORMANCE BLADE
MADE BY STANLEY® with quality and
great cutting life



SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
STHT10409-8	Dynagrip™ Snap-Off Knife - 9mm	9	133	Screw Dial Lock	1	12
STHT10418-8	Dynagrip™ Snap-Off Knife - 18mm	18	165	Screw Dial Lock	1	6
STHT10425-8	Dynagrip™ Snap-Off Knife - 25mm	25	178	Screw Dial Lock	1	6

18MM CARTRIDGE BLADE KNIFE



- Auto reloading cartridge with 6 blades storage provides time saving and improves work efficiency
- Bi-material ABS + TPR body gives extra comfort and grip control
- Blade clamp enables better blade control and extra security
- Auto slide lock for convenience and safety



SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
0-10-480	18mm Snap-Off Cartridge Blade Knife	18	172	Auto Slide Lock	6	6

18MM SNAP-OFF BLADE KNIFE




- Full ABS body is lightweight and durable
- Ergonomic design offers a comfortable grip and better handling
- Rigid stainless steel barrel provides smooth action and is corrosion resistant
- Auto slide lock for convenience and safety



SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
10-280-0	18mm Snap-Off Blade Knife	18	174	Auto Slide Lock	2	6

PROFESSIONAL INTERLOCK™ KNIFE



- Ideal for heavy duty cutting
- Metal construction for long life
- Ability to open and clean the knife
- Captive wheel lock for heavy duty clamping



SKU #	Description	Blade width (mm)	Length (mm)	Locking Mechanism	No. of Blade	Box Qty
0-10-018	18mm Interlock™ Knife	18	210	Auto Slide Lock	1	12

CLASSIC 199® FIXED BLADE UTILITY KNIFE




- Nose overlaps at top and bottom for added strength
- Cast metal textured handle designed for long and tough use
- Works with all STANLEY® replacement utility blades

SKU #	Description	Length (mm)	Width (mm)	Blade Thickness (mm)	No. of Blade	Box Qty
STHT10209-8	Classic 199® Fixed Blade Utility	136.8	20.2	0.61	3	6

STANLEY CLASSIC 99®



- The one and only Original STANLEY®
- Interlock® nose firmly secures the blade into the knife




SKU #	Description	Length (mm)	Width (mm)	Blade Thickness (mm)	No. of Blade	Box Qty
10-099	Classic 99® Retractable Utility	152	18.5	0.65	3	6

RETRACTABLE UTILITY KNIFE



- Lightweight, economical utility knife
- Three-positioned retractable blade
- Interlocking overlap nose secures blade safely between knife halves



SKU #	Description	Length (mm)	Width (mm)	Blade Thickness (mm)	No. of Blade	Box Qty
STHT10175-8	Retractable Utility Knife	154.0	18.7	0.65	1	6

DYNAGRIP™ RETRACTABLE UTILITY



- Dynagrip™ surface for comfort, even in extreme temperatures
- Slip-resistant grip helps prevent slipping, even on angled surfaces
- Patented interlocking nose secures blade



SKU #	Description	Length (mm)	Width (mm)	Blade Thickness (mm)	No. of Blade	Box Qty
STHT10779-8	Dynagrip™ Retractable Utility	150	22.5	0.65	1	6

SELF-RETRACTING UTILITY KNIFE



- Spring-loaded blade retracts into knife automatically when pressure on slide button is released
- Interlocking nose secures blade safely between knife halves
- Orange colored for high visibility and safety



SKU #	Description	Length (mm)	Width (mm)	Blade Thickness (mm)	No. of Blade	Box Qty
STHT10189-8	Self-Retracting Utility Knife	150.3	20.2	0.65	1	6

BASIC SNAP-OFF KNIFE



- Lightweight and economical snap-off blade knife
- Works with most light-weight applications
- Tips in use can be removed with the snapper at the end-cap of the knife
- Pocket clip included on the 9mm (10-131) Snap-Off Knife

SKU #	Description	Blade Width	O/A Length		Box/CTN
			mm	Inches	
10-131-S	9mm snap-off knife	9mm	137	5-3/8"	6/864
10-143-S	18mm snap-off knife	18mm	152	6"	6/432


PLASTIC RETRACTABLE KNIFE



- Versatile plastic body knife
- Great for a variety of light-duty cutting and trimming jobs
- Unique patented snap closure allows quick blade changes
- No need for a screwdriver
- Five position retractable blade
- Stainless steel blade carrier
- Furnished with one 11-921 heavy-duty utility blade
- For light-duty use only

SKU #	Color #	Handle Length	Number of Blades	Box/CTN
10-065	Yellow	152mm, 6"	1	6/36

18MM SNAP-OFF CARTRIDGE KNIFE



- This 18mm Snap-Off Cartridge Knife has a 6-5/8" handle length
- Features a blade cartridge which rapidly and automatically slides new blade into position after old blade is removed
- Ergonomically designed for comfort and cutting power
- The smooth slider mechanism features an audible click-stop and is self locking for greater blade security
- Hang hole for storage or lanyard
- Blade capacity of six heavy-duty blades or five extra heavy-duty blades
- Supplied with three 11-301 heavy-duty blades (equals 24 points)

SKU #	Blade Width	O/A Length		Box/CTN
	mm	mm	Inches	
10-380-0	18	172	6-3/4" Handle 6-5/8"	6/36

FATMAX® RETRACTABLE UTILITY KNIFE



- Adjustable thumb-dial locking wheel holds blade in place and prevents shifting
- Swivels open for quick blade change – no tools required
- Rear blade storage for seven blades
- Ergonomically designed rubber grip fits comfortably in hand
- Lightweight, durable body

SKU #	Length		BOX /CTN
	mm	inches	
10-777	165	6.5"	6/36



CLASSIC 1992® HEAVY-DUTY UTILITY BLADE



- Heavy-duty blade, ideal for carpet and vinyl
- Replacement blade for 10-099, 10-175, 10-777, 10-779 & 10-804

SKU#	#of blades	Length mm	Blade Width		Blade Thickness	Blades Pack Details	Box/CTN
			mm	inches			
11-921H	100	62	19	3/4"	0.65mm	10 Dispensers of 10pcs	1/24
11-921T	10	62	19	3/4"	0.65mm	10 per Dispensers	12/72

QUICK-POINT™ BLADE



- Fits most 9mm snap-off blade knives



9mm

- Fits Stanley 18mm snap-off blade knives and most other 18mm Snap-Off blade knives



18mm

- Fits Stanley 25mm snap-off blade knives and most other 25mm Snap-Off blade knives



25mm

SKU #	Description	Width (mm)	Thickness (mm)	Package Detail	Points	No. of Pieces	Box Qty
STHT11300-8	3-Pack Quick-Point™ Blade -9mm	9	0.43	—	13	3	10
STHT11300-8Q	10-Pack Quick-Point™ Blade -9mm	9	0.43	Dispenser	13	10	10
STHT11301-8	3-Pack Quick-Point™ Blade -18mm	18	0.50	—	8	3	10
STHT11301-8Q	10-Pack Quick-Point™ Blade -18mm	18	0.50	Dispenser	8	10	10
11-301T	10 x10-Pack Quick-Point™ Blade -18mm	18	0.50	Dispenser	8	100	—
STHT11325-8	3-Pack Super Heavy Duty Blade -25mm	25	0.70	—	7	3	6
STHT11325-8Q	10-Pack Super Heavy Duty Blade -25mm	25	0.70	Dispenser	7	10	4

DOUBLE CUTTING POINTS BLADE



- Replacement blade with 15 cutting points for better cost efficiency per point
- Fits Stanley 18mm snap-off blade knives and most other 18mm snap-off blade knives



SKU #	Description	Width (mm)	Thickness (mm)	Package Detail	Points	No. of Pieces	Box Qty
STHT11147-8Q	10-Pack Double Cutting Points Blade - 18mm	18	0.50	Dispenser	15	10	10

HEAVY DUTY UTILITY KNIFE BLADE



- Engineered for general-purpose cutting
- Precision-honed edge for consistent and long cutting life
- Fits most standard utility knives

SKU #	Description	Thickness (mm)	Package Detail	No. of Pieces	Box Qty
STHT11921-8	5-Pack HeavyDuty Utility Knife Blade	0.61	—	5	10
STHT11921-8Q	10-Pack HeavyDuty UtilityKnife Blade	0.61	Dispenser	10	7

SAFE ROUND-POINT UTILITY BLADE



- Rounded edge helps reduce risk of accidental cuts
- Helps prevent damage to carton contents when opening boxes
- Fits most standard utility knives

SKU #	Description	Thickness (mm)	Package Detail	No. of Pieces	Box Qty
11-987	5-Pack Carton Round-Point Utility Blade	0.61	—	5	20

LARGE HOOK BLADE



- With deeper hook for cutting thicker materials
- Fits most standard utility knives

SKU #	Description	Thickness (mm)	Package Detail	No. of Pieces	Box Qty
0-11-983	5-Pack 1996™ Large Hook Blade	0.61	—	5	20

STEEL FRAME HACKSAW



- Positive locking mechanism
- Two blade position 90°/55°
- Aluminium handle - 12" blades

SKU#	Length		Blade Size		Box/CTN
	mm	inches	mm	inches	
15-166	450	17-3/4"	305	12"	6/36

10" V 12" ADJUSTABLE BLADE RUBBER GRIP HACKSAW



- Easy adjustment of frame for 10" and 12" blades
- Rigid steel frame with molded cushion grip
- D-shape guard helps protect hands and knuckles
- Blade Length 10" / 254mm or 12"/305mm
- Throat Depth 3-7/8" / 98mm

SKU#	Length		Blade Size		Box/CTN
	mm	inches	mm	inches	
15-265-S	98	3-7/8"	305	12"	6/6

10" V 12" ADJUSTABLE BLADE HACKSAW



- Rugged plated steel frame
- Fits 10" and 12" blades
- Comfort pistol-grip handle
- Blade Length 10"/254mm or 12"/305mm
- Throat Depth 2-3/4" / 70mm

SKU#	Length		Blade Size		Box/CTN
	mm	inches	mm	inches	
15-565-S	70	2-3/4"	254/300	10"/12"	6/6

WOOD HANDLE SAW



- Machine set and sharpened teeth for accurate cutting
- High carbon steel blade hardened and tempered for sharpness and durability
- Comes with full length sleeve

SKU#	Contents	Tooth Pattern	Box/CTN
20-502	18"	Crosscut / 7TPI	12/24
20-503	20"	Crosscut / 7TPI	12/48

PLASTIC HANDLE SAW



- Handle offers a square/mitre feature with 45° and 90° angles
- Contoured sturdy handle designed for comfort and control
- Full length protective sleeve

SKU #	Blade Length	Tooth Pattern	Box/CTN
20-081	20"	Crosscut / 6TPI	12/48

LUCTADOR HANDSAW



- Handle offers a square/mitre feature with 45 degree and 90 degree angles
- Contoured sturdy handle designed for comfort and control
- Full length protective sleeve
- Cross cut

SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI
20-082-23	Saw Crosscut 22" X 6T/7P	22"	558	6
20-083-23	Saw Crosscut 24" X 6T/7P	24"	600	6
20-004-23	Saw Crosscut 18" X 7T/8P	18"	450	7
20-005-23	Saw Crosscut 20" X 7T/8P	20"	500	7
20-006-23	Saw Crosscut 22" X 7T/8P	22"	558	7
20-007-23	Saw Crosscut 24" X 7T/8P	24"	600	7

FATMAX® JAB SAW




- SharpTooth™ Technology cuts on push and pull strokes and is up to 50% faster than traditional tooth designs
- Sharpened tip punches through drywall with ease
- Hardened, tempered blade for increased cutting life
- Excellent for wood, plastic, and drywall
- Slip-resistant handle is designed for strength and durability

SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
20-556	6" FatMax® Jab saw	6"	152	9	6

FATMAX® MINI FLUSH CUT PULL SAW



- Flexible blade for flush cutting plugs and dowels
- 23-point tooth geometry cuts quickly and cleanly on the pull stroke
- Designed for trimming through tenon or lap joints
- Double sided blade for convenient cutting from the left or the right
- Ergonomically designed cushion grip handle for comfort




SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
20-331	FatMax® Mini Flush Cut Pull Saw	4-3/4"	120	23	4

FLUSH CUT PULL SAW



- Flexible blade for flush and finish cuts
- Quick-change blade to handle assembly
- Thin blade for cutting accuracy and clean finish
- Ergonomically designed cushion grip handle for comfort



SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
20-500	Flush Cut Pull Saw	9"	229	15	4

12" BASIC HACKSAW



- Robust, all-metal frame for durability
- Full grip handle helps protect knuckles
- Compact frame for comfort and control
- Large tensioning knob for ease of use
- 90° and 180° adjustable blade angles allowing flush cuts

SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
STHT20138	12" Basic Hacksaw	12"	305	24	6

MINI-HACK™ UTILITY SAW



- 15809 - Durable solid aluminum construction
- 20807 – Durable solid plastic construction
- Ideal for hard-to-reach places
- Handle covers blade to help protect user's hands

SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
STHT15809-8	10" Metal Mini-Hack™ Utility Saw	10"	250	24	6
STHT20807-8	10" Mini-Hack™ Utility Saw	10"	250	24	6

COPING SAW




- Hardened, tempered provides clean, controlled cutting action
- 4 blades included
- Light weight wooden handle

SKU #	Description	Blade Length (in.)	Blade Length (mm)	Frame Depth (mm)	TPI	Box Qty
STHT15104-8	Coping Saw 120mm_4.75" Depth (4 blades)	6-1/2"	165	120	15	-
STHT15106-8	Coping Saw 170mm_6.75" Depth (4 blades)	6-1/2"	165	120	15	-

12" TUBULAR HIGH-TENSION HACKSAW



- High tension hacksaw frame
- Holds blades at up to 300 Lbs (136Kg)
- Rubber handles and large comfortable tensioning knob
- Allows positioning of the blade at 45° for more versatility
- 120mm (4-3/4") throat depth
- Storage of hacksaw blade (8 PCS) in the frame
- Durable and robust tubular metal frame
- Long reach cutting




SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI
STHT20140-8	12" Tubular High-Tension Hacksaw	12"	300	24

12" PRO FIXED HACKSAW



- Ergonomic handle with pattern for comfort, better grip and control
- Closed handle for hand protection
- Allows positions of the blade at 90° for more versatility
- Front thumb grip with patented texture for improved control and grip
- Tension screw with pattern for easy blade tensioning
- Resistant light weight and lean frame design allows access to difficult hard-to-reach areas



SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI	Box Qty
STHT20064-8	12" Pro Fixed Hacksaw	12"	300	24	6

12" FIXED HACKSAW



- Comfortable full handle with patented pattern for better grip and control
- Full grip protects knuckles
- Sturdy all steel painted frame
- 101.6mm (4") throat depth




SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI
STHT20206-8	12" Fixed hacksaw	12"	300	24

PRO ADJUSTABLE HACKSAW



- Adjustable to 8", 10" and 12" blades
- Closed handle for strength and control
- Rubber covered handle for greater control and better grip
- Allows positioning of the blade at 90° for more versatility
- 101.6mm (4") throat depth




SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI
STHT15555-8	Pro Adjustable Hacksaw	12"	300	24

ADJUSTABLE HACKSAW



- Adjustable to 8", 10" and 12" blades
- Comfort pistol-grip handle with patented pattern for better grip and control
- Allows positioning of the blade at 90° for more versatility
- 101.6mm (4") throat depth



SKU #	Description	Blade Length (in.)	Blade Length (mm)	TPI
STHT15200-8	Adjustable Hacksaw	12"	300	24

BI-METAL HACKSAW BLADE



- Combines the flexibility of carbon steel backs with the cutting performance of a high-speed steel cutting edge
- Cuts most metals including unhardened tool steel and stainless-steel

SKU #	Description	TPI	Length (in.)	Length (mm)	No. of Blade
STHT20297-8	Bi-Metal Hacksaw Blade 18Tx12"(x100)	18	12"	300	100
STHT20298-8	Bi-Metal Hacksaw Blade 24Tx12"(x100)	24	12"	300	100
STHT20299-8	Bi-Metal Hacksaw Blade 32Tx12"(x100)	32	12"	300	10

BI-METAL HACKSAW BLADE



- Combines the flexibility of carbon steel backs with the cutting performance of a high-speed steel cutting edge
- Cuts most metals including unhardened tool steel and stainless-steel

SKU #	Description	TPI	Length (in.)	Length (mm)	No. of Blade
20-175	Bi-Metal Hacksaw Blade 18Tx12"(x100)	18	12"	300	100
20-176	Bi-Metal Hacksaw Blade 24Tx12"(x100)	24	12"	300	100
20-177	Bi-Metal Hacksaw Blade 32Tx12"(x100)	32	12"	300	100
95-297	Bi-Metal Hacksaw Blade 18Tx12"(x10)	18	12"	300	10
95-298	Bi-Metal Hacksaw Blade 24Tx12"(x10)	24	12"	300	10
95-299	Bi-Metal Hacksaw Blade 32Tx12"(x10)	32	12"	300	10

HIGH SPEED STEEL HACKSAW BLADE



- Ground tooth design for improved cutting performance versus traditional hacksaw blades
- Can be used on most metals including unhardened tool steel and stainless-steel

SKU #	Description	TPI	Length (in.)	Length (mm)	No. of Blade
15-988	HSS Hacksaw Blade 18Tx12"(x100)	18	12"	300	100
15-982	HSS Hacksaw Blade 32Tx12"(x100)	32	12"	300	100
95-294	HSS Hacksaw Blade 18Tx12"(x10)	18	12"	300	10
95-295	HSS Hacksaw Blade 24Tx12"(x10)	24	12"	300	10
95-296	HSS Hacksaw Blade 32Tx12"(x10)	32	12"	300	10

TUBING CUTTER



- Tubing cutters for cutting copper/plastic tubing

SKU #	Description	O/A Length (in.)	O/A Length (mm)	Box Qty
93-020	Tubing Cutter	1/8" - 1 1/8"	3 - 28	10
93-021	Tubing Cutter	1/8" - 1 1/4"	3 - 31	10
93-028	Tubing Cutter	1/4" - 2 1/2"	6 - 64	6

MINI TUBING CUTTER



- Tubing cutters for cutting copper/plastic tubing

SKU #	Description	O/A Length (in.)	O/A Length (mm)	Box Qty
93-033	MINI Tubing Cutter	1/8" - 3/4"	3 - 16	12

PVC PIPE CUTTER



- Heavy duty PVC pipe cutter
- Stainless steel blades
- Heat treated for durability

SKU #	Description	O/A Length (in.)	O/A Length (mm)	Box Qty
14-442	PVC Pipe Cutter	1" - 5/8"	42	10

BOLT CUTTER



- A range of bolt cutters in most popular sizes
- Cutter blades are of chrome molybdenum tempered steel with cutting jaws tempered HRC 60° (FBS std)
- Special heat treatment give blades extra hardness and durability



SKU#	Length		Max Cutting Load (kg)	Box/CTN
	mm	inches		
14-308-S	203	8"	36	6/48
14-312-S	305	12"	46	6/24
14-314-S	355	14"	54	6/24
14-318-S	457	18"	65	6/12
14-324-S	609	24"	61	2/6
14-330-S	762	30"	84	1/4
14-336-S	914	36"	104	1/4

PRUNING SHEARS



- Blades of precision steel
- Cuts up to 18mm / 3/4" thickness
- Padded handle for comfort and reduced hand fatigue
- Safety lock feature

SKU#	O / A Length		Type	Box/CTN
	mm	inches		
14-302	200	8"	Bypass	10/60
14-303	200	8"	Anvil	10/60

WIRE STRIPPER



- Convenient hole for looping or bending wire
- Ideal for cutting, stripping speaker wire & appliance cords
- Slide adjust for various gauge wire

SKU#	O / A Length		Box/CTN
	mm	inches	
84-214	130	5-1/4"	15/150

CABLE CUTTER



- Designed for electric cable, copper, aluminum, etc
- Notched jaw holds & cuts cables in a clean & sharp way

SKU#	Type	Length	Max Cutting (mm ²)	Box/CTN
		inches		
84-258	10" Cable Cutter	10"	60	6/36
84-629	12" Cable Cutter	12"	125	6/24
84-630	21" Cable Cutter	21"	250	1/10
84-632	32" Cable Cutter	32"	500	1/5

AVIATION SNIPS




- Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel
- Forged chrome molybdenum steel cutting blades for strength, durability and long cutting life
- Serrated cutting blades provides a sturdy bite and helps prevent material from slipping during use
- Latch design allows for a quick single handed operation
- Adjustment-free fasteners prevent loosening of the blades
- Color-coded, slip-resistant bi-material grip for comfort and control
- Meets or exceeds ANSI standards



SKU #	Description	Length (in.)	Length (mm)	Box Qty
14-562	Aviation Snips - Left Cut	10"	250	6
14-563	Aviation Snips - Straight Cut	10"	250	6
14-564	Aviation Snips - Right Cut	10"	250	6

AVIATION SNIPS - STRAIGHT LONG



- Extended cutting blade allows for a longer distance per cut than standard length blades
- Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel
- Forged chrome molybdenum steel cutting blades for strength, durability and long cutting life
- Serrated cutting blades provides a sturdy bite and helps prevent material from slipping during use
- Latch design allows for a quick single handed operation
- Adjustment-free fasteners prevent loosening of the blades
- Color-coded, slip-resistant bi-material grip for comfort and control
- Meets or exceeds ANSI standards



SKU #	Description	Length (in.)	Length (mm)	Box Qty
14-566	Aviation Snips - Straight Long Blade	11"	275	6

TIN SNIPS



- Cuts up to 20 gauge (0.91mm) cold-rolled steel or 23 gauge (0.72mm) stainless-steel
- Durable fully-polished steel blades are forged to stay sharp for long cutting life
- Adjustment-free fastener prevents loosening of the blades
- Slip-resistant double cushion grip for comfort
- Meets or exceeds ANSI standards



SKU #	Description	Length (in.)	Length (mm)	Cold-Rolled Steel Up To	Stainless Steel Up To	Box Qty
STHT14569-8	7" Stanley® All-Purpose Straight Pattern Snips	7"	180	25ga/0.57mm	28ga/0.38mm	6
STHT14556-8	10" Stanley® All-Purpose Straight Pattern Snips	10"	250	22ga/0.78mm	26ga/0.45mm	6
STHT14558-8	12" Stanley® All-Purpose Straight Pattern Snips	12"	300	20ga/0.91mm	23ga/0.72mm	6

ENGLISH SNIPS



- Serrated cutting edges to prevent slippage when cutting
- Forged alloy steel for long life
- Single pivot action & soft grip for comfort
- Interlocking joint assembly for smooth cutting
- Heat treated high chrome steel forging for long life and durability

SKU #	Description	Length (in.)	Length (mm)	Box Qty
14-163	Tinsnips w/o Spring, 200mm - 8"	8"	200	6
14-164	Tinsnips w/o Spring, 250mm - 10"	10"	250	6
14-165	Tinsnips w/o Spring, 300mm - 12"	12"	300	6
14-166	Tinsnips w/o Spring, 350mm - 14"	14"	350	6

HEDGE SHEARS



- Shock absorbing bumpers on the handle reduce tensions during cuttings
- Ergonomic non-slip handle grips provide comfort for your hands
- Top coated with non-stick material makes it easy to clean

SKU #	Description	Length (mm)	Width (mm)	Blade Length (mm)	Weight (Kg)	CTN Qty
STHT74995-8	Hedge Shears	590	250	200	1.02	12

STANLEY®

CLAMPING TOOLS



Pliers Locking Pliers

Pliers Sets

Vde Pliers

Pipe Pliers

Adjustable Wrench



PERFECTION IN ACTION

Extensive quality testing is done on every clamping tool design, ensuring that daily performance exceeds industry standards. This comprehensive range allows for varied utility.

THE COMPREHENSIVE RANGE OF PLIERS

Whatever the task is, there is a **STANLEY®** pliers to help. Manufactured from quality steel, the range of pliers are built for high performance in any situation.

The range of options include linesman, combination, diagonal cutter, long nose, bent nose, wire stripper, slip joint, groove joint, and locking pliers.



LINESMAN



LONG NOSE



SLIP JOINT



DIAGONAL CUTTER




WIRE STRIPPERS



CURVED JAW

PLIERS Available as:

Linesman, combination, long nose, bent nose, wire stripper, slip joint & groove joint variants



LOCKING PLIERS Available as:

Curved jaw, Straight jaw, Long nose, Welding, Sheet metal or 'C' clamp variants



ANSI
American National Standards Institute

VDE PLIERS

STANLEY® is proud to be one of the market leaders in providing VDE solutions. Tested and proven, these tools either meet or exceed industry standards and can ensure safety when working with live equipment up to 1000VAC or 1500VDC.



PIPE PLIERS

The pipe pliers by **STANLEY®** boast a solid cast iron body and jaw forged with chrome molybdenum steel. Tough materials are used to ensure that the entire range provides users with great performance and durability.



ADJUSTABLE WRENCH

Every wrench produced by **STANLEY®** exceeds ANSI standards. Adjustable jaw design allows tool to grip many fastener sizes. Knurl adjusting mechanism is available for quick and precise adjustments.



PLIERS RANGE OVERVIEW

TYPE	SIZE								
	4"	5"	6"	7"	8"	9"	9-1/2"	10"	12"
Long Nose	•	•	•		•				
Linesman			•	•	•	•			
Diagonal Cutting		•	•	•	•				
Bent Nose		•	•		•				
End Nipper	•		•		•				
Slip Joint			•		•				
Groove Joint					•			•	•
Flat Nose	•		•						
Round Nose			•						
Neddle Nose		•							
Wire Stripper			•						
Combination			•						
High Leverage Cable Cutting							•		
Fence								•	
Circlip				•					

LOCKING PLIERS RANGE OVERVIEW


TYPE	SIZE						
	6-1/2"	7"	8"	9"	9-1/2"	10"	11"
Curved Jaw		•				•	
Straight Jaw		•				•	
Long Nose	•				•		
Welding				•			
Sheet Metal			•				
C Clamps							•

STANLEY[®]

DYNAGRIP[™] PLIERS

FORGED CARBON STEEL JAWS

fully heat treated for optimum performance and durability



SERRATED JAW
providing maximum gripping power

BI-MATERIAL HANDLE (PP+TPR)


with finger guards for better efficiency and a comfortable grip




INDUCTION HARDENED CUTTING EDGES

for precise work and greater reliability in cutting


DYNAGRIP[™] LONG NOSE PLIERS



- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP[™] handle with finger guards for better efficiency and handling



STHT84031-8



STHT84900-8

Serrated wire-clamping and pipe gripped jaw surface with Cutter




STHT84053-8

Serrated wire-clamping and wire stripping jaw surface with Cutter



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84031-8	6" Long Nose Pliers	58.3	14.7	174.8	6
STHT84900-8	6" Long Nose Pliers	50	10	160	12
STHT84053-8	6" Long Nose Pliers	50	10	160	12
STHT84032-8	8" Long Nose Pliers	49.6	11.2	201	6

DYNAGRIP™ LINESMAN PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84623-8	6" Linesman Pliers	44.8	12	164.6	6
STHT84035-8	7" Linesman Pliers	60	12.4	193	6
STHT84029-8	8" Linesman Pliers	60.5	19.5	219.9	6
STHT84609-8	9" Linesman Pliers	58	14.7	240	6

DYNAGRIP™ DIAGONAL CUTTING PLIERS



6"




7" & 8"

- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84027-8	6" Diagonal Cutting Pliers	61.3	16.5	163.1	6
STHT84028-8	7" Heavy Duty Diagonal Cutting Pliers	57	11.3	180	6
STHT84607-8	8" Heavy Duty Diagonal Cutting Pliers	60	11.7	205	6

DYNAGRIP™ BENT NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84071-8	6" Bent Nose Pliers	48	10	157.7	6
STHT84072-8	8" Bent Nose Pliers	11.5	51	200	6

DYNAGRIP™ END NIPPER PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84077-8	6" End Nipper Pliers	52	11.9	163	6
STHT84167-8	8" End Nipper Pliers	50	11	202	6

DYNAGRIP™ SLIP JOINT PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYANGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84055-8	6" Slip Joint Pliers	46	10.5	156	6
STHT84026-8	8" Slip Joint Pliers	52	11	209	6

DYNAGRIP™ GROOVE JOINT PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYANGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84034-8	8" Groove Joint Pliers	45.5	10.3	198	6
STHT84024-8	10" Groove Joint Pliers	65.5	10.3	257.7	6
STHT84021-8	12" Groove Joint Pliers	64	12	308	6

DYNAGRIP™ FLAT NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84073-8	6" Flat Nose Pliers	56	10.2	165	6

DYNAGRIP™ ROUND NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84074-8	6" Round Nose Pliers	47.7	8.9	162	6

DYNAGRIP™ WIRE STRIPPER PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYANGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84075-8	6" Wire Stripper Pliers	57	9	161.3	6

DYNAGRIP™ COMBINATION PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYANGRIP™ handle with finger guards for better efficiency and handling



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT70487-8	7" Combination Pliers	50.4	12.8	188.5	12

BASIC LONG NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84119-8	4" Long Nose Pliers-Miniature	48.5	7.5	130	6
STHT84100-8	5" Long Nose Pliers	50.2	7.5	141	6
STHT84101-8	6" Long Nose Pliers	48.6	9.5	170	6
STHT84102-8	8" Long Nose Pliers	50	11.2	200	6

BASIC LINESMAN PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84112-8	7" Linesman Pliers	50	12.5	188	6
STHT84113-8	8" Linesman Pliers	50	12.8	218	6
STHT84222-8	9" Heavy Duty Linesman Pliers	50	14.2	234	6

BASIC DIAGONAL CUTTING PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84124-8	4" Diagonal Cutting Pliers-Miniature	48.5	7.5	109.5	6
STHT84104-8	5" Diagonal Cutting Pliers	50	8.8	143	6
STHT84105-8	6" Diagonal Cutting Pliers	50	10.5	154.5	6
STHT84108-8	7" Diagonal Cutting Pliers	50	11.5	180	6

BASIC HIGH LEVERAGE CABLE CUTTING PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84258-8	9-1/2" High Leverage Cable Cutting Pliers	46.5	14	235	6

BASIC BENT NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84126-8	5" Bent Nose Pliers-Miniature	48.5	7.5	125.5	6

BASIC END NIPPER PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84125-8	4" End Nipper Pliers-Miniature	48.5	7.5	103.5	6

BASIC SLIP JOINT PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84097-8	6" Slip Joint Pliers	50	9	168	6
STHT84098-8	8" Slip Joint Pliers	49	9.6	208.5	6

BASIC GROOVE JOINT PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84110-8	10" Groove Joint Pliers	48.2	10	258	6

BASIC FLAT NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84122-8	4" Flat Nose Pliers-Miniature	48.5	7.5	134	6

BASIC NEEDLE NOSE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84096-8	5" Needle Nose Pliers-Miniature	48.5	7.5	148	6

BASIC FENCE PLIERS




- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84221-8	10" Fence Pliers	51	13.5	267	6

BASIC CIRCLIP PLIERS



Straight




Bent

- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84271-8	7" Circlip Plier Straight Exterior Type	86	10	174	6
STHT84272-8	7" Circlip Plier Bent Exterior Type	86	10	163	12
STHT84273-8	7" Circlip Plier Straight Interior Type	49	9	179	6
STHT84274-8	7" Circlip Plier Bent Interior Type	49	9	169	12

DYNAGRIP™ CURVED JAW PRO LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84378-8	10" Curved Jaw Pro Locking Pliers	65	60	254	6

DYNAGRIP™ STRAIGHT JAW PRO LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84379-8	10" Straight Jaw Pro Locking Pliers	66	47	254	6

DYNAGRIP™ LONG NOSE PRO LOCKING PLIERS



- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening




SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84389-8	9-1/2" Long Nose Pro Locking Pliers	50.8	47.8	228	6

CURVED JAW LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84368-8	7" Curved Jaw Locking Pliers	56	56	175	6
STHT84369-8	10" Curved Jaw Locking Pliers	66	66	254	6

STRAIGHT JAW LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84370-8	7" Straight Jaw Locking Pliers	55	55	175	4
STHT84371-8	10" Straight Jaw Locking Pliers	66	66	254	4

LONG NOSE LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84396-8	6-1/2" Long Nose Locking Pliers	45	37	165	6

WELDING LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening



SKU #	Description	B (mm)	L (mm)	Box Qty
STHT84397-8	9" Welding Locking Pliers	37.8	228	4

SHEET METAL LOCKING PLIERS




- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening




SKU #	Description	B (mm)	L (mm)	Box Qty
STHT84398-8	8" Sheet Metal Locking Pliers	36.7	228	4

C CLAMPS LOCKING PLIERS



- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- Safety and ease when opening




SKU #	Description	A (mm)	B (mm)	L (mm)	Box Qty
STHT84399-8	11" C Clamps Locking Pliers	138	47.2	279	6

3 PCS BASIC PLIERS SET



- 8" Linesman Pliers
- 6" Diagonal Cutting Pliers
- 6" Long Nose Pliers




SKU #	Description	Box Qty
STHT90162-8	3 PCS Basic Pliers Set	4

2 PCS BASIC PLIERS SET



- 8" Linesman Pliers
- 6" Diagonal Cutting Pliers




SKU #	Description	Box Qty
STHT90163-8	2 PCS Basic Pliers Set	4

2 PCS LINESMAN PLIERS & ADJUSTABLE WRENCH SET



- 8" Linesman Pliers
- 6" Adjustable Wrench




SKU #	Description	Box Qty
STHT90164-8	2 PCS Linesman Pliers & Adjustable Wrench Set	4

4 PCS PLIERS & ADJUSTABLE WRENCH SET



- 6" Linesman Pliers
- 6" Long Nose Pliers
- 8" Cutting Pliers
- 8" Adjustable Wrench



SKU #	Description	Box Qty
STHT91526-8	4 PCS Pliers & Adjustable Wrench Set	4

4 PCS PLIERS MODULE



COMPATIBLE with
**TRANS
MODULE**
system



- 8" Bent nose pliers
- 6" Diagonal cutting pliers
- 7" Linesman pliers
- 8" Slip joint pliers

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74179-8	4 PCS Pliers Module	384	184	45	4

4 PCS CIRCLIPS PLIERS MODULE



COMPATIBLE with
**TRANS
MODULE**
system



- 7" Basic circlip plier straight exterior type
- 7" Basic circlip plier bent exterior type
- 7" Basic circlip plier straight interior type
- 7" Basic circlip plier bent interior type

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74180-8	4 PCS Circlips Pliers Module	384	184	45	4

DYNAGRIP™ 3 PCS SET



- 7" Combination Pliers
- 6" Diagonal Cutting Pliers
- 6" Long Nose Pliers



SKU #	Description	Weight (kg)
STHT73655-8	Dynagrip 3 pcs set	0.64

VDE DIAGONAL CUTTING PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant

SKU #	Description	Length (mm)	Box Qty
84-004	8" Diagonal Cutting Pliers	195	4
84-006	6" Long Nose Pliers	165	4
84-007	8.5" Long Nose Pliers	200	4
84-010	6.5" Wire Stripper Pliers	170	4
84-016	6.5" End Cutters	165	4

FATMAX® VDE PLIERS



- Safe live line working to 1,000v
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE688
- Bi-material handle with secure grip grooving for comfort
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- Finger guard for better control & added user safety
- Interlocking joint assembly for smooth cutting
- DIN/ ASO/ ANSI Compliant

SKU #	Length Description	Box/CTN
84-000	160mm/6" Combination (2101NV)	4/24
84-001	180mm/7" Combination (2201NV)	4/24
84-002	200mm/8" Combination (2301NV)	4/24
84-009	160mm/6-1/4" Narrow Head Diagonal Pliers	4/24
84-011	3pcs Pliers Sets (84-001, 84-003 & 84-007)	4/4

COMBINATION SNAP RING PLIERS



- Internal- External positioning 45°- 90°-180°
- 10-50mm range

SKU #	Length		Box/CTN
	mm	inches	
84-168	152	6"	20/60


CRIMPING PLIERS



- Cuts electrical wires, strips insulation, shears screws and bolts clean (Warning: Grips do not protect against electrical shock.)

SKU #	O / A Length		Box/CTN
	mm	inches	
84-223 (Plier)	230	9"	10/100
84-253 (Set)	230	9"	6/36

PIPE PLIERS



- Jaw forged in Cr-Mo steel
- Cast iron body

SKU #	Description	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Box Qty
87-620-S	6" Pipe Pliers	150	21.5	41	20	16	6
87-621-S	8" Pipe Pliers	200	26.75	50	23.5	16.6	6
87-622-S	10" Pipe Pliers	250	33.5	63	27.5	22.4	6
87-623-S	12" Pipe Pliers	300	42.5	76	30	24	6
87-624-S	14" Pipe Pliers	350	48	81	33.5	24	6
87-625-S	18" Pipe Pliers	450	60	100	37	31	2
87-626-S	24" Pipe Pliers	600	75.5	120	45	40	2
87-627-S	36" Pipe Pliers	900	102	158	52	49	2
87-629-S	48" Pipe Pliers	1200	140	179	57.5	61	2

CAST STEEL BENCH VISE



- Better Performance
- Better than Iron
- Lightweight compared to Iron

SKU #	Description	Size	Jaw Width/Max Opening	Throat Depth	N.W.(Kg)	Clamp Force (Kg)	Box/CTN
81-600-1	Bench Vice w/ Base	3"	3"/3"	2"	6kgs	1,500kgs	1/1
81-601-1	Bench Vice w/ Base	4"	4"/4"	2-1/4"	7.5kgs	2,500kgs	1/1
81-602-1	Bench Vice w/ Base	5"	5"/5"	2-5/8"	11kgs	3,000kgs	1/1
81-603-1	Bench Vice w/ Base	6"	6"/6"	3"	14.5kgs	3,500kgs	1/1
81-604-1	Bench Vice w/ Base	8"	8"/8"	3-1/2"	20.5kgs	4,500kgs	1/1
81-605-1	Bench Vice w/ Base	10"	10"/10"	4"	25.6kgs	5,500kgs	1/1

BIT BRACE



- Holds shank bit from 1/8" to 7/16"
- Steel clad ball bearing head
- Chrome plated finish for rust resistance
- Available in 10" and 12" sweep

SKU #	O / A Length		Chuck Size		Box/CTN
	mm	inches	mm	inches	
02-110	255	10"	13	1/2"	6/24
02-112	305	12"	13	1/2"	6/24
02-130	255	10"	16	5/8"	6/24

STANLEY®

FASTENING TOOLS



Screwdrivers

Multi-Tools

Bits

Hex & Torx Keys

Staples

Glue & Soldering Guns

Riveters



DO YOU KNOW...

Which happened first?


- A. The invention of the light bulb.
- B. The manufacturing of STANLEY® screwdrivers.

Ans: B. STANLEY® manufactured screwdriver in 1870;
Electric light bulb was invented in 1879.

MAKING EACH TURN COUNT

STANLEY® is one of the preeminent manufacturers of fastening tools and is responsible for helping to elevate the performance of these must-have tools. The excellent quality coupled with durability has propelled the extensive range of fastening tools to be the most highly coveted in the world.

SCREWDRIVERS



STANLEY® has a full range of screwdrivers. They are sold individually or packaged in convenient multi-piece kits.

We also offer a line of multi-bits and interchangeable bars/bits screwdrivers.

MULTI-TOOLS



This versatile tool features a stunningly compact design. With up to 14 tools compressed into one clever model, the multi-tool is built from solid steel for maximum strength. It also features a 400 in-lbs maximum torque.

BITS



STANLEY® bits are available as a combination with screwdrivers or as a stand-alone product. Together, they have a magnetism that allows for fast and secure bit changing. Made from chrome vanadium steel, the bits are undoubtedly built to last and come in a conveniently packaged storage option.

HEX KEYS



Made from durable composite materials, all the hex keys feature a compact design and exceed ANSI specifications.



CUSHION GRIP™ SCREWDRIVER RANGE OVERVIEW



PHILLIPS®

Tip Size	Bar Length (mm)	Total Length (mm)	Handle Diameter (mm)
PH0	60	76.5	16.5
	100	116.5	
	125	141.5	
	150	166.5	
PH1	75	104.5	29.5
	100	129.5	
	150	179.5	
	200	229.5	
PH2	45	74.2	29.2
	100	132.2	32.2
	125	157.2	
	150	182.2	
	200	232.2	
	250	282.2	
PH3	150	184.3	34.3
	200	234.3	
	250	284.3	



SLOTTED FLARED

Tip Size	Bar Length (mm)	Total Length (mm)	Handle Diameter (mm)
3mm	75	91.5	16.5
	100	116.5	
	125	141.5	
	150	166.5	
5mm	75	104.5	29.5
	100	129.5	
	150	179.5	
	200	229.5	
6.5mm	45	74.2	29.2
	100	132.2	32.2
	125	157.2	
	150	182.2	
	200	203.2	
	250	282.2	
8mm	150	184.3	34.3
	200	234.3	
	250	284.3	



TORX

Tip Size	Bar Length (mm)	Total Length (mm)	Handle Diameter (mm)
T5	80	96.5	16.5
T6			
T7			
T8			
T10			
T15	80	109.5	29.5
T20	120	149.5	29.5
T25	120	152.2	32.2
T27			
T30			
T40			
	120	154.3	34.3



SLOTTED PARALLEL

Tip Size	Bar Length (mm)	Total Length (mm)	Handle Diameter (mm)
5mm	100	129.5	29.5
	150	179.5	
	200	229.5	

SCREWDRIVER SETS

6 PCS Cushion Grip™ Screwdriver Set with Bonus (Tester included)

8 PCS Cushion Grip™ Screwdriver Set

6 PCS Cushion Grip™ Screwdriver Set

4 PCS Cushion Grip™ Screwdriver Set

2 PCS Cushion Grip™ Screwdriver Set


5 PCS Cushion Grip™ TORX Screwdriver Set

6 PCS Cushion Grip™ TORX Screwdriver Set

STANLEY®

CUSHION GRIP™ SCREWDRIVERS RANGE

The **STANLEY® CUSHION GRIP™** range is fully patented and meets ANSI standards, proving the range's durability and precision. These tools have easy-to-hold handles that are comfortable and ergonomic.




FUN FACT

STANLEY® was the first company to make Phillips® screwdrivers in 1937. It was chosen by Henry Phillips, the inventor of the Phillips® head screw.



UNIT PACK


Bold and attractive single packs exploit key features and provide clear user information. Minimal packaging allows full tactile opportunities with security.



BULK PACK

For wholesalers, bulk packs represent great value. Sturdy boxes with bold branding and full EPOS labelling help to keep stock under control. Shipper and promotional packs are also available for some product lines.

CUSHION GRIP™ PHILLIPS®




- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator
- Three-sided handle allowing more torque with anti-slip and anti rolling features reducing handle slippage
- Ergonomic design with finger point in neck-down area for precise control
- Built-in hang hole for easy storage
- Screw tip identification on the handle for organization



Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	D (mm)	Box Qty
STHT65157-8	STHT65157-8B	Cushion Grip™ PH0 X 60mm	PH0	60	76.5	16.5	12
STHT65158-8	STHT65158-8B	Cushion Grip™ PH0 X 100mm	PH0	100	116.5	16.5	12
STHT65159-8	STHT65159-8B	Cushion Grip™ PH0 X 125mm	PH0	125	141.5	16.5	12
STHT65160-8	STHT65160-8B	Cushion Grip™ PH0 X 150mm	PH0	150	166.5	16.5	12
STHT65162-8	STHT65162-8B	Cushion Grip™ PH1 X 75mm	PH1	75	104.5	29.5	12
STHT65163-8	STHT65163-8B	Cushion Grip™ PH1 X 100mm	PH1	100	129.5	29.5	12
STHT65164-8	STHT65164-8B	Cushion Grip™ PH1 X 150mm	PH1	150	179.5	29.5	12
STHT65165-8	STHT65165-8B	Cushion Grip™ PH1 X 200mm	PH1	200	229.5	29.5	12
STHT65166-8	STHT65166-8B	Cushion Grip™ PH2 X 45mm	PH2	45	74.2	29.2	12
STHT65167-8	STHT65167-8B	Cushion Grip™ PH2 X 100mm	PH2	100	132.2	32.2	12
STHT65168-8	STHT65168-8B	Cushion Grip™ PH2 X 125mm	PH2	125	157.2	32.2	12
STHT65169-8	STHT65169-8B	Cushion Grip™ PH2 X 150mm	PH2	150	182.2	32.2	12
STHT65170-8	STHT65170-8B	Cushion Grip™ PH2 X 200mm	PH2	200	232.2	32.2	12
STHT65171-8	STHT65171-8B	Cushion Grip™ PH2 X 250mm	PH2	250	282.2	32.2	12
STHT65172-8	STHT65172-8B	Cushion Grip™ PH3 X 150mm	PH3	150	184.3	34.3	12
STHT65173-8	STHT65173-8B	Cushion Grip™ PH3 X 200mm	PH3	200	234.3	34.3	12
STHT65174-8	STHT65174-8B	Cushion Grip™ PH3 X 250mm	PH3	250	284.3	34.3	12

CUSHION GRIP™ SLOTTED FLARED




- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator
- Three-sided handle allowing more torque with anti-slip and anti rolling features reducing handle slippage
- Ergonomic design with finger point in neck-down area for precise control
- Built-in hang hole for easy storage
- Screw tip identification on the handle for organization



Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	D (mm)	Box Qty
STHT65180-8	STHT65180-8B	Cushion Grip™ Standard 3mm X 75mm	3mm	75	91.5	16.5	12
STHT65181-8	STHT65181-8B	Cushion Grip™ Standard 3mm X 100mm	3mm	100	116.5	16.5	12
STHT65182-8	STHT65182-8B	Cushion Grip™ Standard 3mm X 125mm	3mm	125	141.5	16.5	12
STHT65183-8	STHT65183-8B	Cushion Grip™ Standard 3mm X 150mm	3mm	150	166.5	16.5	12
STHT65186-8	STHT65186-8B	Cushion Grip™ Standard 5mm X 75mm	5mm	75	104.5	29.5	12
STHT65187-8	STHT65187-8B	Cushion Grip™ Standard 5mm X 100mm	5mm	100	129.5	29.5	12
STHT65188-8	STHT65188-8B	Cushion Grip™ Standard 5mm X 150mm	5mm	150	179.5	29.5	12
STHT65189-8	STHT65189-8B	Cushion Grip™ Standard 5mm X 200mm	5mm	200	229.5	29.5	12
STHT65190-8	STHT65190-8B	Cushion Grip™ Standard 6.5mm X 45mm	6.5mm	45	74.2	29.2	12
STHT65191-8	STHT65191-8B	Cushion Grip™ Standard 6.5mm X 100mm	6.5mm	100	132.2	32.2	12
STHT65192-8	STHT65192-8B	Cushion Grip™ Standard 6.5mm X 125mm	6.5mm	125	157.2	32.2	12
STHT65193-8	STHT65193-8B	Cushion Grip™ Standard 6.5mm X 150mm	6.5mm	150	182.2	32.2	12
STHT65194-8	STHT65194-8B	Cushion Grip™ Standard 6.5mm X 200mm	6.5mm	200	203.2	32.2	12
STHT65195-8	STHT65195-8B	Cushion Grip™ Standard 6.5mm X 250mm	6.5mm	250	282.2	32.2	12
STHT65196-8	STHT65196-8B	Cushion Grip™ Standard 8mm X 150mm	8mm	150	184.3	34.3	12
STHT65197-8	STHT65197-8B	Cushion Grip™ Standard 8mm X 200mm	8mm	200	234.3	34.3	12
STHT65198-8	STHT65198-8B	Cushion Grip™ Standard 8mm X 250mm	8mm	250	284.3	34.3	12

CUSHION GRIP™ SLOTTED PARALLEL





- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator
- Three-sided handle allowing more torque with anti-slip and anti rolling features reducing handle slippage
- Ergonomic design with finger point in neck-down area for precise control
- Built-in hang hole for easy storage
- Screw tip identification on the handle for organization



Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	D (mm)	Box Qty
STHT65227-8	STHT65227-8B	Cushion Grip™ Standard Parallel 5mm X 100mm	5mm	100	129.5	29.5	12
STHT65228-8	STHT65228-8B	Cushion Grip™ Standard Parallel 5mm X 150mm	5mm	150	179.5	29.5	12
STHT65229-8	STHT65229-8B	Cushion Grip™ Standard Parallel 5mm X 200mm	5mm	200	229.5	29.5	12

CUSHION GRIP™ TORX



- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator
- Three-sided handle allowing more torque with anti-slip and anti rolling features reducing handle slippage
- Ergonomic design with finger point in neck-down area for precise control
- Built-in hang hole for easy storage
- Screw tip identification on the handle for organization



Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	D (mm)	Box Qty
STHT65144-8	STHT65144-8B	Cushion Grip™ TORX T5 X 80mm	T5	80	96.5	16.5	12
STHT65145-8	STHT65145-8B	Cushion Grip™ TORX T6 X 80mm	T6	80	96.5	16.5	12
STHT65146-8	STHT65146-8B	Cushion Grip™ TORX T7 X 80mm	T7	80	96.5	16.5	12
STHT65147-8	STHT65147-8B	Cushion Grip™ TORX T8 X 80mm	T8	80	96.5	16.5	12
STHT65148-8	STHT65148-8B	Cushion Grip™ TORX T10 X 80mm	T10	80	96.5	16.5	12
STHT65149-8	STHT65149-8B	Cushion Grip™ TORX T15 X 80mm	T15	80	109.5	29.5	12
STHT65150-8	STHT65150-8B	Cushion Grip™ TORX T20 X 120mm	T20	120	149.5	29.5	12
STHT65151-8	STHT65151-8B	Cushion Grip™ TORX T25 X 120mm	T25	120	152.2	32.2	12
STHT65152-8	STHT65152-8B	Cushion Grip™ TORX T27 X 120mm	T27	120	152.2	32.2	12
STHT65153-8	STHT65153-8B	Cushion Grip™ TORX T30 X 120mm	T30	120	152.2	32.2	12
STHT65154-8	STHT65154-8B	Cushion Grip™ TORX T40 X 120mm	T40	120	154.3	34.3	12

6 PCS CUSHION GRIP™ SCREWDRIVER SET WITH BONUS (TESTER INCLUDED)



- Phillips® PH1 x 100mm
- Phillips® PH2 x 45mm
- Phillips® PH2 x 100mm
- Slotted 5mm x 100mm
- Slotted 6.5mm x 45mm
- Slotted 6.5mm x 100mm



x6



SKU #	Description	Box Qty
STHT92002-8	6 PCS Cushion Grip™ Screwdriver Set with Bonus (Tester included)	12

8 PCS CUSHION GRIP™ SCREWDRIVER SET



- Phillips® PH0 x 60mm
- Phillips® PH1 x 100mm
- Phillips® PH2 x 45mm
- Phillips® PH2 x 150mm
- Slotted 3mm x 75mm
- Slotted 5mm x 100mm
- Slotted 6.5mm x 45mm
- Slotted 6.5mm x 150mm



x8



SKU #	Description	Box Qty
STHT92004-8	8 PCS Cushion Grip™ Screwdriver Set	12

6 PCS CUSHION GRIP™ SCREWDRIVER SET



- Phillips® PH1 x 100mm
- Phillips® PH2 x 150mm
- Std Parallel 5mm x 100mm
- Std Parallel 5mm x 150mm
- Slotted 6.5mm x 150mm
- Slotted 5mm x 100mm




x6




SKU #	Description	Box Qty
STHT65242-8	6 PCS Cushion Grip™ Screwdriver Set	12

4 PCS CUSHION GRIP™ SCREWDRIVER SET



- Phillips® PH1 x 100mm
- Phillips® PH2 x 150mm
- Std Parallel 5mm x 100mm
- Slotted 6.5mm x 150mm



SKU #	Description	Box Qty
STHT65199-8	4 PCS Cushion Grip™ Screwdriver Set	24

2 PCS CUSHION GRIP™ SCREWDRIVER SET



- Phillips® PH2 x 100mm
- Slotted 6.5mm x 100mm




SKU #	Description	Box Qty
STHT65200-8	2 PCS Cushion Grip™ Screwdriver Set	24

5 PCS CUSHION GRIP™ TORX SCREWDRIVER SET



- T5, T6, T8, T10, T15 x 80mm



SKU #	Description	BoxQty
STHT65155-8	5 PCS Cushion Grip™ TORX Screwdriver Set	12

6 PCS CUSHION GRIP™ TORX SCREWDRIVER SET



- T10, T15, x 80mm
- T20, T25, T30, T40 x 120mm



SKU #	Description	Box Qty
STHT65156-8	6 PCS Cushion Grip™ TORX Screwdriver Set	12

8 PCS SCREWDRIVERS MODULE



COMPATIBLE with
TRANS
MODULE
system

- Cushion grip standard 3mm X 100mm
- Cushion grip standard parallel 5mm X 150mm
- Cushion grip standard 6.5mm X 150mm
- Cushion grip standard 8mm X 200mm
- Cushion grip phillips PH0 X 60mm
- Cushion grip phillips PH1 X 100mm
- Cushion grip phillips PH2 X 125mm
- Cushion grip phillips PH3 X 150mm

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74181-8	8 PCS Screwdrivers Module	384	184	45	4

6 PCS TORX SCREWDRIVERS MODULE



COMPATIBLE with
TRANS
MODULE
system

- Cushion grip torx T10 X 80mm
- Cushion grip torx T15 X 80mm
- Cushion grip torx T20 X 120mm
- Cushion grip torx T25 X 120mm
- Cushion grip torx T30 X 120mm
- Cushion grip torx T40 X 120mm

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74182-8	6 PCS Torx Screwdrivers Module	384	184	45	4

PVC HANDLE SCREWDRIVER RANGE OVERVIEW



PHILLIPS®

Tip Size	Bar Length (mm)	Total Length (mm)
PH0	75	139
	100	164
PH1	38	89
	75	164
	100	189
	150	239
PH2	250	339
	38	89
	100	206
	150	256
PH3	200	306
	250	356
PH4	150	277
PH4	200	384



SLOTTED FLARED

Tip Size	Bar Length (mm)	Total Length (mm)
3.2mm	50	114
	75	139
	100	164
	150	214
3.5mm	200	264
	250	314
5mm	75	164
	100	189
	150	239
	200	289
	250	339
6mm	300	389
	38	89
	75	181
	100	206
8mm	150	256
	150	277
	250	377




TORX

Tip Size	Bar Length (mm)	Total Length (mm)
T10	100	246
T15		
T20		
T25		
T30		

TACK CLAW

Tip Size	Tip Size	Total Length (mm)
6mm	100	263

PVC HANDLE PHILLIPS®




- Comfortable handle
- Chrome plated Cr-V bar resists corrosion
- Magnetic tips for secure grip on fasteners
- Color coordinated handles: red (standard), blue (Phillips®), black (Torx)




Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	Box Qty
STHT69138-8	STHT69138-8B	PVC Handle PH0 X 75mm	PH0	75	139	12
STHT69177-8	STHT69177-8B	PVC Handle PH0 X 100mm	PH0	100	164	12
STHT69139-8	STHT69139-8B	PVC Handle PH1 X 38mm	PH1	38	89	12
STHT69178-8	STHT69178-8B	PVC Handle PH1 X 75mm	PH1	75	164	12
STHT69141-8	STHT69141-8B	PVC Handle PH1 X 100mm	PH1	100	189	12
STHT69179-8	STHT69179-8B	PVC Handle PH1 X 150mm	PH1	150	239	12
STHT69142-8	STHT69142-8B	PVC Handle PH1 X 250mm	PH1	250	339	12
STHT69144-8	STHT69144-8B	PVC Handle PH2 X 38mm	PH2	38	89	12
STHT69145-8	STHT69145-8B	PVC Handle PH2 X 100mm	PH2	100	206	12
STHT69180-8	STHT69180-8B	PVC Handle PH2 X 150mm	PH2	150	256	12
STHT69146-8	STHT69146-8B	PVC Handle PH2 X 200mm	PH2	200	306	12
STHT69147-8	STHT69147-8B	PVC Handle PH2 X 250mm	PH2	250	356	12
STHT69148-8	STHT69148-8B	PVC Handle PH3 X 150mm	PH3	150	277	6
STHT69150-8	—	PVC Handle PH4 X 200mm	PH4	200	384	6

PVC HANDLE SLOTTED FLARED




- Comfortable handle
- Chrome plated Cr-V bar resists corrosion
- Magnetic tips for secure grip on fasteners
- Color coordinated handles: red (standard), blue (Phillips®), black (Torx)



Retail SKU #	Bulk SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	Box Qty
STHT69102-8	STHT69102-8B	PVC Handle Standard 3.2mm X 50mm	3.2mm	50	114	12
STHT69103-8	STHT69103-8B	PVC Handle Standard 3.2mm X 75mm	3.2mm	75	139	12
STHT69104-8	STHT69104-8B	PVC Handle Standard 3.2mm X 100mm	3.2mm	100	164	12
STHT69106-8	STHT69106-8B	PVC Handle Standard 3.2mm X 150mm	3.2mm	150	214	12
STHT69107-8	STHT69107-8B	PVC Handle Standard 3.2mm X 200mm	3.2mm	200	264	12
STHT69108-8	STHT69108-8B	PVC Handle Standard 3.5mm X 250mm	3.5mm	250	314	12
STHT69109-8	STHT69109-8B	PVC Handle Standard 5mm X 75mm	5mm	75	164	12
STHT69111-8	STHT69111-8B	PVC Handle Standard 5mm X 100mm	5mm	100	189	12
STHT69112-8	STHT69112-8B	PVC Handle Standard 5mm X 150mm	5mm	150	239	12
STHT69113-8	STHT69113-8B	PVC Handle Standard 5mm X 200mm	5mm	200	289	12
STHT69114-8	STHT69114-8B	PVC Handle Standard 5mm X 250mm	5mm	250	339	12
STHT69116-8	STHT69116-8B	PVC Handle Standard 5mm X 300mm	5mm	300	389	12
STHT69118-8	STHT69118-8B	PVC Handle Standard 6mm X 38mm	6mm	38	89	12
STHT69101-8	STHT69101-8B	PVC Handle Standard 6mm X 75mm	6mm	75	181	12
—	STHT69119-8B	PVC Handle Standard 6mm X 100mm	6mm	100	206	12
—	STHT69120-8B	PVC Handle Standard 6mm X 150mm	6mm	150	256	12
STHT69121-8	STHT69121-8B	PVC Handle Standard 8mm X 150mm	8mm	150	277	6
STHT69175-8	STHT69175-8B	PVC Handle Standard 8mm X 250mm	8mm	250	377	6

PVC HANDLE TORX




- Comfortable handle
- Chrome plated Cr-V bar resists corrosion
- Magnetic tips for secure grip on fasteners
- Color coordinated handles: red (standard), blue (Phillips®), black (Torx)



SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	Box Qty
STHT69162-8	PVC Handle TORX T10 X 100mm	T10	100	246	12
STHT69163-8	PVC Handle TORX T15 X 100mm	T15	100	246	12
STHT69164-8	PVC Handle TORX T20 X 100mm	T20	100	246	12
STHT69166-8	PVC Handle TORX T25 X 100mm	T25	100	246	12
STHT69167-8	PVC Handle TORX T30 X 100mm	T30	100	246	12

PVC HANDLE TACK CLAW



- Comfortable handle
- Chrome plated Cr-V bar resists corrosion
- Ideal for nail pulling



SKU #	Description	Tip Size	L1 (mm)	L2 (mm)	Box Qty
STHT69168-8	PVC Handle 6mm X 100mm	6mm	100	263	12

VDE SCREWDRIVER PHILLIPS®



- Insulation directly injection-moulded around the blade
- Ergonomic, shock resistant, anti slip handle and for greater torque to be applied with less effort
- Each screwdriver is individually tested to 10,000V in a water bath for 10 SCEa

SKU #	Description	Tip Size	L1 (mm)	Length (mm)	Box Qty
STHT65972-8	VDE Screwdriver PH0 X 60mm	PH0	60	160	12
STHT65973-8	VDE Screwdriver PH1 X 80mm	PH1	80	190	12
STHT65974-8	VDE Screwdriver PH2 X 100mm	PH2	100	215	12
STHT65975-8	VDE Screwdriver PH3 X 150mm	PH3	150	275	12

VDE SCREWDRIVER SLOTTED FLARED



- Insulation directly injection-moulded around the blade
- Ergonomic, shock resistant, anti slip handle and for greater torque to be applied with less effort
- Each screwdriver is individually tested to 10,000V in a water bath for 10 SCEa

SKU #	Description	Tip Size	L1 (mm)	Length (mm)	Box Qty
STHT65966-8	VDE Screwdriver Standard 3.0x100mm	3.0	100	200	12
STHT65967-8	VDE Screwdriver Standard 4.0x100mm	4.0	100	200	12
STHT65968-8	VDE Screwdriver Standard 5.5x125mm	5.5	125	235	12
STHT65969-8	VDE Screwdriver Standard 6.5x150mm	6.5	150	265	12
STHT65970-8	VDE Screwdriver Standard 8.0x175mm	8.0	175	300	12
STHT65971-8	VDE Screwdriver Standard 10.0x200mm	10	200	325	12

7 PCS VDE SCREWDRIVER SET



3.0 x 100mm
4.0 x 100mm
5.5 x 125mm
6.5 x 150mm



3.0 x 70mm



PH1 x 80mm
PH2 x 100mm




- Insulation directly injection-moulded around the blade
- Ergonomic, shock resistant, anti slip handle and for greater torque to be applied with less effort
- Each screwdriver is individually tested to 10,000V in a water bath for 10 SCEa




SKU #	Description
STHT65980-8	7 PCS VDE Screwdriver Set

SPARK DETECTING SCREWDRIVER



STHT72991-8



STHT72992-8

Retail SKU #	Bulk SKU #	Description	Tip Size	Length (mm)	Box Qty
STHT72991-8	STHT72991-8B	Stanley Tester - DIY	3.5	128	20
STHT72992-8	STHT72992-8B	Stanley Tester - PRO	3.5	133	20

SPARK DETECTING SCREWDRIVER



- Test range of 100~500V
- Pocket size model c/w clip
- Attractive PP card packaging

SKU#	Blade Length		O/A Length		Tip Width		Box/CTN
	mm	inches	mm	inches	mm	inches	
66-119-S	50	2-3/4"	127	5-1/2"	3	1/8"	20/600
66-120-S	100	4"	178	7-1/2"	5	3/16"	20/480

MULTIFUNCTIONAL DIGITAL TESTER WITH LCD DISPLAY AND NEON LAMP DISPLAY



- Easy single button operation
- Easy to read & practical screen
- Ergonomic design & shape , Bi-Material body combination
- Pocket clip for easy carrying
- Neon lamp for electriciferous test
- International standard, CE certified
- Rubber hands provides comfort & insulation

SKU#	Description	Box/CTN
66-133	Multifunctional Digital Tester with LCD Display and Neon Lamp Display	12/96

MULTIFUNCTIONAL DIGITAL TESTER WITH LCD DISPLAY




Induction test, break-point & voltage reading button


- Easy to read & practical screen
- Pocket clip for easy carrying
- International standard, CE certified
- Longer tip for deep insertion

SKU#	Description	Box/CTN
66-137-S	Multifunctional Digital Tester with LCD Display	12/240

10 PCS RATCHETING MULTIBIT SCREWDRIVER



- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Bit storage in handle for quick and easy access
- Ergonomically designed handle
- Magnetic bit holder for speedy and secure changeover of bits
- Includes: 3/16" Standard, 1/4" Standard, 1pt Phillips®, 2pt Phillips®, T15 Torx, T20 Torx, 1pt Pozi, 2pt Pozi, 1pt Square, 2pt Square, Storage Rack




SKU #	Description	Box Qty
STHT68010-8	10 PCS Ratcheting Multibit Screwdriver	2

6-WAY SCREWDRIVER




- Convenient and space-saving design reduces the number of tools users must carry
- Chrome-plated bar resists corrosion
- Slip-resistant rubber grip provides comfort



SKU #	Description	Box Qty
STHT68012-8	6-Way Screwdriver	6

6 PCS STUBBY MULTIBIT SCREWDRIVER




- Magnetic bit holder for speedy and secure changeover of bits
- Durable bi-material handles with comfort grip
- Includes (6) CR-V bits with internal bit storage for easy access to bits-end cap carries 6 bits



SKU #	Description	Box Qty
STHT66357-8	6 PCS Stubby Multibit Screwdrivers	3

6 PCS RATCHETING STUBBY MULTIBIT SCREWDRIVER



- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Magnetic bit holder for speedy and secure changeover of bits
- Durable bi-material handles with comfort grip
- Includes (6) CR-V bits with internal bit storage for easy access to bits-end cap carries 6 bits



SKU #	Description	Box Qty
STHT66358-8	6 PCS Ratcheting Stubby Multibit Screwdrivers	3

9-WAY SCREWDRIVER



OPT 1PT 2PT



1/8" (3mm) 3/16" (5mm) 1/4" (6mm)



- Interchangeable bars maximize versatility
- Reduces the number of tools user needs to carry
- Storage case included
- Includes: 1/8" Standard Bar, 3/16" Standard Bar, 1/4" Standard Bar, Opt Phillips® Bar, 1pt Phillips® Bar, 2pt Phillips® Bar, 1 Tack Puller, 1 Brad Awl, 1 Hook Driver



SKU #	Description	Box Qty
STHT62511-8	9-Way Screwdriver	6

10-WAY FLEXIBLE SCREWDRIVER



1PT 2PT



1PT 2PT




T15 T20



3/16" (5mm)
1/4" (6.5mm)
9/32" (7mm)



- 10 Replaceable 1/4" bits and adapter
- Comfortable bi-material handle
- Bit magazine with belt clip




SKU #	Description	Box Qty
STHT62508-8	10-Way Flexible Screwdriver	4

6 PCS METAL PRECISION SCREWDRIVER SET

+ OPT 1PT

— 1.4mm 2.0mm
2.4mm 3.0mm

- Swivel-head handles provide tightening precisely
- Bright, plated shafts are fluted for a steady, solid grip
- Hardened and tempered steel blades with blued finish to resist corrosion
- Plastic storage case included



x6



Metal Handle


SKU #	Description	Box Qty
STHT66039-8	6 PCS Precision Screwdriver Set	12

6 PCS BI-MAT PRECISION SCREWDRIVER SET


+ OPT 1PT

— 1.4mm 2.0mm
2.4mm 3.0mm

- Swivel-head handles provide tightening precisely
- Tough, plastic handles with soft cushion grip for comfort
- Plastic storage case included



x6



Plastic Handle

SKU #	Description	Box Qty
STHT66052-8	6 PCS Bi-Mat Precision Screwdriver Set	6

6.3MM BITS OVERVIEW

TYPE		TIP	Length (mm)				
			25	50	60	65	110
Single End	 Slotted	5 mm		●			
		5.5 mm		●			
		6 mm		●			
		6.5 mm		●			
	 Phillips®	PH0		●			
		PH1		●			
		PH2	●	●			
		PH3		●			
	 Torx	T10		●			
		T15		●			
		T20		●			
		T25		●			
	 Pozidriv	PZ2	●	●			
Double End	 Phillips®	PH1-PH1				●	●
		PH2-PH2				●	●
		PH3-PH3				●	●
		PH1-PH2				●	
		PH2-PH3				●	
	 Slotted-Phillips®	4.5mm-PH1				●	
		5.5mm-PH2				●	
		6.5mm-PH3				●	
	Bit Holder					●	

6.3MM SLOTTED HEADS



- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-013T-23	5.0mm X 50mm	5.0mm	50	10
63-014T-23	5.5mm X 50mm	5.5mm	50	10
63-015T-23	6.0mm X 50mm	6.0mm	50	10
63-016T-23	6.5mm X 50mm	6.5mm	50	10


6.3MM PHILLIPS® HEADS



- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-026T-23	PH0 X 50mm	PH0	50	10
63-027T-23	PH1 X 50mm	PH1	50	10
63-028T-23	PH2 X 50mm	PH2	50	10
63-029T-23	PH3 X 50mm	PH3	50	10


6.3MM TORX HEADS



- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-054T-23	T10 X 50mm	T10	50	10
63-055T-23	T15 X 50mm	T15	50	10
63-056T-23	T20 X 50mm	T20	50	10
63-057T-23	T25 X 50mm	T25	50	10

6.3MM PHILLIPS® HEADS



- Economical double ended tips
- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-101T-23	PH1-PH1 X 65mm	PH1-PH1	65	10
63-102T-23	PH2-PH2 X 65mm	PH2-PH2	65	10
63-103T-23	PH3-PH3 X 65mm	PH3-PH3	65	10


6.3MM SLOTTED-PHILLIPS® HEADS



- Mixed tip for easy usage
- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-104T-23	4.5mm-PH1 X 65mm	4.5mm-PH1	65	10
63-105T-23	5.5mm-PH2 X 65mm	5.5mm-PH2	65	10
63-106T-23	6.5mm-PH3 X 65mm	6.5mm-PH3	65	10

6.3MM PHILLIPS® HEADS



- Mixed tip for easy usage
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-107T-23	PH1-PH2 X 65mm	PH1-PH2	65	10
63-108T-23	PH2-PH3 X 65mm	PH2-PH3	65	10

6.3MM PHILLIPS® HEADS



- Economical double ended tips
- Ideal for screwing
- Tempered for durability

SKU #	Description	Tip Size	Length (mm)	Box Qty
63-111F-23	PH1-PH1 X 110mm	PH1-PH1	110	5
63-112F-23	PH2-PH2 X 110mm	PH2-PH2	110	5
63-113F-23	PH3-PH3 X 110mm	PH3-PH3	110	5

MAGNETIC BIT HOLDER



- Quick bit change
- Magnet holds fastener on bit

SKU #	Description	Length (mm)	Box Qty
63-189-23	6.3mm X 80mm	60	8

BITS MERCHANDISER



A Merchandiser with
20 Tic-tac Boxes

STHT72679-8L



The merchandiser can be
converted as a great display

- ISO 1173, ISO 2380-1, ISO 2351-1
- S2 Steel, 20% higher torque vs Cr-V
- HRC 60

SKU #	# of Bits / Tic-tac Box	# of Bits / Merchandiser
STHT72680-8L	25PCS	500PCS
STHT72678-8L	15PCS	300PCS
STHT72681-8L	25PCS	500PCS
STHT72679-8L	15PCS	300PCS



SKU #	Description	Tip Size	L (mm)	W (mm)	H (mm)	Weight (kg)	Carton Qty
STHT72680-8L	STANLEY® PH2 25mm Bits Merchandiser	PH2	245	155	75	3.15	4
STHT72678-8L	STANLEY® PH2 50mm Bits Merchandiser	PH2	245	155	80	4.04	4
STHT72681-8L	STANLEY® PZ2 25mm Bits Merchandiser	PZ2	245	155	75	3.22	4
STHT72679-8L	STANLEY® PZ2 50mm Bits Merchandiser	PZ2	245	155	75	4.05	4

MAXSTEEL™ C-CLAMP



- High-visibility, corrosion-resistant finish
- Advanced frame design resists flexing and bending
- Heavy-duty, malleable iron and steel construction
- Roll-formed screw threads ensure smooth operation and durability
- Oversized "T" handle for extra torque


SKU#	Length		Box/CTN
	mm	inches	
83-033K	57 x 75	3" x 2-1/4"	6/36
83-034K	75 x 100	4" x 3"	6/24
83-035K	89 x 150	6" x 3-1/2"	6/12
83-036K	100 x 200	8" x 4"	3/6

QUALITY MATERIALS FOR HIGH PERFORMANCE

PROFESSIONAL HEX RANGE

Attentively engineered, the **STANLEY®** Hex Key range comes conveniently grouped into sets or as multiples of the same size for common tasks. Hex or Torx drive options are perfectly suited to typical repair and maintenance situations.

Manufactured from S2 grade steel with a choice of short or long variants, spherical head options and up to 25° work angles, you can be sure that these ANSI certified products will live up to expectations.




HEX KEY RANGE OVERVIEW

SKU #	Description	No. of pieces	Sizes (mm/inch)	Length (mm)	Width (mm)	Weight (kg)	Qty	
HEX HEAD KEY SETS	STMT94162-8	9 PCS Long Spheric-head Hex Key Set	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	-	-	0.383	6
	STMT92619-8	9 PCS Long Hex Key Set	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	-	-	0.394	6
	STMT92625-8	9 PCS Long Torx key set (T10 to T50)	9	TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45, TT50 mm	-	-	0.33	6
	STMT94551-8	7 PCS Short Spher head Hex Key Set	7	1.5, 2, 2.5, 3, 4, 5, 6 mm	-	-	0.078	10
	STMT69213-8	10 PCS Hex Key Ring Set	10	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10 mm	-	-	0.28	12
	69-119	Hex Key Set 9pc Chrome MM	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	-	-	-	6
	69-213	Hex Key Set 10pc Ring MM	10	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	-	-	-	12
	69-230	Hex Key Set 10pc Ring IMP	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	-	-	-	12
	69-251	Hex Key Set 8pc S/arm MM	8	1, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	-	-	-	12
	69-252	Hex Key Set 8pc S/arm IMP	8	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	-	-	-	12
	69-253	Hex Key Set 10pc S/arm MM	10	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	-	-	-	12
	69-254	Hex Key Set 10pc S/arm IMP	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	-	-	-	12
	69-256	Hex Key Set 9pc L/arm MM	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	-	-	-	6
	69-257	Hex Key Set 12pc L/arm IMP	12	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	-	-	-	6
	69-259	Hex Key Set 9pc Fldg IMP	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	-	-	-	12
	69-260	Hex Key Set 5pc Fldg IMP	5	3/16, 7/32, 1/4, 5/16, 3/8"	-	-	-	12
	69-261	Hex Key Set 7pc Fldg MM	7	1.5, 2, 2.5, 3, 4, 5, 6 mm	-	-	-	12
	69-262	Hex Key Set 7pc Fldg MM	7	1.5, 2, 2.5, 3, 4, 5, 6 mm	-	-	-	12
	STMT69213-8	10 PCS Hex Key Ring Set	10	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10 mm	-	-	0.28	12
HEX HEAD KEYS	STMT94099-8	Long Spherical Hex Key 1.5mm	6	1.5	187	55	0.016	72
	STMT94100-8	Long Spherical Hex Key 2mm	6	2	187	55	0.022	72
	STMT94101-8	Long Spherical Hex Key 2.5mm	6	2.5	187	55	0.033	72
	STMT94102-8	Long Spherical Hex Key 3mm	6	3	187	55	0.05	72
	STMT94103-8	Long Spherical Hex Key 4mm	6	4	269	81	0.096	72
	STMT94104-8	Long Spherical Hex Key 5mm	6	5	269	81	0.157	72
	STMT94106-8	Long Spherical Hex Key 6mm	6	6	269	81	0.258	72
	STMT94108-8	Long Spherical Hex Key 8mm	6	8	302	102	0.524	72
	STMT94109-8	Long Spherical Hex Key 10mm	3	10	302	102	0.441	36

9 PCS LONG SPHERICAL-HEAD HEX KEY SET



- ANSI B18.3.2M-1979 ,GGG-K-275D
- S2 steel
- Spherical head gives a working angle of up to 25°
- HRC 60 +/- 2, increase 20% torque than Cr-V
- Fine satin finish




SKU #	Description	Qty	Size	Weight	Box Qty
STMT94162-8	9 PCS Long Spherical-head Hex Key Set	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 (mm)	0.383	6

9 PCS LONG HEX KEY SET



- ANSI B18.3.2M-1979 ,GGG-K-275D
- S2 steel
- HRC 60 +/- 2, increase 20% torque than Cr-V
- Fine satin finish



SKU #	Description	Qty	Size	Weight	Box Qty
STMT92619-8	9 PCS Long Hex Key Set	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 (mm)	0.394	6

9 PCS LONG TORX KEY SET



- ANSI B18.3.2M-1979 ,GGG-K-275D
- S2 steel
- HRC 60 +/- 2, increase 20% torque than Cr-V
- Fine satin finish




SKU #	Description	Qty	Size	Weight	Box Qty
STMT92625-8	9 PCS Long Torx Key Set (T10 to T50)	9	TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45, TT50	0.33	6

7 PCS SHORT SPHERICAL-HEAD HEX KEY SET



- ANSI B18.3.2M-1979 ,GGG-K-275D
- S2 steel
- Spherical head gives a working angle of up to 25°
- HRC 60 +/- 2, increase 20% torque than Cr-V
- Fine satin finish




SKU #	Description	Qty	Size	Weight	Box Qty
STMT94551-8	7 PCS Short Spherical-head Hex Key Set	7	1.5, 2, 2.5, 3, 4, 5, 6 (mm)	0.078	10

HEX KEY SET




SKU #	Description	Contents	Box/CTN
69-119	Hex Key Set 9pc Chrome MM	1.5/2/2.5/3/4/5/6/8/10 mm – Ball tips	6/36
69-213	Hex Key Set 10pc Ring MM	1.5/2/2.5/3/4/5/5.5/6/8/10 mm	12/72
69-230	Hex Key Set 10pc Ring IMP	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	12/72
69-251	Hex Key Set 8pc S/arm MM	1.0/1.5/2/2.5/3/4/5/5.5/6 mm	12/72
69-252	Hex Key Set 8pc S/arm IMP	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	12/72
69-253	Hex Key Set 10pc S/arm MM	1.5/2/2.5/3/4/5/5.5/6/8/10 mm	12/72
69-254	Hex Key Set 10pc S/arm IMP	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	12/72
69-256	Hex Key Set 9pc L/arm MM	1.5/2/2.5/3/4/5/6/8/10 mm – Ball tips	6/36
69-257	Hex Key Set 12pc L/arm IMP	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" – Ball tips	6/36
69-259	Hex Key Set 9pc Fldg IMP	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	12/72
69-260	Hex Key Set 5pc Fldg IMP	3/16, 7/32, 1/4, 5/16, 3/8	12/48
69-261	Hex Key Set 7pc Fldg MM	1.5/2/2.5/3/4/5/6 mm	12/72
69-262	Hex Key Set 7pc Fldg MM	1.5/2/2.5/3/4/5/6 mm	12/72
69-263	Hex Key Set 8pc Fldg Torx®	T9/ T10/ T15 / T20/ T25/ T27 / T30/ T40	12/72
STMT69213-8	10 PCS Hex Key Ring Set	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10 (mm)	12

LONG SPHERICAL HEX KEY



- ANSI B18.3.2M-1979 ,GGG-K-275D
- S2 steel
- Spherical head gives a working angle of up to 25°
- HRC 60 +/- 2, increase 20% torque than Cr-V
- Fine satin finish



SKU #	Description	Qty	Size	Length (mm)	Width (mm)	Weight	Box Qty
STMT94099-8	Long Spherical Hex Key 1.5mm (6pcs)	6	1.5mm	187	55	0.016	72
STMT94100-8	Long Spherical Hex Key 2mm (6pcs)	6	2mm	187	55	0.022	72
STMT94101-8	Long Spherical Hex Key 2.5mm (6pcs)	6	2.5mm	187	55	0.033	72
STMT94102-8	Long Spherical Hex Key 3mm (6pcs)	6	3mm	187	55	0.05	72
STMT94103-8	Long Spherical Hex Key 4mm (6pcs)	6	4mm	269	81	0.096	72
STMT94104-8	Long Spherical Hex Key 5mm (6pcs)	6	5mm	269	81	0.157	72
STMT94106-8	Long Spherical Hex Key 6mm (6pcs)	6	6mm	269	81	0.258	72
STMT94108-8	Long Spherical Hex Key 8mm (6pcs)	6	8mm	302	102	0.524	72
STMT94109-8	Long Spherical Hex Key 10mm (3pcs)	3	10mm	302	102	0.441	36

SHARPSHOOTER™ STAPLE



- For light-duty household and crafting stapling jobs
- Colour-coded packaging makes size and product selection a cinch
- Sturdy plastic packaging reduces staple breakage
- Light-Duty - Narrow Crown - fits TR45 and Arrow® JT-21
- Heavy-Duty - Narrow Crown - fits TR110, TR200, TRE500 Series, PHT150, PHT250 and Arrow® T-50

SKU #	Description	Height		Pack Size	Box/CTN
		mm	inches		
TRA204T	1/4" Light-Duty Staples	6	1/4"	1,000 pcs	7/56
TRA205T	5/16" Light-Duty Staples	8	5/16"	1,000 pcs	6/48
TRA206T	3/8" Light-Duty Staples	10	3/8"	1,000 pcs	5/40
TRA704T	1/4" Heavy-Duty Staples	6	1/4"	1,000 pcs	7/56
TRA705T	5/16" Heavy-Duty Staples	8	5/16"	1,000 pcs	6/48
TRA706T	3/8" Heavy-Duty Staples	10	3/8"	1,000 pcs	5/40
TRA708T	1/2" Heavy-Duty Staples	12	1/2"	1,000 pcs	4/32
TRA709T	9/16" Heavy-Duty Staples	14	9/16"	1,000 pcs	4/32

LIGHT-DUTY STAPLE GUN



- Perfect for everyday stapling needs around the home or office
- Lightweight with convenient handle lock for safe storage
- Quick-jam-clear mechanism saves time and hassles
- Chrome-plated steel construction for durability

SKU #	Staple Used	Box/CTN
TR45	TRA200 or Arrow® JT-21® light-duty staples	40/720
TR110	SharpShooter® TRA700 or ArrowT-50® heavy-duty staples	1/3

HEAVY-DUTY STAPLE GUN



- Easy-squeeze handle reduces hand fatigue
- Anti-jam mechanism saves time on the job
- High-visibility yellow color easy to spot in a toolbox or workshop
- Durable aircraft-aluminum housing withstands heavy use
- Delivers high power and deep penetration
- Easy-slide full-stick staple load

SKU #	Staple Used	Box/CTN
TR150	SharpShooter® TRA700 or Arrow® T-50® heavy-duty staples	1/6

HEAVY-DUTY STAPLE GUN / BRAD NAILER



- Easy-squeeze product works overtime as a staple gun, brad-nailer, cable-tacker and wire-tacker
- All-metal drive channel ensures better penetration
- Less force to squeeze and more driving power
- Heavy-duty aircraft-aluminum housing for long-lasting durability
- Hi/Lo power lever for hard and soft materials
- Flush-nose design solves the problem of stapling in tight spots
- Lock-down handle for safe storage
- Quick-view window simplifies staple identification
- Easy-slide full-stick staple load

SKU #	Staple Used	Box/CTN
TR250	SharpShooter® TRA700 series or Arrow® T-50® heavy-duty narrow crown staples and 1/2", 9/16" and 5/8" Brads	1/6

GLUEPRO™ MINI HOT MELT GLUE GUN



- Small, portable size for quick gluing jobs in tight spaces
- Trigger-feed mechanism controls glue flow
- Uses GS10DT standard mini hot melt sticks
- Fold-out stand for safe, handy storage while in use

SKU #	Contents	Glue Stick	Box/CTN
69-GR10B	Mini Hot Melt Glue Gun 100-240V/15W Round Pin	GS10DT	6/36
69-GR10C	Mini Hot Melt Glue Gun 100-240V/15W Flat Pin	GS10DT	6/36

GLUEPRO™ MINI DUAL TEMP MELT GLUE GUN



- Ideal for hobbies, crafts and repairs
- Convenient, one-touch high/low selector switch
- Uses mini dual-temperature glue on both settings and mini hot-melt on high settings
- Fold-out stand for safe, handy storage while in use

SKU #	Contents	Glue Stick	Box/CTN
69-GR15B	Mini Dual Temp Glue Gun 100-240V/15W Round Pin	GS10DT	6/36
69-GR15C	Mini Dual Temp Glue Gun 100-240V/15W Flat Pin	GS10DT	6/36

GLUEPRO™ TRIGGER FEED HOT MELT GLUE GUN



- Quality engineered for reliable performance
- Trigger-feed mechanism controls glue flow
- Heats up quickly and bonds within 60 seconds
- Uses standard GS10DT hot melt glue sticks
- Fold-out stand for safe, handy storage while in use

SKU #	Contents	Glue Stick	Box/CTN
69-GR20B	Trigger Feed Hot Melt Glue Gun 100-240V/40W Round Pin	GS20DT/25DT/GS260 &500	6/24
69-GR20C	Trigger Feed Hot Melt Glue Gun 100-240V/40W Flat Pin	GS20DT/25DT/GS260 &500	6/24

GLUEPRO™ TRIGGER FEED DUAL MELT GLUE GUN



- Offers the versatility of high and low temperature gluing in one gun
- Convenient, one-touch high/low selector switch
- Uses standard dual-temperature glue on both settings and hot melt formulas on high setting
- Heats up quickly and bonds within 60 seconds
- Fold-out stand for safe, handy storage while in use

SKU #	Contents	Glue Stick	Box/CTN
69-GR25B	Trigger Feed Dual Melt Glue Gun 100-240V/80W Round Pin	GS20DT/25DT/GS260 &500	6/24
69-GR25C	Trigger Feed Dual Melt Glue Gun 100-240V/80W Flat Pin	GS20DT/25DT/GS260 &500	6/24

GLUEPRO™ CORD FREE 2-WAY GLUE GUN



- Versatile glue gun works with or without cord
- Cordless operation for up to 12 minutes
- Heats up quickly
- Fold-out stand for safe, handy storage while in use

SKU #	Contents	Glue Stick	Box/CTN
69-GR90B	Cord Free 2 Way Glue Gun 100-240V/40W Round Pin	GS20DT/25DT/GS260 &500	6/24
69-GR90C	Cord Free 2 Way Glue Gun 100-240V/40W Flat Pin	GS20DT/25DT/GS260 &500	6/24

SOLDERING IRON



- Suitable for soldering metals like copper, tin, brass and stained glass
- Working temperature reached in 2 minutes
- Slim pencil like handle for easy use and control

SKU #	Pin Head	Capacity	Box/CTN
69-031B	Round	30W/220V	20/80
69-031C	Flat	30W/220V	20/80
69-033B	Round	45W/220V	20/80
69-033C	Flat	45W/220V	20/80

SOLDERING GUN



- Suitable for soldering light gauge wires, thin metals and hobby work
- Reaches working temperature in 12 seconds
- Come with 2 soldering tips

SKU #	Contents	Pin Head	Box/CTN
69-041B	100W/220V Complete kit comprising: Soldering gun. Tip Solder	Round	6/24
69-041C	100W/220V Complete kit comprising: Soldering gun. Tip Solder	Flat	6/24

RIVETER



- Spring-loaded handle ejects rivet stem automatically
- Slim-nose design fits in difficult-to-reach places
- Long handle makes riveter easy to squeeze

SKU #	Description	Box Qty
STHT69646-8	Medium-duty riveter 3 nozzles for 1/8", 5/32", 3/16" rivets	6
STHT69800-8	Heavy-duty riveter 4 nozzles for 3/32", 1/8", 5/32", 3/16" rivets	6

STANLEY®

STRIKING TOOLS



Hammers

Soft Face Hammers

Pry Bars

Chisels



POUND NAILS NOT ARMS

HAMMERS

STANLEY® has offered the world a great selection of striking tools for over 150 years, securing its place as one of the world's premier makers of high quality hammers. Extensive tests for quality control are conducted on each product range, giving users the best in safety and efficiency. Major technological advances have been made, including striking accuracy, reduced arm torsion and decreased arm damaging vibrations.



PRY BARS

Whether you need something for heavy demolition work or something elegantly contoured for pulling, prying and lifting nails, all pry bars offered by **STANLEY®** are the strongest and most durable on the market.



CHISELS


STANLEY® began manufacturing chisels in the mid 1800's and has since made some of the most iconic wood chisels in the world. With an extensive range of cold chisels and wood chisels, **STANLEY®** chisels are ideal for cutting and shaping wrought iron, cast-iron, steel, copper, aluminum, bronze, bolts, nuts and rivets. The clever one-piece construction is forged for strength and tempered for long life. The tools' powder-coated finish makes it easy to spot, ensuring that safety comes first.




HAMMER OVERVIEW

PROFILE		HEAD MATERIAL	SPEC			
			WEIGHT (g)	WEIGHT (oz)	LENGTH (mm)	HANDLE
Claw	Wood Handle Claw Hammer	Steel	195	7	290	Wood
			365	13	310	
			450	16	330	
			565	20	330	
	Fiberglass Claw Hammer	Steel	195	7	280 335	Fiberglass
			450	16		
			565	20		
Ball Pein	Wood Handle Ball Pein Hammer	Steel	450	16	335	Steel/PE
			565	20		
Soft Face	Rubber Mallet	Rubber	225	8	290	Wood
			340	12	295	
			450	16	345	
	Face Mallet	Steel/PU	365	13	335	Wood
			450	16		
			565	20		
			680	24		
					280 305 325	Wood

TERMINOLOGY OF HAMMER



WOOD HANDLE CLAW HAMMER




- Forged high-carbon steel head provides durability
- Fully heat-treated and polished bell face
- Lightweight wooden handle




SKU #	Description	L (mm)	Head Weight (oz)	Head Weight (g)	A (mm)	B (mm)	C (mm)	Type	Handle	Box Qty
STHT51265-8	7oz Wood Handle Nail Hammer	290	7oz	195	23	31	100	Claw	Wood	6
STHT51269-8	13oz Wood Handle Nail Hammer	310	13oz	365	27	45	123	Claw	Wood	6
STHT51271-8	16oz Wood Handle Nail Hammer	330	16oz	450	28	47	130	Claw	Wood	6
STHT51274-8	20oz Wood Handle Nail Hammer	330	20oz	565	30	49	134	Claw	Wood	6

FIBERGLASS CLAW HAMMER




- Fiberglass core adds strength and durability to the handle
- Yellow-colored shaft for easy product visibility
- Exclusive rim temper reduces incidences of chipping or spalling



SKU #	Description	L (mm)	Head Weight (oz)	Head Weight (g)	A (mm)	B (mm)	C (mm)	Type	Handle	Box Qty
STHT51112-8	7oz Yellow Fiberglass Handle Nail Hammer	280	7oz	195	23	31	100	Claw	Fiberglass	6
STHT51071-8	16oz Yellow Fiberglass Handle Nail Hammer	335	16oz	450	28	47	130	Claw	Fiberglass	6
STHT51072-8	20oz Yellow Fiberglass Handle Nail Hammer	335	20oz	565	30	49	138	Claw	Fiberglass	6

STEEL HANDLE CLAW HAMMER



- Shaft 15% longer for better balance & control in usage
- Grip 15% longer for better performance
- Individually heat-treated for long life
- Hardened and tempered tubular steel shaft for strength
- Flock-filled rubber grip for comfort and durability
- Meets ANSI standards



SKU #	Description	L (mm)	Head Weight (oz)	Head Weight (g)	A (mm)	B (mm)	C (mm)	Type	Handle	Box Qty
STHT51081-8	16oz Steel Handle Claw Hammer	335	16	450	28	42	127	Claw	Steel	6
STHT51082-8	20oz Steel Handle Claw Hammer	335	20	565	30	45	138	Claw	Steel	6

JACKETED FIBERGLASS ENGINEERING HAMMER




- Heat treated high carbon alloy steel heads for long life and durability
- Machined striking face for accuracy
- Jacketed fiberglass handle for overstrike protection

SKU#	Head Length		Weight		Box/CTN
	mm	inches	grams	oz	
56-202	112	4-3/8"	1100	40	4/4
56-204	135	5-1/4"	1800	64	4/4

WOOD HANDLE BALL PEIN HAMMER



- Ball end used for riveting, and poll used for normal striking
- The hammer head is attached with two wedges for improved durability
- Exclusive rim temper reduces incidences of chipping or spalling



SKU #	Description	L (mm)	Head Weight (oz)	Head Weight (g)	A (mm)	B (mm)	C (mm)	Type	Handle	Box Qty
STHT54189-8	8oz Wood Handle Ball Pein Hammer	290	8	225	27	24	83	Ball Pein	Wood	6
STHT54190-8	12oz Wood Handle Ball Pein Hammer	295	12	340	30	25	91	Ball Pein	Wood	6
STHT54191-8	16oz Wood Handle Ball Pein Hammer	345	16	450	31	27	103	Ball Pein	Wood	6
54-192	24oz Wood handle Ball Pein Hammer	381	24	680	-	-	-	Ball Pein	Wood	6
54-193	32oz Wood handle Ball Pein Hammer	405	32	910	-	-	-	Ball Pein	Wood	6

CONTRACTOR GRADE HICKORY HANDLE ENG HAMMER



- Forged steel head-hardened and tempered
- Faces machine finished
- Selected clear lacquered hickory handle

SKU#	Head Length		Weight		Box/CTN
	mm	inches	grams	oz	
56-803	130	5-1/8"	1,400	50	4/4
56-804	135	5-1/4"	1,800	64	4/4


CONTRACTOR GRADE HICKORY HANDLE SLEDGE HAMMER



- Forged steel head-hardened and tempered
- Faces machine finished
- Selected clear lacquered hickory handle

SKU#	Head Length		Weight		Box/CTN
	mm	inches	grams	oz	
56-808	165	6-1/2"	3,600	127	4/4
56-812	195	7-3/4"	5,400	190	4/4
56-816	215	8-1/2"	7,300	258	2/2

RUBBER MALLET




- Rubber head helps minimize marring and surface damage
- Tough rubber head molded to a wood handle



SKU #	Description	L (mm)	Head Weight (oz)	Head Weight (g)	A (mm)	B (mm)	C (mm)	Type	Handle	Box Qty
STHT57516-8	13oz Rubber Mallet	335	13	365	53	53	78	Rubber Mallet	Wood	6
STHT57527-8	16oz Rubber Mallet	335	16	450	55	55	92	Rubber Mallet	Wood	6
STHT57523-8	20oz Rubber Mallet	335	20	565	57	57	106	Rubber Mallet	Wood	6
STHT57528-8	24oz Rubber Mallet	335	24	680	60	60	112	Rubber Mallet	Wood	6

FACE MALLET



- Soft surface helps minimize marring and surface damage
- Faces are made of durable plastic that is ideal for fine finished surfaces
- Plastic faces are replaceable



SKU #	Description	L (mm)	A (mm)	B (mm)	Type	Handle	Box Qty
STHT57055-8	28mm Face Mallet	280	28	82	Face Mallet	Wood	6
STHT57056-8	35mm Face Mallet	305	35	92	Face Mallet	Wood	6
STHT57057-8	45mm Face Mallet	325	45	105	Face Mallet	Wood	6

COMPO-CAST® STANDARD HEAD SOFT FACE HAMMER



- Non-Sparking soft face hammers
- No exposed metal
- Soft face doesn't mar surfaces or equipment
- Steel reinforced handles provide added strength and safety, resist breaking on overstrike

SKU#	Face Diam.		Head Length		O / A Length		Weight		Box/CTN
	mm	inches	mm	inches	mm	inches	grams	oz.	
57-530	30	1.2"	79	3-1/8"	257	10-1/8"	284	10	1/4
57-531	40	1.6"	95	3-3/4"	286	11-1/4"	510	18	1/4
57-532	45	1.8"	103	4-1/16"	327	12-7/8"	595	21	1/4
57-533	53	2.1"	117	4-5/8"	362	14-1/4"	1,191	42	4/4
57-534	63	2.5"	136	5-3/8"	387	15-1/4"	1,474	52	1/2

PRY BAR OVERVIEW

	MATERIAL	SPEC	
		Length (mm)	Weight (lbs)
Ripping Bar	High Carbon Steel	457	2.00
		597	3.70
		914	5.30
		762	4.50
Claw Bar	High Carbon Steel	203	0.50
		254	0.70
		305	1.00
Straight Bar	CR-V	1500	15

RIPPING BAR

- Ideal for basic demolition work
- Slotted claw and beveled ends for functionality and performance
- 3/4" diameter high-carbon steel



SKU #	Description	Length (mm)	Weight (lbs)	Box Qty
55-118	18" Forged Hexagonal Steel Ripping Bar	457	2.00	6
STHT55124-8	24" Forged Hexagonal Steel Ripping Bar	597	3.70	2
STHT55130-8	30" Forged Hexagonal Steel Ripping Bar	914	5.30	—
STHT55136-8	36" Forged Hexagonal Steel Ripping Bar	762	4.50	—

STANLEY®

CLAW BAR

STANLEY® Claw Bars are ideal for nail pulling and prying. This range features claw bars that are polished and have beveled claws for precise penetration. These claw bars are perfect for removing heavy duty nails.



SKU #	Description	Length (mm)	Weight (lbs)	Box Qty
55-113	8" Claw Bar	203	0.50	6
55-114	10" Claw Bar	254	0.70	2
55-115	12" Claw Bar	305	1.00	2


STRAIGHT BAR




- Basic tool used in demolition of all types of construction, including concrete

SKU #	Description	Length (mm)	Weight (lbs)	Box Qty
55-150	1.5m Hexagonal Straight Bar	1500	15	6


TERMINOLOGY OF CHISEL




PRECISION REMOVAL AND PARING OF WOOD




Cutting and carving




Dovetail joints




Mortise joints



Mortise locks & hinges



Trim dowels



Remove excess glue

DYNAGRIP® CHISEL



- Blade guard for storage safety
- Fully precision ground blade on all faces
- Ergonomic hi-impact resistant bi-material handle
- Rust-resistant, lacquered coated blade

SKU #	Contents		Box/CTN
	mm	inches	
16-276	12	1/2"	6/36
16-279	18	3/4"	6/36
16-282	25	1"	6/36
16-285	12, 18, 25	1/2", 3/4", 1"	4/24

FATMAX™ COLD CHISEL WITH BI-MAT HAND GUARD



- For cutting/ shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	Contents	Length	Box/CTN
		inches	
16-332	FatMax™ Cold Chisel 1" x 12" with guard	1" x 12"	3/18

FATMAX™ CONCRETE CHISEL WITH BI-MAT HAND GUARD



- Durable bull point that cuts fast and lasts long
- Ideal for cutting through and breaking up concrete

SKU #	Contents	Length	Box/CTN
		inches	
16-329	Concrete Chisel 3/4" x 12" w/Guard	3/4" x 12"	3/18

COLD CHISEL



- One-piece construction forged from chrome vanadium steel for increased strength and durability
- Hardened, quenched and tempered for long life and added safety
- Powder coat finish for increased visibility
- For cutting/ shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	Length	Box/CTN
	inches	
STHT16289-8	3/4" x 6-7/8"	3/24
STHT16290-8	7/8" x 8"	3/24

3 PCS WOOD CHISELS SET



- Blade hardened for resharping
- Tough and shock-absorbing
- Non-rolling handle

SKU #	Description	Blade Width (in.)	Blade Width (mm)	Box Qty
STHT16089-8	3 PCS WOOD CHISEL SET	1/2", 3/4", 1"	13mm, 19mm, 25mm	5

6 PCS WOOD CHISELS SET



- Various chisel applications
- Hand carving knives in various cuts are ideal for DIY handcrafts



SKU #	Description	Product Specs	Box Qty
STHT16120-8	6 PCS WOOD CHISEL 1/4" SET	1 Sken Chisel, 1 Curved Gouge, 1 Curved Flat, 1 Curved U Tool, 1 Straight Gauge, 1 Square Chisel	12

3 PCS COLD CHISELS SET



- Multi-tool sets are ideal for starting drill holes, marking metal or cutting/splitting hard stone, brick and concrete





SKU #	Description	Blade Width (in.)	Blade Width (mm)	Box Qty
STHT16298-8	3 PCS Cold Chisel Set	3/8", 1/2", 5/8"	10mm, 12mm, 16mm	3

WOOD CHISELS



- Hardened and tempered chrome carbon-steel blade for edge retention
- Made to maximize strength and control
- Innovative ergonomic design for comfort and ease
- Working edges of the blade are protected by the blade guard
- Can be mounted to the wall for simple storage solutions



SKU #	Description	Blade Width (in.)	Blade Width (mm)	Box Qty
STHT16107-8	1/2" Wood Chisel	1/2"	13mm	12
STHT16111-8	3/4" Wood Chisel	3/4"	19mm	12
STHT16115-8	1" Wood Chisel	1"	26mm	12

CUSHION GRIP NAIL SET



- Grip is slip-resistant in all weather conditions and ribbed to absorb shock, improving precision
- 25% longer length enables user to set nails in hard to reach areas
- Fully hardened, precision-milled steel for long life
- Long, beveled tip for easy nail head alignment
- Colour coded by tip size for quick identification
- Patented design developed for professional use
- 3 pc nail set (SKU# - 58-930) contains 58-911, 58-912 and 58-913

SKU #	Colour	O / A Length		Tip		Box/CTN
		mm	inches	mm	inches	
58-911	Yellow	127	5"	0.8	1/32"	6/96

STANLEY®

FINISHING TOOLS



Files

Surform Tools & Blades



FINISH THE JOB PERFECTLY

STANLEY® is proud of its long-standing commitment to manufacturing some of the world's best finishing tools.

As you peruse this category, remember that behind every finishing tool is more than 140 years of tool-manufacturing experience, skill, and of course, Stanley's unflagging commitment to excellence.

With the wide range of **STANLEY®** finishing tools available, you can be sure that the overall quality and effect of your work will be further elevated. Whether you need something compact and lightweight with a click-on blade replacement, or something with a single-cut mill pattern for light removal, you will find what you need right here.

FILES

Depending on the type of material that the file is used on, **STANLEY®** offers a range of innovative files. File coarseness, spacing of the teeth and the tool's primary material come into play.



SURFORM®


The best known feature of the Surform® range is its compact and lightweight molded body. Surform® shavers are tough and have sidecut teeth for shaving down corners. The shaver's simple click-on blade replacement makes it easy to replace the blade, ensuring that there will be no holdups while getting the job done.



HOW TO USE SURFORM® TOOLS



For **FAST CUTTING**, use the tool at an angle of about 30° in the direction of the cut



For **SMOOTHING** and **FINISHING**, use the tool parallel to the direction of the cut


ALL MASTER PAINT BRUSH



- Long bristle for durability and superior finish
- Stainless steel ferrules
- Wooden handle for comfort in use
- Superior finish with all paints


SKU #	Size		Thickness		Length-Out		Box/CTN
	mm	inches	mm	inches	mm	inches	
29-030-1	19	3/4"	9	11/32"	49	2"	12/288
29-035-1	75	3"	23	3/4"	79	3-1/8"	6/72

STICK & CAGE FRAME ROLLER



SKU #	Contents	Length		Diameter		Box/CTN
		mm	inches	mm	inches	
1-29-076	7" Stick Roller Frame	-	7"	-	-	24/48
1-29-045	9" Cage Frame	255	9"	37	1-1/2"	24/48

PAINT ROLLER - COMPLETE




SKU #	Contents	For Use On	Length		Diameter		Box/CTN
			mm	inches	mm	inches	
1-29-069	9" Cage roller/ mogloss short refill	Gloss and eggshell paints on smooth surfaces	255	9"	37	1-1/2"	24/48
1-29-494	7" Cage roller/ acrylic med refill	Flat of masonry paint on semi smooth/rough surfaces	175	7"	37	1-1/2"	24/48

MINI ROLLER & REFILL



SKU #	Contents	For Use On	Length		Box/CTN
			mm	inches	
2-29-078	Acrylic Yellow Stripe Refill - 10/pk	Flat/ matt paint on smooth surfaces	100	4"	10/20

STICK ROLLER REFILL



SKU #	Contents	For Use On	Length		Box/CTN
			mm	inches	
0-29-086	4" Stick Frame and refill	-	102	4"	25/100
0-29-256	7" Mogloss Short Pile	Gloss and eggshell paints on smooth surfaces	175	7"	24/48
0-29-277	9" Acrylic Yellow Stripe Med Pile	Flat/ matt paint on smooth surfaces	225	9"	24/48

TAPERED FILE



- Triangle-shape file gradually tapered in width and thickness for cutting angles less than 90°




SKU #	Description	Cut	Teeth Spacing	Length (in.)	Length (mm)	Box/CTN (Dozen)
22-090 / 22-090B	4" Extra Slim Tapered	Single Cut	Second Cut	4"	100	1/6/200
22-091 / 22-091B	4" Double Extra Slim Tapered	Single Cut	Second Cut	4"	100	1/6/200
22-223 / 22-223B	8" Three Square Tapered	Double Cut	Bastard Cut	8"	200	1/9/25
22-224 / 22-224B	12" Three Square Tapered	Double Cut	Bastard Cut	12"	300	1/4/6
22-225 / 22-225B	12" Three Square Tapered	Double Cut	Second Cut	12"	300	1/4/6
22-226 / 22-226B	6" Three Square Tapered	Double Cut	Smooth Cut	6"	150	1/12/40
22-227	8" Three Square Tapered	Double Cut	Smooth Cut	8"	200	1/9
22-304 / 22-304B	4" Slim Tapered	Single Cut	Smooth Cut	4"	100	12/200
22-305 / 22-305B	5" Slim Tapered	Single Cut	Smooth Cut	5"	125	1/12/20
22-306 / 22-306B	6" Slim Tapered	Single Cut	Smooth Cut	6"	150	1/12/50

HALF ROUND FILE



- Half round file tapered in width and thickness for filing inside or rings and round holes



SKU #	Description	Cut	Teeth Spacing	Length (in.)	Length (mm)	Box/CTN (Dozen)
22-187 / 22-187B	8" Half Round File	Double Cut	Second Cut	8"	200	1/9/25


CHAIN SAW FILE

- For sharpening chain saws



SKU #	Description	Length		Box/CTN (Dozen)
		mm	inches	
22-082 / 22-082B	Chain Saw File	4 x 200	5/32" x 8"	1/9/75
22-083 / 22-083B	Chain Saw File	5 x 500	3/16" x 8"	1/9/15
22-087 / 22-087B	Chain Saw File	6 x 200	7/32" x 8"	1/9/15

HANDY FILE





- For sharpening agricultural tools including blades of reaping and mowing machines

SKU #	Description	Length		Box/CTN (Dozen)
		mm	inches	
22-078H	File Handy 8" C/W Handle	200	8"	1/6

FLAT FILE



- Flat file parallel in width and tapered in thickness for general material removal



SKU #	Description	Cut	Teeth Spacing	Length (in.)	Length (mm)	Box Qty
22-096 / 22-096B	10" Mill File	Single Cut	Bastard Cut	10"	250	1/8/15
22-172 / 22-172B	10" Flat File	Double Cut	Bastard Cut	10"	250	1/6/15
22-173 / 22-173B	12" Flat File	Double Cut	Bastard Cut	12"	300	1/4/6
22-233 / 22-233B	8" Flat File	Double Cut	Smooth Cut	8"	200	1/9/25
22-234 / 22-234B	10" Flat File	Double Cut	Smooth Cut	10"	250	1/6/15

SINGLE IRON



- A flat surface that is easier to sharpen
- An accurately ground edge of 25°
- Use suffix '0' for carded product
- Chrome carbon steel which has excellent edge retention characteristics and allows a razor sharp edge to be honed

SKU #	Description	Compatible To	Diameter		Box/CTN
			mm	inches	
0-12-312	Single Iron	12-003	45	1-3/4"	6/96

PROFESSIONAL™ BLOCK PLANE



- Low angle cutter seats at 13-1/2°
- For end grain and plastic laminates

SKU #	Description	Length		Cutter		Box/CTN
		mm	inches	mm	inches	
1-12-060	Professional™ Block Plane	150	6"	35	1-3/8"	1/6

PROFESSIONAL™ SMOOTHING PLANE



- Fully adjustable for depth of cut, cutter alignment and size of mouth
- Cutter seats at 21°
- For end grain and general purpose fine finishing

SKU #	Description	Length		Cutter		Box/CTN
		mm	inches	mm	inches	
1-12-020	Professional™ Smoothing Plane	160	6-1/4"	40	1-5/8"	1/6

BLOCK PLANE



- Small block plane - ideal for use by model makers

SKU #	Description	Length		Cutter		Box/CTN
		mm	inches	mm	inches	
1-12-102	Block Plane	140	5-1/2"	35	1-3/8"	1/6

PLANE



- Light weight, moulded body
- General purpose use



SKU #	Description	Length (in.)	Length (mm)	Box Qty
5-21-103	10" Surform® Plane	10"	250	6

BLOCK PLANE



- Light weight, moulded body
- For edges and confined spaces



SKU #	Description	Length (in.)	Length (mm)	Box Qty
5-21-104	5-1/2" Surform® Block Plane	5-1/2"	140	6

FLAT FILE



- Light weight, moulded body
- Slight curve on blade for increased stock removal



SKU #	Description	Length (in.)	Length (mm)	Box Qty
5-21-103	5-1/2" Surform® Flat File	5-1/2"	140	6

SHAVER TOOL





- Light weight, moulded body
- Work on pull stroke
- For universal use




SKU #	Description	Length (in.)	Length (mm)	Box Qty
5-21-115	2-1/2 Surform® Shaver Tool	2-1/2"	64	6

SURFORM® TOOL & BLADE CHART

	21-293-5-11 	21-393-5-11 	21-299-5-11 	21-508-5-11 	21-398-5-11 	21-515-5-11 
Hardwood	•	•	•	•	•	•
Softwood	•	•	•	•	•	•
End Grain		•			•	
Chipboard	•		•	•		•
Plywood	•		•	•		•
Blockboard	•		•	•		•
Vinyl	•	•	•	•	•	•
Rubber	•		•	•		•
Plaster	•	•	•	•	•	•
Thermalite	•		•	•		•
Chalk	•		•	•		•
Fiberglass	•		•	•		•
Brass		•			•	
Aluminum		•			•	
Copper		•			•	
Mild Steel		•			•	
Plastic Laminates						•
Plastic Fillers	•	•	•	•	•	•
Nylon	•		•	•		•
Vinyl Flooring	•		•	•		•

CURVED BLADE



- Curved blade speeds up stock removal
- Works on the pull stroke

SKU #	Description	Fits Tool	Length (in.)	Length (mm)	Box Qty
5-21-515	2-1/2" Surform® Shaver Replacement Blade	21-115-5-11	2-1/2"	64	12

STANDARD CUT BLADE



- All purpose blade for use on wood, vinyl, plaster, thermalite, fiberglass and linoleum
- Design for working into edges, with teeth flush to the blade edge

SKU #	Description	Fits Tool	Length (in.)	Length (mm)	Box Qty
5-21-293	10" Surform® Flat Fine Cut Replacement Blade	21-103-5-11	10"	250	12

HALF ROUND BLADE



- Half-round convex blade used for fast stock removal and shaping curved surfaces
- Ideal for work on fiberglass and removing filler

SKU #	Description	Fits Tool	Length (in.)	Length (mm)	Box Qty
5-21-299	10" Surform® Half Round Replacement Blade	21-103-5-11	10"	250	12


METAL & PLASTIC BLADE



- Use on soft metal(e.g. brass, lead, aluminum, copper and mild steel), plastic, laminates, plastic fillers and fiberglass

SKU #	Description	Fits Tool	Length (in.)	Length (mm)	Box Qty
5-21-508	10" Surform® Metal & Plastic Replacement Blade	21-103-5-11	10"	250	12

FINE CUT BLADE



- Produces a fine finish on hardwoods, end grains and soft metals

SKU #	Description	Fits Tool	Length (in.)	Length (mm)	Box Qty
5-21-398	5-1/2" Surform® Fine Cut Replacement Blade	21-104-5-11 21-102-5-11	5-1/2"	140	12
5-21-393	10" Surform® Fine Cut Replacement Blade	21-103-5-11	10"	250	12

**TRANS
MODULE**
system

A SYSTEM TO BETTER ORGANIZE TOOLS

TransModule System features a completely integrated tool management concept

27" Roller Cabinet
7 Drawers



27" Roller Cabinet
4 Drawers



16" Tool Set
Case



19" Metal Toolbox
1 Drawer



16" Metal
Cantilever Toolbox



Standardized Tool Modules

FLEXIBLE CHOICES

Whether you are looking for a garage tool system or a service pack that is on-the-go, you can now enjoy a fully customized tool management system to suit your every need.



Storage spaces and tool modules are now one, meaning each tool module fits perfectly into any type of storage product.

STANLEY® MODULES

23 PCS
1/2" 6PTS Metric Socket
Module
STMT74173-8



36 PCS
3/8" Metric Socket Module
STMT74174-8



60 PCS
1/4" Metric Socket Module
STMT74175-8



24 PCS
1/2" Metric Bit Socket Module
STMT74176-8



10 PCS Offset Double Ring
Module
STMT74177-8



16 PCS
Combination Wrench Module
STMT74178-8



4 PCS
Pliers Set Module
STMT74179-8



4 PCS
Circle Pliers Set Module
STMT74180-8



8 PCS
Screwdrivers Module
STMT74181-8



6 PCS
Torx Screwdrivers Module
STMT74182-8



23 PCS
1/2" 12PTS Metric Socket
Module
STMT74726-8



CUSTOMIZED ACCORDING TO DEMAND

**STANDARDIZED TRAY
DIMENSION THAT FITS
PERFECTLY TO VARIOUS
STORAGE OPTIONS**



60 PCS 1/4" METRIC SOCKET SET



16" TOOL SET CASE + MODULE :

- 1/4" 6PTS Standard socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" 6PTS Deep socket 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Hexagon bit socket 2, 2.5, 3, 4, 5, 6mm
- 1/4" Bit socket slot 4, 5.5, 7mm
- 1/4" Bit socket PZ1, PZ2, PZ3
- 1/4" Bit socket PH1, PH2, PH3
- 1/4" Torx bit socket T6, T7, T8, T9, T10, T15, T20, T25
- 1/4" Torx socket E4, E5, E6, E7, E8, E10
- 1/4" Pear head ratchet NP9
- 1/4" Spinner
- 1/4" Extension 50, 100mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74175-8C	60 PCS 1/4" Metric Socket Set	405	290	60	2.26	1

23 PCS 1/2" 6PTS METRIC SOCKET SET



16" TOOL SET CASE + MODULE :

- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 6PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74173-8C	23 PCS 1/2" 6 PTS Metric Socket Set	405	290	60	3.95	1

23 PCS 1/2" 12PTS METRIC SOCKET SET



16" TOOL SET CASE + MODULE :

- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 12PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74726-8C	23 PCS 1/2" 12 PTS Metric Socket Set	405	290	60	3.95	1

16" TOOL SET CASE



ONE HAND OPERATION

Single sliding latch drives efficient work flow

COMPATIBLE with
**TRANS
MODULE**
system



TOUGH LID

Extra tough transparent cover design provides clear visibility & protection

REMOVEABLE DIVIDER

For additional organization



BIG HANDLE

Easy-to-carry handle

Label slot for unit identification

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST74301-8	16" Tool Set Case	405	290	60	0.7	Plastic

STANLEY®

WRENCHES



Wrench Sets

Wrenches

T-Handle

WRENCHES





A PROFESSIONAL CHOICE FOR EVERY TASK

Flexibility is the key to an efficient working environment and the **STANLEY® AUTOMOTIVE** range of wrenches have been carefully selected to offer a professional choice to match the job in hand.

Fully certified to ISO and ANSI standards, you can be sure of outstanding performance in any situation.

INNOVATIVE DESIGN FOR ENHANCED PERFORMANCE

Monitoring tool performance in real working situations, our designers have created uniquely profiled jaws and rings make the range comfortable to use, minimising downtime and keeping jobs on schedule.



WRENCH RANGE OVERVIEW

WRENCH POUCH SET



COMBINATION WRENCHES

CWF



CWE SLIM LINE



RATCHETING



ADJUSTABLE



OFFSET DOUBLE RING



OFFSET COMBINATION



DOUBLE OPEN-END




T - HANDLE



COMBINATION WRENCHES

SLIMLINE 9 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-034-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 17mm Heavy-duty nylon pouch Inner box	910	20/20
87-033-1	"Slimline" wrench: 10, 11, 12, 13, 14, 15, 16, 17, 19mm Heavy-duty nylon pouch Inner box	1490	16/16

SLIMLINE 14 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-036-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm Heavy-duty nylon pouch Inner box	3600	10/10
87-038-1	"Slimline" wrench: 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 26, 30, 32mm Heavy-duty nylon pouch Inner box	2300	1/6
87-709-1	"Slimline" wrench: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4" Heavy-duty nylon pouch Inner box	10400	1/6

DOUBLE OPEN END WRENCH SET



- Made of Chrome Vanadium Steel
- Ends are slanted 15° for quick operation
- Two sizes per wrench
- Comprehensive set of open end wrench for the most common sizes
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-718-1 8 pc	"Slimline" wrench: (Metric) 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm Heavy-duty nylon pouch Inner box	590	1/12

SLIMLINE 8 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-011-1	"Slimline" wrench: 8, 10, 11, 13, 14, 17, 19, 22mm Heavy-duty nylon pouch Inner box	920	20/20

75° OFFSET RING END WRENCH SET



- Double ring wrench chrome vanadium steel
- MaxiDrive™ Plus profile - Attacks on the sides, not the corners of the nut or bolt
- Twelve-edged head for optimal support of hexagonal and square nuts
- Polished and chrome-plated finish for excellent protection
- Heads to 70 ° for greater access in tight spaces
- Powerful and safe working
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-617-3	"Slimline" wrench: (Metric) 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27mm Inner box	2200	10/10

COMBINATION WRENCHES

23 PCS COMBINATION WRENCH SET



- Combination wrench 6mm
- Combination wrench 7mm
- Combination wrench 8mm
- Combination wrench 9mm
- Combination wrench 10mm
- Combination wrench 11mm
- Combination wrench 12mm
- Combination wrench 13mm
- Combination wrench 14mm
- Combination wrench 15mm
- Combination wrench 16mm
- Combination wrench 17mm
- Combination wrench 18mm
- Combination wrench 19mm
- Combination wrench 20mm
- Combination wrench 21mm
- Combination wrench 22mm
- Combination wrench 23mm
- Combination wrench 24mm
- Combination wrench 25mm
- Combination wrench 27mm
- Combination wrench 30mm
- Combination wrench 32mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT33650-8	23 PCS Combination Wrench Set	23	491	115	6.1	1

14 PCS COMBINATION WRENCH SET



- Combination wrench 8 mm
- Combination wrench 9 mm
- Combination wrench 10 mm
- Combination wrench 11 mm
- Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm
- Combination wrench 15 mm
- Combination wrench 16 mm
- Combination wrench 17 mm
- Combination wrench 18 mm
- Combination wrench 19 mm
- Combination wrench 22 mm
- Combination wrench 24 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73647-8	14 PCS Combination Wrench Set	14	388	87	2.3	1

8 PCS COMBINATION WRENCH SET



- Combination wrench 8 mm
- Combination wrench 10 mm
- Combination wrench 11 mm
- Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm
- Combination wrench 17 mm
- Combination wrench 19 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73649-8	8 PCS Combination Wrench Set	8	324	67	0.93	1

6 PCS COMBINATION WRENCH SET



- Combination wrench 10 mm
- Combination wrench 12 mm
- Combination wrench 14 mm
- Combination wrench 17 mm
- Combination wrench 19 mm
- Combination wrench 21 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73648-8	6 PCS Combination Wrench Set	6	351	67	1.04	1

6 PCS DOUBLE OPEN END WRENCH SET



- Open-end wrench 6x7 mm
- Open-end wrench 8x10 mm
- Open-end wrench 11x13mm
- Open-end wrench 12x14 mm
- Open-end wrench 17x19 mm
- Open-end wrench 21x23 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73663-8	6 PCS Double Open End Wrench Set	6	321	67	0.96	1

6 PCS DOUBLE RING WRENCH SET



- Offset double ring wrench 8x10 mm
- Offset double ring wrench 11x13 mm
- Offset double ring wrench 12x14 mm
- Offset double ring wrench 17x19 mm
- Offset double ring wrench 21x23 mm
- Offset double ring wrench 22x24 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73664-8	6 PCS Double Ring Wrench Set	6	406	67	1.41	1

10 PCS OFFSET DOUBLE RING MODULE



COMPATIBLE with
**TRANS
MODULE**
system

- Offset double ring wrench 6x7mm
- Offset double ring wrench 8x9mm
- Offset double ring wrench 10x12mm
- Offset double ring wrench 11x13mm
- Offset double ring wrench 12x14mm
- Offset double ring wrench 14x15mm
- Offset double ring wrench 16x17mm
- Offset double ring wrench 18x19mm
- Offset double ring wrench 21x23mm
- Offset double ring wrench 22x24mm



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74177-8	10 PCS Offset Double Ring Module	384	184	45	4

16 PCS COMBINATION WRENCH MODULE (CWF)



COMPATIBLE with
**TRANS
MODULE**
system

- Combination wrench 6mm
- Combination wrench 7mm
- Combination wrench 8mm
- Combination wrench 9mm
- Combination wrench 10mm
- Combination wrench 11mm
- Combination wrench 12mm
- Combination wrench 13mm
- Combination wrench 14mm
- Combination wrench 15mm
- Combination wrench 16mm
- Combination wrench 17mm
- Combination wrench 18mm
- Combination wrench 19mm
- Combination wrench 22mm
- Combination wrench 24mm



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74178-8	16 PCS Combination Wrench Module (CWF)	384	184	45	4


16PCS COMBI WRENCH MODULE SET



- Slim line combination wrench
- Matt finish
- 6 to 24mm size
- Compatible with transmodule

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Box Qty
STMT74897-8C	16PCS Slimline Combination Wrench Module Set	405	290	60	1

SLIM LINE COMBINATION WRENCH (CWE)




- DIN 3113, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Slim design for increased accessibility
- Anti-slip design on open-end
- Full polished finishing
- Chrome vanadium steel
- 12-point ring angled at 15°



Retail SKU #	Bulk SKU #	Description	A (mm)	L (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT79101-8	STMT79101-8B	Combination Wrench 6 mm SL	6	100	15.5	10.1	4.0	4.7	0.016	10
STMT79102-8	STMT79102-8B	Combination Wrench 7 mm SL	7	110	17	11.5	4.0	5	0.020	10
STMT79103-8	STMT79103-8B	Combination Wrench 8 mm SL	8	120	19.2	12.8	4.5	5.5	0.025	10
STMT79104-8	STMT79104-8B	Combination Wrench 9 mm SL	9	130	21.2	14.2	4.5	5.9	0.032	10
STMT79105-8	STMT79105-8B	Combination Wrench 10 mm SL	10	140	23.2	15.6	5.0	6.5	0.040	10
STMT79106-8	STMT79106-8B	Combination Wrench 11 mm SL	11	150	25.3	16.9	5.4	6.9	0.049	10
STMT79107-8	STMT79107-8B	Combination Wrench 12 mm SL	12	160	27.2	18.3	5.5	7.3	0.059	10
STMT79108-8	STMT79108-8B	Combination Wrench 13 mm SL	13	170	29.4	19.7	5.9	7.8	0.071	10
STMT79109-8	STMT79109-8B	Combination Wrench 14 mm SL	14	180	31.5	21.2	6.2	8.3	0.089	10
STMT79110-8	STMT79110-8B	Combination Wrench 15 mm SL	15	190	33.2	22.5	6.4	8.6	0.100	10
STMT79111-8	STMT79111-8B	Combination Wrench 16 mm SL	16	200	34.7	24	6.7	8.9	0.114	10
STMT79112-8	STMT79112-8B	Combination Wrench 17 mm SL	17	210	36.5	25.3	6.9	9.3	0.130	10
STMT79113-8	STMT79113-8B	Combination Wrench 18 mm SL	18	220	38.7	26.8	7.2	9.9	0.151	10
STMT79114-8	STMT79114-8B	Combination Wrench 19 mm SL	19	230	40.7	28.1	7.4	10.5	0.172	10
STMT79115-8	STMT79115-8B	Combination Wrench 20 mm SL	20	240	43.1	29.7	7.7	10.9	0.211	10
STMT79116-8	STMT79116-8B	Combination Wrench 21 mm SL	21	250	44.8	31.3	8.0	11.3	0.215	10
STMT79117-8	STMT79117-8B	Combination Wrench 22 mm SL	22	260	46.9	32.6	8.2	11.5	0.235	5
STMT79118-8	STMT79118-8B	Combination Wrench 23 mm SL	23	270	48.3	34.2	8.4	11.8	0.262	5
STMT79119-8	STMT79119-8B	Combination Wrench 24 mm SL	24	280	50.4	35.5	8.7	12.1	0.291	5
-	STMT79120-8B	Combination Wrench 27 mm SL	27	310	55.7	39.6	9.4	13.1	0.383	5
-	STMT79121-8B	Combination Wrench 30 mm SL	30	340	61.8	43.7	10.1	13.7	0.497	5
-	STMT79122-8B	Combination Wrench 32 mm SL	32	360	65.8	46.4	10.4	14.3	0.564	5

COMBINATION WRENCH (CWF)



- ASME B107.17M, ASME B107.100, ASME B107.6
- Maxi-Drive™ system helps reduce fastener rounding
- Anti-slip design on open-end
- large design
- Matt finishing
- Chrome vanadium steel
- 12-point ring angled at 15°




Retail SKU #	Bulk SKU #	Description	A (mm)	L (mm)	B (mm)	Bl (mm)	C (mm)	Cl (mm)	Weight (kg)	Box Qty
STMT72803-8	STMT72803-8B	Combination Wrench 6 mm	6	101	15.6	11.5	4.5	6.2	0.022	10
STMT72804-8	STMT72804-8B	Combination Wrench 7 mm	7	108	17.3	11.5	4.7	6.6	0.026	10
STMT72805-8	STMT72805-8B	Combination Wrench 8 mm	8	111	19.6	13.9	4.9	6.7	0.031	10
STMT72806-8	STMT72806-8B	Combination Wrench 9 mm	9	123	20.8	16.2	5.1	7.1	0.039	10
STMT72807-8	STMT72807-8B	Combination Wrench 10 mm	10	131	22	16.2	5.5	7.4	0.045	10
STMT72808-8	STMT72808-8B	Combination Wrench 11 mm	11	147	24.2	17.9	6.3	7.9	0.064	10
STMT72809-8	STMT72809-8B	Combination Wrench 12 mm	12	155	25.7	19	6.5	8.3	0.074	10
STMT72810-8	STMT72810-8B	Combination Wrench 13 mm	13	164	27.2	20.3	7.1	8.7	0.087	10
STMT72811-8	STMT72811-8B	Combination Wrench 14 mm	14	182	30.8	22.3	7.7	9.2	0.124	10
STMT72812-8	STMT72812-8B	Combination Wrench 15 mm	15	192	32.4	23.5	8.0	9.7	0.140	10
STMT72813-8	STMT72813-8B	Combination Wrench 16 mm	16	202	34	24.7	8.2	10.3	0.159	10
STMT72814-8	STMT72814-8B	Combination Wrench 17 mm	17	223	37.8	26.9	8.6	10.7	0.193	10
STMT72815-8	STMT72815-8B	Combination Wrench 18 mm	18	234	39.3	28.2	8.8	11.3	0.222	10
STMT72816-8	STMT72816-8B	Combination Wrench 19 mm	19	246	40.8	29.2	9.0	11.8	0.238	10
STMT72817-8	STMT72817-8B	Combination Wrench 20 mm	20	258	42.2	30.5	9.2	12.2	0.263	10
STMT72818-8	STMT72818-8B	Combination Wrench 21 mm	21	271	43.6	31.8	9.5	12.6	0.294	10
STMT72819-8	STMT72819-8B	Combination Wrench 22 mm	22	296	46	33.8	10.0	13.1	0.361	5
STMT72820-8	STMT72820-8B	Combination Wrench 23 mm	23	308	47.5	34.9	10.4	13.5	0.385	5
STMT72821-8	STMT72821-8B	Combination Wrench 24 mm	24	321	49	36	10.8	13.9	0.435	5
-	STMT72822-8B	Combination Wrench 25 mm	27	343	52	38.1	11.5	14.6	0.516	5
-	STMT72823-8B	Combination Wrench 26 mm	30	343	52	38.1	11.5	14.6	0.506	5
-	STMT72824-8B	Combination Wrench 27 mm	32	375	56	40.5	12.5	15.7	0.516	5
-	STMT72825-8B	Combination Wrench 28 mm	28	395	58	42.8	13.2	16.7	0.723	5
-	STMT72826-8B	Combination Wrench 29 mm	29	395	58	42.8	13.2	16.7	0.72	5
-	STMT72827-8B	Combination Wrench 30 mm	30	395	58	42.8	13.2	16.7	0.703	5
-	STMT72828-8B	Combination Wrench 32 mm	32	429	65.7	47.4	14.0	18.7	0.963	5



“ THE PATENTED ANTI-SLIP FEATURE ON THE COMBINATION WRENCH HAS DEFINITELY SAVED MY KNUCKLES MORE TIMES THAN I CAN COUNT. THOSE IN OUR INDUSTRY KNOW HOW IMPORTANT THIS INJURY-PROOF CHARACTERISTIC IS. ”

SLIMLINE COMBINATION WRENCH




- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Size	L mm	A mm	B mm	C mm	D mm	H mm	T mm	Box/CTN
87-660-1	1/4"	100.0	4.7	10.1	4.0	15.5	7.1	2.7	6/72
87-661-1	5/16"	120.0	5.5	12.8	4.5	19.2	8.4	3.0	6/90
87-662-1	3/8"	140.0	6.5	15.6	5.0	23.2	9.6	3.5	6/72
87-663-1	7/16"	150.0	6.9	16.9	5.4	25.3	10.4	3.7	6/90
87-664-1	1/2"	170.0	7.8	19.7	5.9	29.4	12.1	4.1	6/90
87-665-1	9/16"	180.0	8.3	21.2	6.2	31.5	12.9	4.4	6/54
87-666-1	5/8"	200.0	8.9	24.0	6.7	34.7	13.9	4.8	6/54
87-667-1	11/16"	210.0	9.3	25.3	6.9	36.5	14.6	5.0	6/54
87-668-1	3/4"	230.0	10.5	28.1	7.4	40.7	15.9	5.4	6/60
87-669-1	13/16"	250.0	11.3	31.3	8.0	44.8	17.3	5.7	4/24
87-670-1	7/8"	260.0	11.5	32.6	8.2	46.9	18.0	5.8	4/24
87-671-1	15/16"	280.0	12.1	35.5	8.7	50.4	19.5	6.0	4/24
87-672-1	1"	290.0	12.5	36.9	8.9	52.0	20.1	6.2	4/24
87-673-1	1-1/16"	310.0	13.1	39.6	9.4	55.7	21.8	6.6	4/24
87-674-1	1-1/8"	330.0	13.3	40.9	9.7	57.6	22.5	6.8	2/12
87-675-1	1-1/4"	360.0	14.3	46.4	10.4	65.8	24.8	7.3	2/12

SKU #	Size	L mm	A mm	B mm	C mm	D mm	H mm	T mm	Box /CTN
87-424-1	5	95.0	4.1	8.9	3.5	13.6	6.2	2.4	6/72
87-429-1	5.5	95.0	4.1	8.9	3.5	13.6	6.2	2.4	6/72
87-066	6	100.0	4.7	10.1	4.0	15.5	7.1	2.7	6/72
87-057	7	110.0	5.0	11.5	4.0	17.0	7.8	2.8	6/90
87-058	8	120.0	5.5	12.8	4.5	19.2	8.4	3.0	6/90
87-069	9	130.0	5.9	14.2	4.5	21.2	9.0	3.3	6/72
87-070	10	140.0	6.5	15.6	5.0	23.2	9.6	3.5	6/72
87-071	11	150.0	6.9	16.9	5.4	25.3	10.4	3.7	6/72
87-072	12	160.0	7.3	18.3	5.5	27.2	11.3	3.9	6/72
87-073	13	170.0	7.8	19.7	5.9	29.4	12.1	4.1	6/54
87-074	14	180.0	8.3	21.2	6.2	31.5	12.9	4.4	6/54
87-075	15	190.0	8.6	22.5	6.4	33.2	13.5	4.6	6/54
87-076	16	200.0	8.9	24.0	6.7	34.7	13.9	4.8	6/54
87-077	17	210.0	9.3	25.3	6.9	36.5	14.6	5.0	6/54
87-078	18	220.0	9.9	26.8	7.2	38.7	15.3	5.2	6/54
87-079	19	230.0	10.5	28.1	7.4	40.7	15.9	5.4	6/60
87-080	20	240.0	10.9	29.7	7.7	43.1	16.8	5.6	4/24
87-081	21	250.0	11.3	31.3	8.0	44.8	17.3	5.7	4/24
87-082	22	260.0	11.5	32.6	8.2	46.9	18.0	5.8	4/24
87-083	23	270.0	11.8	34.2	8.4	48.3	18.7	5.9	4/24
87-084	24	280.0	12.1	35.5	8.7	50.4	19.5	6.0	4/24
87-085-1	25	290.0	12.5	36.9	8.9	52.0	20.1	6.2	4/24
87-086-1	26	300.0	12.8	38.2	9.2	53.6	21.0	6.4	4/24
87-087	27	310.0	13.1	39.6	9.4	55.7	21.8	6.6	4/24
87-088-1	28	320.0	13.3	40.9	9.7	57.6	22.5	6.8	2/12
87-089-1	29	330.0	13.5	42.3	9.9	59.7	23.3	7.0	2/12
87-090	30	340.0	13.7	43.7	10.1	61.8	23.9	7.1	2/12
87-092	32	360.0	14.3	46.4	10.4	65.8	24.8	7.3	2/12
87-263	33	408.0	14.5	11.0	48.0	62	23.0	11.0	1/30
87-264	34	408.0	14.5	11.0	48.0	62	23.0	11.0	1/25
87-265	35	430.0	17.0	15.0	56.5	70	26.0	12.0	1/25
87-266	36	430.0	17.0	15.0	56.5	70	26.0	12.0	1/25
87-268	38	460.0	17.0	15.0	56.5	70	26.0	12.0	1/20
87-271	41	490.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-272	42	490.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-276	46	540.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-278	48	563.0	24.0	19.0	72.5	94	35.0	15.0	1/10
87-280	50	587.0	24.0	19.0	72.5	94	35.0	15.0	1/10

OPEN END WRENCH




- Made of Chrome Vanadium Steel
- Ends are slanted 15° for quick operation
- Two sizes per wrench
- Anti-slip feature

SKU #	Size	L mm	A mm	B mm	C mm	H mm	T mm	Weight (g)	Box/CTN
87-096-1	6x7	122.0	16.2	18.1	3.3	8.6	2.2	25	6/90
87-097-1	8x9	140.0	20.2	22.2	3.6	10.7	2.5	35	6/120
84-758	8x10	140.0	20.2	22.2	3.6	10.7	2.5	43	20/500
87-098-1	10x11	156.0	23.6	25.6	4.6	11.7	3.0	50	20/200
84-759	10x12	156.0	23.6	25.6	4.6	11.7	3.0	63	20/200
87-099-1	12x13	172.0	27.4	28.6	5.1	12.7	3.4	75	20/200
84-760	12x14	180.0	28.6	31.6	5.1	13.7	3.8	90	20/200
87-100-1	14x15	188.0	31.5	34.0	5.6	14.2	3.8	105	20/200
84-764	14x17	188.0	31.5	34.0	5.6	14.2	3.8	130	20/200
87-101-1	16x17	204.0	36.1	38.4	6.1	15.8	4.3	155	20/100
84-765	17x19	220.0	38.6	42.1	6.5	16.8	4.7	173	12/120
87-102-1	18x19	220.0	38.6	42.1	6.5	16.8	4.7	190	12/120
84-766	19x21	234.0	42.0	46.1	7.2	18.3	4.8	205	12/60
87-103-1	20x22	234.0	42.0	46.1	7.2	18.3	4.8	220	12/60
87-104-1	21x23	247.0	45.4	48.6	7.5	19.3	4.8	245	12/60
84-767	22x24	247.0	45.4	48.6	7.5	19.3	4.8	275	12/60
87-105-1	24x27	266.0	50.8	56.3	8.2	20.8	5.4	305	4/32
87-106-1	25x28	285.0	53.8	62.3	8.4	22.4	5.6	340	2/36
87-107-1	30x32	302.0	60.3	65.3	9.1	24.4	6.1	465	2/32

SKU #	Size	L mm	A mm	B mm	C mm	H mm	T mm	Weight (g)	Box/CTN
87-676-1	1/4"x5/16"	123.0	15.5	18.0	3.7	8.0	2.9	25	6/72
87-677-1	5/16"x3/8"	140.0	20.4	22.7	4.0	10.2	3.1	35	6/120
87-678-1	3/8"x7/16"	156.0	24.9	27.1	5.0	11.7	3.4	50	6/72
87-679-1	7/16"x1/2"	172.0	29.2	31.2	5.5	13.1	3.8	75	6/90
87-705-1	1/2"x9/16"	180.0	31.3	33.3	5.5	14.0	4.0	85	6/90
87-680-1	9/16"x5/8"	188.5	33.3	35.3	5.9	14.8	4.1	105	6/48
87-681-1	5/8"x11/16"	204.0	37.1	38.9	6.3	15.6	4.4	155	6/54
87-682-1	11/16"x3/4"	221.0	40.9	42.8	6.7	16.6	4.6	190	6/24
87-683-1	13/16"x7/8"	237.0	44.8	48.8	7.1	18.5	4.9	220	6/48
87-706-1	15/16"x1"	255.0	50.8	56.8	7.9	21.4	5.3	270	4/32
87-684-1	15/16"x1-1/16"	263.0	52.8	59.1	8.1	22.1	5.4	305	4/24
87-685-1	1"x1-1/8"	279.0	54.8	61.3	8.5	23.0	5.7	340	2/12
87-686-1	1-1/8"x1-1/4"	298.0	65.4	69.8	9.0	24.6	6.0	465	2/12


OPEN END WRENCH



- Chrome-vanadium special heat-treat provides a strong thin wall
- 72-teeth ratcheting system provides high torque and 5° of operation in tight areas
- An unique 15° offset design enables access to countersink bolts
- Worldwide patent

SKU #	Size	D1 mm	D2 mm	T1 mm	T2 mm	L mm	Box/CTN
79-064-S	8	18.0	17.0	7.4	4.7	144	10/100
79-065-S	9	19.5	18.8	7.4	5.3	150	10/100
79-066-S	10	21.0	21.7	8.4	5.7	158	10/100
79-067	11	22.0	23.0	8.4	6.1	165	10/100
79-068-S	12	23.5	25.2	8.4	6.4	173	10/100
79-069-S	13	25.0	26.5	8.4	6.6	182	10/100
79-070-S	14	26.5	29.5	8.4	7.3	190	10/100
79-071	15	28.0	31.3	8.4	7.5	202	10/100
79-072	16	29.0	33.4	10.0	7.7	215	10/100
79-073	17	30.5	36.3	10.0	7.9	229	10/100
79-074	18	32.0	38.0	11.5	8.4	240	10/100
79-075	19	34.0	39.0	11.5	8.7	252	10/100

DOUBLE OPEN-END WRENCH




- ASME B107.17M, ASME B107.100, ASME B107.39
- Anti-slip design on open-end
- Matt finishing
- Chrome Vanadium steel



Retail SKU #	Bulk SKU #	Description	A (mm)	A1 (mm)	L (mm)	B (mm)	B1 (mm)	C (mm)	C1 (mm)	Weight (kg)	Box Qty
STMT72837-8	STMT72837-8B	Open-End Wrench 6X7 mm	6	7	108.2	14.4	17.3	5.0	5.3	0.024	10
STMT72838-8	STMT72838-8B	Open-End Wrench 7X9 mm	7	9	128.2	17.7	19.8	5.4	5.7	0.035	10
STMT72839-8	STMT72839-8B	Open-End Wrench 8X10 mm	8	10	128.8	17.7	19.8	5.4	5.7	0.035	10
STMT72840-8	STMT72840-8B	Open-End Wrench 10X12 mm	10	12	133.0	21.1	24.4	5.9	6.2	0.051	10
STMT72841-8	STMT72841-8B	Open-End Wrench 10X11 mm	10	11	133.0	21.1	24.4	5.9	6.2	0.051	10
STMT72842-8	STMT72842-8B	Open-End Wrench 11X13mm	11	13	146.2	24.8	27.8	6.6	6.9	0.075	10
STMT72843-8	STMT72843-8B	Open-End Wrench 12X14 mm	12	14	156.8	27.8	31.1	7.8	8.2	0.110	10
STMT72844-8	STMT72844-8B	Open-End Wrench 12X13 mm	12	13	146.2	24.8	27.8	6.6	6.9	0.075	10
STMT72845-8	STMT72845-8B	Open-End Wrench 14X15 mm	14	15	179.0	31.1	34.4	7.8	8.2	0.133	10
STMT72846-8	STMT72846-8B	Open-End Wrench 14X17mm	14	17	179.0	31.1	34.4	7.8	8.2	0.133	10
STMT72847-8	STMT72847-8B	Open-End Wrench 16X17mm	16	17	198.1	34.4	37.8	8.3	8.7	0.176	10
STMT72848-8	STMT72848-8B	Open-End Wrench 18X19mm	18	19	221.9	37.8	41.1	8.6	9.0	0.218	10
STMT72849-8	STMT72849-8B	Open-End Wrench 17X19 mm	17	19	221.9	37.8	41.1	8.6	9.0	0.219	10
STMT72850-8	STMT72850-8B	Open-End Wrench 19X21mm	19	21	237.7	41.1	47.8	10.0	10.4	0.317	10
STMT72851-8	STMT72851-8B	Open-End Wrench 20X22 mm	20	22	237.7	41.1	47.8	10.0	10.4	0.315	10
STMT72852-8	STMT72852-8B	Open-End Wrench 21X23 mm	21	23	253.2	44.4	47.8	10.5	10.9	0.353	10
STMT72853-8	STMT72853-8B	Open-End Wrench 22X24 mm	22	24	253.2	44.4	47.8	10.5	10.9	0.351	10
-	STMT72854-8B	Open-End Wrench 24X26 mm	24	26	271.9	51.1	52.8	10.9	11.3	0.452	5
-	STMT72856-8B	Open-End Wrench 27X32mm	27	32	340.0	56.0	67.0	12.6	13.0	0.745	5

OFFSET COMBINATION WRENCH




- DIN 3133 B, DIN 17350, ISO 1711
- Chrome vanadium steel
- Matt finishing
- 70° Off-set



SKU #	Description	A (mm)	L (mm)	B (mm)	B' (mm)	C (mm)	C' (mm)	Weight (kg)	Box Qty
86-0430	Offset Combination Wrench 30mm	30	382.5	61.5	42	9.9	14.4	0.630	2
86-0432	Offset Combination Wrench 32mm	32	404	66	44.5	10.1	15.2	0.779	2
86-0436	Offset Combination Wrench 36mm	36	449	76	53.1	13.1	21.8	1.390	2

OFFSET DOUBLE RING WRENCH




- ASME B107.17M, ASME B107.100, ASME, B107.9
- Maxi-Drive™ system helps reduce fastener rounding
- Matt finishing
- Chrome vanadium steel
- 45° Off-set



Retail SKU #	Bulk SKU #	Description	Size (mm)	L (mm)	A (mm)	AI (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT72857-8	STMT72857-8B	Offset Double Ring Wrench - 6x7	6x7	161.8	6.1	8	11	11.8	6.2	6.2	0.04	10
STMT72858-8	STMT72858-8B	Offset Double Ring Wrench - 8x9	8x9	178.8	8	9.5	13.6	14.4	6.7	6.7	0.05	10
STMT72859-8	STMT72859-8B	Offset Double Ring Wrench - 8x10	8x10	178.8	8	9.5	13.6	14.4	6.7	6.7	0.05	10
STMT72860-8	STMT72860-8B	Offset Double Ring Wrench - 10x12	10x12	195.8	9.5	11	15.5	17.9	7.2	7.2	0.07	10
STMT72861-8	STMT72861-8B	Offset Double Ring Wrench - 11x13	11x13	214.8	11	12.6	17.9	20.3	8.3	8.3	0.10	10
STMT72862-8	STMT72862-8B	Offset Double Ring Wrench - 12x14	12x14	230.8	12.6	14	20.3	23.2	9.5	9.5	0.12	10
STMT72863-8	STMT72863-8B	Offset Double Ring Wrench - 14x15	14x15	246.8	14	15.8	23.2	24.8	10.3	10.3	0.17	10
STMT72864-8	STMT72864-8B	Offset Double Ring Wrench - 14x17	14x17	246.8	14	15.8	23.2	24.8	10.3	10.3	0.15	10
STMT72865-8	STMT72865-8B	Offset Double Ring Wrench - 16x17	16x17	255.8	15.8	17.2	24.6	26.1	10.8	10.8	0.18	10
STMT72867-8	STMT72867-8B	Offset Double Ring Wrench - 18x19	18x19	295.8	17.2	19	26.1	28.5	12.2	12.2	0.26	5
STMT72868-8	STMT72868-8B	Offset Double Ring Wrench - 19x21	19x21	310.8	19	22.1	28.5	33.4	17	17	0.33	5
STMT73575-8	STMT73575-8B	Offset Double Ring Wrench - 21x23	21x23	320.8	20.7	22.1	30.7	33.4	18	18	0.39	5
STMT72869-8	STMT72869-8B	Offset Double Ring Wrench - 22x24	22x24	320.8	20.7	22.1	30.7	33.4	18	18	0.38	5
-	STMT72870-8B	Offset Double Ring Wrench - 24x27	24x27	350.8	23.7	25.4	35.1	36.8	20	20	0.48	5

RATCHETING WRENCH




- ISO 1711-1, ISO 691, DIN 3113
- Maxi-Drive™ system helps reduce fastener rounding
- 5° increment
- Chrome vanadium steel
- Full polished finishing



SKU #	Description	Jaw (mm)	L (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT89934-8B	Ratcheting Wrench 8 mm	8	111.6	19.4	16.8	19.4	7	0.028	10
STMT89935-8B	Ratcheting Wrench 9 mm	9	123.6	20.7	19	20.6	7.3	0.04	10
STMT89936-8B	Ratcheting Wrench 10 mm	10	131.2	21.9	20	21.7	7.8	0.048	10
STMT80012-8B	Ratcheting Wrench 11 mm	11	148.2	24.2	20.8	24.3	8.2	0.062	10
STMT89937-8B	Ratcheting Wrench 12 mm	12	155.2	25.7	23	25.4	8.7	0.08	10
STMT89938-8B	Ratcheting Wrench 13 mm	13	162.5	27.2	25	27.2	9	0.086	10
STMT89939-8B	Ratcheting Wrench 14 mm	14	182.4	30.8	27	30.7	9.5	0.12	10
STMT89940-8B	Ratcheting Wrench 15 mm	15	192.2	32.2	28	32.1	9.9	0.134	10
STMT89941-8B	Ratcheting Wrench 16 mm	16	202.2	34	30	33.8	10.4	0.15	10
STMT89942-8B	Ratcheting Wrench 17 mm	17	222.5	37.7	31.7	37.5	10.8	0.18	10
STMT89943-8B	Ratcheting Wrench 18 mm	18	234.1	39.1	32.9	39.3	11.2	0.2	10
STMT89944-8B	Ratcheting Wrench 19 mm	19	246.1	41.3	34	40.5	11.6	0.222	10

ADJUSTABLE WRENCH




- ASME B107.100, ASME B107.8
- Adjustable jaw design allows tool to grip many fastener sizes
- Knurl adjusting mechanism for quick and precise adjustments
- Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- Polished chrome head and chrome-plated body for anti-corrosion protection
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Lightweight handle design



SKU #	Description	A (mm)	L (mm)	B (mm)	Weight (kg)	Box Qty
87-430-1-S	Adj. Wrench 100mm	-	100mm / 4"	-	-	6
STMT87431-8	Adj. Wrench 150mm	≤19.3	150mm / 6"	19	0.14	6
STMT87432-8	Adj. Wrench 200mm	≤24	200mm / 8"	24	0.28	6
STMT87433-8	Adj. Wrench 250mm	≤30	250mm / 10"	29	0.41	6
STMT87434-8	Adj. Wrench 300mm	≤36	300mm / 12"	34	0.71	6
STMT87435-8	Adj. Wrench 375mm	≤46	375mm / 15"	43	1.42	4

T - HANDLE



- ASME B107.5M, DIN 3124, ISO 691
- Cr-V steel
- Full polished finishing
- For deep access
- Thin wall socket design



SKU #	Description	Size (mm)	L (mm)	A (mm)	Weight (kg)	Box Qty
STMT93302-8	T-handle 8mm	8	310	200	0.306	10
STMT93303-8	T-handle 9mm	9	310	200	0.312	10
STMT93304-8	T-handle 10mm	10	310	200	0.32	10
STMT93305-8	T-handle 11mm	11	310	200	0.322	10
STMT93306-8	T-handle 12mm	12	310	200	0.326	10
STMT93307-8	T-handle 13mm	13	310	250	0.36	10
STMT93308-8	T-handle 14mm	14	310	250	0.374	10
STMT93309-8	T-handle 17mm	17	310	250	0.552	10
STMT93311-8	T-handle 19mm	19	310	250	0.564	10

WRENCHES PACKAGING OPTIONS

SINGLE, BULK OR TUBE OPTIONS

As you would expect from a global leader in the supply of professional handtools, the **STANLEY® AUTOMOTIVE** range uses the very latest packaging technology to ensure that end users and distributors have a wide choice of buying options.

Designed for durability in transit and display, the new packaging options are more efficient in material useage than ever before - meaning less waste and more recyclable materials.

SINGLE RETAIL PACK

Bold and attractive single packs exploit key features and provide clear user information. Minimal packaging allows full tactile opportunities with security.



BULK PACK

For wholesalers, bulk packs represent great value. Sturdy boxes with bold branding and full EPOS labelling help to keep stock under control. Shipper and promotional packs are also available for some product lines.



TOOL TUBE

For larger environments, the multi tool tubes are the perfect solution. Every pack is clearly marked with key icons and features. This unique packaging helps the product to stand out on the shelf.



STANLEY®

SOCKETS, RATCHETS & MECHANICS TOOL SETS



Tool Sets

Mechanic Tools


Metric Socket

Modules

Ratchets

Sets Sockets

Accessories



The best of STANLEY®
mechanic tools
grouped in the most
comprehensive and
compact assortments.


SOCKETS, RATCHETS & MECHANICS TOOL SETS

PERFORMANCE IN ACTION

The key tool range in any Automotive repair & maintenance environment the **STANLEY®** Socket & Ratchet range provides professionals with real versatility. Full drive options of 1/4", 1/2" and 3/4" means that you can handle any job - large or small. The unique **Maxi-Drive™** precision profiled Chrome Vanadium Sockets with 6 or 12 point drive, means that every nut or bolt is gripped securely to give a solid torque with minimal wear on head corners.

Mechanics tool sets are a convenient collection of sizes to suit most applications. Sets come complete with a full set of extension bars and couplers for versatile applications.

Accompanying the Hand Socket range, is a selection of S2 grade steel Bit Sockets including Torx, Tamper Torx, Phillips, Pozidriv, Slot and Spline profiles - a tool for every task.



MAXI-DRIVE™
Profiled ring grips nut or bolt head securely for maximum torque for manual use.

As with all **STANLEY® AUTOMOTIVE** products, the range is manufactured to the highest standards, exceeding current **ANSI** standards by half, to give you all the reassurance of a dependable working partner.

KEEPING THE JOB ON TRACK

The range incorporates 3 Ratchet options designed for quick and easy use. Each ratchet includes a quick release button - for fast changeovers whilst the Bi-material handles on the P7 and P9 models making them convenient and comfortable in use.

BULK PACK

For wholesalers, bulk packs represent great value. Sturdy boxes with bold branding and full EPOS labelling help to keep stock under control.



ROUND HEAD RATCHET

P7 RATCHET

NP9 COMPACT RATCHET



RATCHET RANGE OVERVIEW

Ratchet Model		Round Head			P7			NP9 / P9 Ultra Compact		
Drive Size		1/4"	1/2"	3/4"	1/4"	1/2"	3/4"	1/4"	1/2"	3/4"
RATCHET FEATURE	Quick Release	●			●			●		
	No. of Teeth	45			54			60		
	Ratchet Increment	8°			6.7°			6°		

SOCKET RANGE OVERVIEW

Profile			Standard	Deep	Drive Size			
					1/4 "	3/8 "	1/2 "	3/4 "
SOCKET	6PT		●		3.5 - 14(mm)	6 - 24(mm)	8 - 36(mm)	19 - 50(mm)
	6PT			●	4 - 14(mm)	8 - 22(mm)	10 - 32(mm)	-
	12PT		●		6 - 14(mm)	6 - 24(mm)	8 - 36(mm)	19 - 60(mm) 3/4" - 2"
	12PT			●	6 - 14(mm)	8 - 22(mm)	10 - 32(mm)	-
	Torx		●		E4 - E10	E10 - E16	E10 - E24	-
BIT SOCKET	Hex		●	●	2 - 8(mm)	4 - 12(mm)	4 - 19(mm) 4 - 12(mm)	-
	Torx		●	●	T6 - T40	T8 - T55	T20 - T60 T30 - T60	-
	Tamper Torx		●		TT8 - TT40	-	TT10 - TT60	-
	Spline		●	●	-	-	M5 - M16	-
	Phillips		●		PH1 - PH3	PH1 - PH4	-	-
	Pozidriv		●		PZ1 - PZ3	PZ1 - PZ4	-	-
	Slot		●		4 - 7(mm)	5.5 - 8(mm)	-	-

MULTI TOOL SET - 125 PCS

NEW

1/4" 3/8" 1/2" COMPREHENSIVE MULTI TOOL SET



6-24V test pencil



Adjustable oil filter wrench




Blow moulded case for protection




Impact screwdriver

For different torque levels



125 PIECE SET CONTENTS:

- Slim Line Combination Wrench(CWE) 8, 10, 12, 13, 14, 16, 17, 18, 19mm
- Test pencil
- 2-Way Oil-filter wrench 63-102mm
- 1/4" 6PTS Standard socket 3.5, 4, 4.5, 5, 5.5, 6, 7, 8mm
- 1/4" 6PTS Deep socket 5, 6, 7, 8mm
- 1/4" Extension 2"
- 1/4" Bits driver
- 1/4" Universal joint
- 1/4" Bits holder
- 1/4" Pear head ratchet NP9
- 1/4" Resistox bit TT10, TT15, TT20, TT25, TT27, TT30, TT40
- 1/4" Hexagon bit 3, 4, 5, 6mm
- 1/4" Slotted bit 4, 5, 6.5mm
- 1/4" Phillips bit PH1, PH2, PH3
- 1/4" Pozidriv bit PZ1, PZ2, PZ3
- 3/8" 6PTS Standard socket 9, 10, 11, 12, 13, 14, 15, 16, 17mm
- 3/8" 6PTS Deep socket 10, 12, 13, 14, 15, 17mm
- 3/8" Pear head ratchet NP9
- 3/8" Torx socket E6, E8, E10, E11, E12, E14, E16, E18
- 3/8" Spark Plug 14, 16, 21mm
- 3/8" Extension 3", 10"
- 3/8" Universal joint
- 3/8" 3-way coupler 3/8" F x 1/4" M, 3/8" F x 1/2" M
- 3/8" Torx bit socket T-20, T-30, T-40, T-45, T-50, T-55
- 3/8" Hexagon Bit Socket 3, 4, 5, 6mm
- 3/8" Phillips Bit Socket PH1, PH2
- 3/8" Pozidriv Bit Socket PZ1, PZ2
- 3/8" Slotted Bit Socket 5.5, 6.5mm
- 1/2" 6PTS Standard socket 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 1/2" Pear head ratchet NP9
- 1/2" Universal joint
- 1/2" Extension 5", 10"
- 9PCS Long hex key
- Phillips screwdriver PH2 x 100mm
- Slotted screwdriver 6 x 100mm
- Long Nose Pliers 6"
- Combination Pliers 8"
- Slip Joint Pliers 8"



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)
STMT74393-8	125PCS Multi-Tool Set	526	355	96	10.1

MULTI TOOL SET - 71 PCS

NEW
1/4" 3/8"

1/4" 3/8" COMPREHENSIVE MULTI TOOL SET



Blow moulded case for protection




Impact screwdriver



71 PIECE SET CONTENTS:

- Slim Line Combination Wrench(CWE) 8, 10, 12, 13, 14, 16, 17, 18, 19mm
- 1/4" 6PTS Standard Socket 4, 4.5, 5, 5.5, 6, 7, 8mm
- 1/4" 6PTS Deep Socket 5, 6, 7, 8mm
- 1/4" Extension 2"
- 1/4" Torx bits T10, T15, T20, T30, T40
- 1/4" Phillips bit PH1, PH2, PH3
- 1/4" Slotted bit 4, 5, 5.5, 6mm
- 1/4" Bits driver
- 1/4" Bit holder
- 1/4" Universal joint
- 1/4" Pear head ratchet NP9
- 3/8" 6PTS Standard Socket 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm
- 3/8" 6PTS Deep Socket 10, 12, 13, 14, 15, 17, 19, 21mm
- 3/8" Spark plug 16, 21mm
- 3/8" Extension 3"
- 3/8" Extension 10"
- 3/8" Universal joint
- 3/8" 3-Way Coupler 3/8"F x 1/4"M
- 3/8" SD Pear head ratchet NP9
- Phillips screwdriver PH2 x 100mm
- Slotted screwdriver 6 x 100mm
- Long nose plier 6"
- Combination plier 8"
- Slip-joint plier 8"



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)
STMT74394-8	71PCS Multi-Tool Set	144	50	96	6.2

1/4" SOCKET SET & BIT SOCKET - 42 PCS



- 1/4" 6 PTS Standard socket 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Magnetic pick up socket
- 1/4" Extension 50mm
- 1/4" Extension 100mm
- 1/4" Universal joint
- 1/4" Bit holder
- 1/4" Spinner
- 1/4" Pear head ratchet P9
- 1/4" Philips bits PH1, PH2, PH3
- 1/4" Pozidriv bits PZ1, PZ2, PZ3
- 1/4" Slotted head bits: 4, 5.5, 7
- 1/4" Hex bits 3, 4, 5, 6, 8
- 1/4" Torx bits T10, T15, T20, T25, T30, T40
- 3-Way Coupler 3/8" to 1/4"

SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)
STMT72793-8	42 PCS 1/4" Dr. Socket & Bit Set	144	50	96	1

1/4" SOCKET SET & BIT SOCKET - 46 PCS



- 1/4" 6 PT Standard socket 4, 4.5, 5, 5.5, 6, 7, 9, 10, 11, 12, 13, 14mm
- 1/4" Extension 50mm
- 1/4" Extension 100mm
- 1/4" Sliding tee
- 1/4" Universal joint
- 1/4" Flexible extension 150mm
- 1/4" Spinner
- 1/4" Pear head ratchet P9
- 4PCS Hex key set
- 1/4" Hexagonal bits socket 3, 4, 5, 6, 7, 8mm
- 1/4" Torx bits socket T8, T10, T15, T20, T25, T30, T40
- 1/4" Philips bits socket PH1, PH2, PH3
- 1/4" Pozidriv bits socket PZ1, PZ2, PZ3
- 1/4" Slotted bits socekt 4, 5.5, 7mm

SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)
STMT72794-8	46 PCS 1/4" Dr. Socket & Bit Set	144	50	118	1.25

35-PIECE 1/4" DRIVE SOCKET SET



- METRIC
- **13 pcs 1/4" dr 6 pt sockets :**
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
 - **5 pcs 1/4" dr accessories :**
1 Spinner handle, 2 Extensions: 75, 150mm,
1 Universal joint, 1 Hex bit holder
 - **4 Hex bits : 3, 4, 5, 6mm, 6 Torx® bits :**
T10, 15, 20, 25, 30, 40
3 Posidriv bits : 1, 2, 3, and 3 Slotted bits: 4, 5.5, 6.5mm
 - 1 pc Quick release ratchet pear head
 - 1 Blow-mould case

SKU #	Description	Weight (kg)	Box/CTN
89-033-1	35-Piece 1/4" Drive Socket Set	1.2	1/16

37-PIECE 1/4" & 3/8" DRIVE SOCKET SET



- METRIC
- **9 pcs 1/4" dr 6 pt sockets :**
4, 5, 6, 7, 8, 9, 10, 11, 12mm
 - **9 pcs 3/8" dr 12 pt sockets :**
8, 10, 11, 12, 13, 14, 16, 17, 19mm
- INCH
- **9 pcs 1/4" dr 6 pt sockets :**
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
 - **7 pcs 3/8" dr 12 pt sockets :**
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
 - **2 pcs 3/8" dr accessories :**
1 Adapter, 1 1/4" dr spinner handle
 - 1 "Full Polish" Quick release ratchet
 - 1 Metal box

SKU #	Description	Weight (kg)	Box/CTN
89-518-1	37-Piece 1/4" & 3/8" Drive Socket Set	5.14	2/2

24-PIECE 3/8" DRIVE SOCKET SET



- METRIC
- **19 pcs 3/8" dr 6 pt sockets :**
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm
 - **4 pcs 3/8" dr accessories :**
2 Extensions: 75, 150mm, 1 Universal joint, 1 Sliding T-bar
 - 1 pc 3/8" Quick release ratchet pear head
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
89-035-1	24-Piece 3/8" Drive Socket Set	3	1/8

27-PIECE 1/2" DRIVE SOCKET SET



- INCH
- **20 pcs 1/2" dr 12 pt sockets :**
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4,
25/32, 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
 - **5 pcs 1/2" dr accessories :**
2 Extension bar: 5" & 10", 1 Universal joint,
1 Spark plug socket 6 pt 13/16", 1 Sliding T-Bar: 9.5"
 - 1 pc Flip-drive ratchet
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
86-478	27-Piece 1/2" Drive Socket Set	4.59	4/4

19-PIECE 3/4" DRIVE SOCKET SET



- METRIC
- **15 pcs 3/4" dr 12 pt sockets :**
22, 24, 27, 28, 29, 30, 32, 33, 34, 36, 38, 41, 42, 46, 50mm
 - **3 pcs 3/4" dr accessories :**
2 Extension 100 & 200mm, 1 Sliding T-bar 250mm
 - 1 pc Standard ratchet
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
89-101	19-Piece 3/4" Drive Socket Set	13	1/1

21 PCS 1/4" DRIVE SOCKET SET



- METRIC
- **8 pcs 1/4" dr 6 pt sockets :**
5, 6, 7, 8, 10, 11, 12, 13mm
- INCH
- **8 pcs 1/4" dr 6 pt sockets :**
3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2"
 - **4 pcs 1/4" dr accessories :**
2 Extension bar: 2" & 6", 1 Universal joint, 1 Spinner handle

SKU #	Description	Weight (kg)	Box/CTN
89-507	21-Piece 1/4" Drive Socket Set	4.58	4

16-PIECE 1/2" DRIVE SOCKET SET



- METRIC
- **13 pcs 1/2" dr 12 pt sockets :**
8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24mm
 - **2 pcs 1/2" dr accessories :**
125mm Extension bar, Universal joint
 - 1 pc 1/2" Quick release ratchet pear head
 - 1 Blow-mould case

SKU #	Description	Weight (kg)	Box/CTN
89-092-1	16-Piece 1/2" Drive Socket Set	3	1/6

27-PIECE 1/2" DRIVE SOCKET SET



- METRIC
- **20 pcs 1/2" dr 12 pt sockets :**
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm
 - **5 pcs 1/2" dr accessories :**
2 Extension bar: 5" & 10", 1 Universal joint,
1 Spark plug socket 6pt 13/16", 1 sliding T-Bar: 9.5"
 - 1 pc Flip-drive ratchet
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
86-477	27-Piece 1/2" Drive Socket Set	4.55	1/4

43-PIECE 1/2" DRIVE SOCKET SET



- METRIC**
- **20 pcs 1/2" dr 12 pt sockets :**
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm
- INCH**
- **15 pcs 1/2" dr 12 pt sockets :**
3/16, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1 1/4"
 - **7 pcs 1/2" dr accessories :**
2 Spark plug 6pt socket: 5/8" & 13/16",
3 Extension bar: 3", 5" & 10", 1 Universal joint,
1 Flex handle: 375mm
 - 1 pc "Full Polish" Quick release ratchet
 - 1 Metal box

SKU #	Description	Weight (kg)	Box/CTN
89-509	43-Piece 1/2" Drive Socket Set	7.86	2/2

25-PIECE 1/2" DRIVE SOCKET SET



- METRIC**
- **7 pcs 1/2" dr 6 pt sockets :**
10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
 - **6 pcs 1/2" dr accessories:**
1 Spark plug socket, 1 Sliding T-Bar: 10",
1 Universal joint, 1 Flex handle: 17", 2 Extension bar: 5" & 10"
 - 1 pc "Fully polished" Quick release ratchet
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
86-589-1	25-Piece 1/2" Drive Socket Set	5.8	1/4

27-PIECE 1/2" DRIVE SOCKET SET



- METRIC**
- **20 pcs 1/2" dr 6 pt sockets :**
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm
 - **5 pcs 1/2" dr accessories :**
2 Extension bar: 5" & 10", 1 Universal joint,
1 Spark plug socket 6pt 13/16", 1 sliding T-Bar: 9.5"
 - 1 pc Flip-drive ratchet
 - 1 Blow-mold case

SKU #	Description	Weight (kg)	Box/CTN
86-477-6	27-Piece 1/2" Drive Socket Set	4.55	1/4


23 PCS 1/2" 12PT FLEX WRENCH METRIC SOCKET MODULE SET



- 1/2" SD pear head ratchet p9,
- 1/2" Extension 125mm,
- 1/2" Extension 250mm,
- 1/2" Universal joint,
- 1/2" 12 pt standard socket 8mm - 32mm,
- Flex socket wrench 10*11mm,
- 16" Tool case

SKU #	Description	Width (mm)	Length (mm)	Height (mm)	Weight (kg)
STMT75095-8C	23pcs 1/2" 12PT Flex Wrench Metric Socket Module Set	290	405	60	3.76


1/4", 3/8", 1/2" ROUND HEAD RATCHET



- Full polish finish, double-nickel with chrome plating for extra rust resistance and prolonged life
- Round head ratchet for tight access area
- Anti-slip and durable knurled metal handle design suit most industrial applications
- Flip drive ratchet head for easy directional rotation

SKU #	Description	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Weight (kg)	Box/CTN
87-710-1	1/4" Round Head Ratchet	146	26.0	28.0	11.8	12.7	150	4/48
87-715-1	3/8" Round Head Ratchet	201	36.5	37.4	15.6	15.9	370	4/48
87-720-1	1/2" Round Head Ratchet	256	43.5	43.9	17.6	19.0	620	4/48

1/4", 3/8", 1/2" FLEX HANDLE BAR



- ISO 3315 / DIN 3122 (1/4" - 1/2")
- ISO 1174 / DIN 3120 (3/4")
- Made of Chrome-Vanadium Steel
- For applications where high leverage is needed to tighten or release a fastener



SKU #	Description	L (mm)	A (mm)	B (mm)	Weight (g)	Box/CTN
86-012-1	1/4" Flex Handle Bar	147	12.7	12	92	6/48
86-213-1	3/8" Flex Handle Bar	215.5	21	17	270	6/96
86-413-1	1/2" Flex Handle Bar	439	28	20.1	713	6/36
86-405-1	1/2" Flex Handle Bar	254	28	21	485	4/32
86-415-1	1/2" Flex Handle Bar	381	28	21	646	6/24
89-302-1	3/4" Flex Handle Bar215.	500	41	34	1850	2/16

60 PCS 1/4" METRIC SOCKET SET



COMPATIBLE with
**TRANS
MODULE**
system

16" TOOL SET CASE + MODULE :

- 1/4" 6PTS Standard socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" 6PTS Deep socket 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Hexagon bit socket 2, 2.5, 3, 4, 5, 6mm
- 1/4" Bit socket slot 4, 5.5, 7mm
- 1/4" Bit socket PZ1, PZ2, PZ3
- 1/4" Bit socket PH1, PH2, PH3
- 1/4" Torx bit socket T6, T7, T8, T9, T10, T15, T20, T25
- 1/4" Torx socket E4, E5, E6, E7, E8, E10
- 1/4" Pear head ratchet NP9
- 1/4" Spinner
- 1/4" Extension 50, 100mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74175-8C	60 PCS 1/4" Metric Socket Set	405	290	60	2.26	1

1/4" METRIC SOCKET MODULE - 60 PCS




COMPATIBLE with
**TRANS
MODULE**
system

- 1/4" 6PTS Standard socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" 6PTS Deep socket 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Hexagon bit socket 2, 2.5, 3, 4, 5, 6mm
- 1/4" Bit socket slot 4, 5.5, 7mm
- 1/4" Bit socket PZ1, PZ2, PZ3
- 1/4" Bit socket PH1, PH2, PH3
- 1/4" Torx bit socket T6, T7, T8, T9, T10, T15, T20, T25
- 1/4" Torx socket E4, E5, E6, E7, E8, E10
- 1/4" Pear head ratchet NP9
- 1/4" Spinner
- 1/4" Extension 50, 100mm
- 1/4" Universal joint
- 1/4" Sliding tee



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74175-8	60 PCS 1/4" Metric Socket Module	384	184	45	4

1/4" PEAR HEAD RATCHET NP9




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Chemical resistant ergonomic bimaterial handle
- Quick release button



Retail SKU #	BULK SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Retail / BULK Box Qty
STMT73982-8	STMT73982-8B	1/4" Pear Head Ratchet NP9	146	22.4	22.1	60	6°	0.1	10 / 8

1/4" PEAR HEAD RATCHET P7




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Quick release button



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT89817-8B	1/4" Pear Head Ratchet P7	136	24.5	22.4	54	6.7°	0.132	8

1/4" ROUND HEAD RATCHET




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Chrome vanadium steel
- Quick release button



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT86395-8B	1/4" Round Head Ratchet	160	21	28	45	8°	0.151	4

1/4" SLIDING TEE




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Sliding Head
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT86010-8B	1/4" Sliding Tee	108	6.4	0.041	10

1/4" EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Full polished finishing
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT91059-8B	1/4" Extension 50mm	51	12.5	8.2	0.025	11
STMT86006-8B	1/4" Extension 75mm	76.2	12.5	8.2	0.035	33
STMT91339-8B	1/4" Extension 100mm	101.6	12.5	8.2	0.045	33
STMT86007-8B	1/4" Extension 150mm	152.4	12.5	8.2	0.067	10

1/4" FLEXIBLE EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Full polished finishing
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86001-8B	1/4" Flexible Extension 150mm	150	12.2	12.2	0.064	10

1/4" MAGNETIC PICK UP SOCKET




- ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D (mm)	Weight (kg)	Box qty
STMT73082-8B	Magnetic Pick Up Socket	26.2	11.8	0.015	18

1/4" BIT HOLDER




- ASME B107.10M
- For manual use



SKU #	Description	L (mm)	D (mm)	Weight (kg)	Box Qty
STMT86124-8B	1/4" Bit Holder	25.2	14.2	0.024	15

1/4" COUPLER




- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use.



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86002-8B	Coupler 1/4" To 3/8"	25	12.2	10	0.016	15

1/4" UNIVERSAL JOINT




- ASME B107.10M, ISO 1174-2
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86011-8B	1/4" Universal Joint	34	14	6.3	0.0218	8

1/4" 6PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72872-8B	1/4" 6 PTS Standard Socket 3.5mm	25	12	6.4	0.010	18
STMT72873-8B	1/4" 6 PTS Standard Socket 4mm	25	12	6.9	0.010	18
STMT72874-8B	1/4" 6 PTS Standard Socket 4.5mm	25	12	7.5	0.011	18
STMT72875-8B	1/4" 6 PTS Standard Socket 5mm	25	12	8.1	0.010	18
STMT72876-8B	1/4" 6 PTS Standard Socket 5.5mm	25	12	8.8	0.010	18
STMT72877-8B	1/4" 6 PTS Standard Socket 6mm	25	12	9.4	0.011	18
STMT72878-8B	1/4" 6 PTS Standard Socket 7mm	25	12	10.9	0.012	18
STMT72879-8B	1/4" 6 PTS Standard Socket 8mm	25	12	11.5	0.012	18
STMT72880-8B	1/4" 6 PTS Standard Socket 9mm	25	13.2	12	0.015	15
STMT72881-8B	1/4" 6 PTS Standard Socket 10mm	25	14.7	13	0.020	15
STMT72882-8B	1/4" 6 PTS Standard Socket 11mm	25	16	13	0.023	13
STMT72883-8B	1/4" 6 PTS Standard Socket 12mm	25	16.9	13.5	0.025	8
STMT72884-8B	1/4" 6 PTS Standard Socket 13mm	25	14.7	14	0.028	8
STMT72885-8B	1/4" 6 PTS Standard Socket 14mm	25	19.7	16	0.036	8

1/4" 12PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72887-8B	1/4" 12 PTS Standard Socket 7mm	25	12	10.9	0.012	18
STMT72888-8B	1/4" 12 PTS Standard Socket 8mm	25	12	11.5	0.012	18
STMT72889-8B	1/4" 12 PTS Standard Socket 9mm	25	12	12	0.015	15
STMT72890-8B	1/4" 12 PTS Standard Socket 10mm	25	12	13	0.020	15
STMT72891-8B	1/4" 12 PTS Standard Socket 11mm	25	12	13	0.023	13
STMT72892-8B	1/4" 12 PTS Standard Socket 12mm	25	12	13.5	0.025	8
STMT72893-8B	1/4" 12 PTS Standard Socket 13mm	25	12	14	0.028	8
STMT72894-8B	1/4" 12 PTS Standard Socket 14mm	25	13.2	16	0.035	8

1/4" 6PTS DEEP SOCKET




- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73197-8B	1/4" 6 PTS Deep Socket 4mm	49.5	11.8	6.9	0.021	18
STMT73198-8B	1/4" 6 PTS Deep Socket 5mm	49.5	11.8	8	0.021	18
STMT73199-8B	1/4" 6 PTS Deep Socket 5.5mm	49.5	11.8	8.8	0.022	18
STMT73200-8B	1/4" 6 PTS Deep Socket 6mm	49.5	11.8	9.4	0.022	18
STMT73201-8B	1/4" 6 PTS Deep Socket 7mm	49.5	11.8	10.9	0.024	18
STMT73202-8B	1/4" 6 PTS Deep Socket 8mm	49.5	11.8	-	0.026	18
STMT73203-8B	1/4" 6 PTS Deep Socket 9mm	49.5	12.8	-	0.028	15
STMT73204-8B	1/4" 6 PTS Deep Socket 10mm	49.5	14.5	-	0.038	12
STMT73205-8B	1/4" 6 PTS Deep Socket 11mm	49.5	15.6	-	0.043	10
STMT73206-8B	1/4" 6 PTS Deep Socket 12mm	49.5	16.6	-	0.046	8
STMT73207-8B	1/4" 6 PTS Deep Socket 13mm	49.5	17.6	-	0.052	8
STMT73208-8B	1/4" 6 PTS Deep Socket 14mm	49.5	19.6	-	0.068	11

1/4" 12PTS DEEP SOCKET




- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73209-8B	1/4" 12 PTS Deep Socket 6mm	49.5	11.8	9.4	0.022	18
STMT73210-8B	1/4" 12 PTS Deep Socket 7mm	49.5	11.8	10.9	0.024	18
STMT73211-8B	1/4" 12 PTS Deep Socket 8mm	49.5	11.8	-	0.026	18
STMT73212-8B	1/4" 12 PTS Deep Socket 9mm	49.5	12.8	-	0.028	15
STMT73213-8B	1/4" 12 PTS Deep Socket 10mm	49.5	14.5	-	0.038	12
STMT73214-8B	1/4" 12 PTS Deep Socket 11mm	49.5	15.6	-	0.043	10
STMT73215-8B	1/4" 12 PTS Deep Socket 12mm	49.5	16.6	-	0.046	8
STMT73216-8B	1/4" 12 PTS L Deep Socket 13mm	49.5	17.6	-	0.052	8
STMT73217-8B	1/4" 12 PTS Deep Socket 14mm	49.5	19.6	-	0.068	11

1/4" TORX SOCKET




- ISO 1174-1
- For male Torx® screws
- Chrome vanadium steel



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT73218-8B	1/4" Torx Socket E4	25	12	0.0101	18
STMT73219-8B	1/4" Torx Socket E5	25	12	0.0101	18
STMT73220-8B	1/4" Torx Socket E6	25	12	0.0111	18
STMT73221-8B	1/4" Torx Socket E7	25	12	0.012	18
STMT73222-8B	1/4" Torx Socket E8	25	12	0.0121	18
STMT73224-8B	1/4" Torx Socket E10	25	12	0.014	18

1/4" HEXAGON BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60+/-2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73225-8B	1/4" Hexagon Bit Socket 2mm	32	18	2	0.011	12
STMT73226-8B	1/4" Hexagon Bit Socket 2,5mm	32	18	2.5	0.011	12
STMT73227-8B	1/4" Hexagon Bit Socket 3mm	32	18	3	0.011	12
STMT73228-8B	1/4" Hexagon Bit Socket 4mm	32	18	4	0.011	12
STMT73229-8B	1/4" Hexagon Bit Socket 5mm	32	18	5	0.011	12
STMT73230-8B	1/4" Hexagon Bit Socket 6mm	32	18	6	0.011	12
STMT73231-8B	1/4" Hexagon Bit Socket 7mm	32	18	7	0.012	12
STMT73232-8B	1/4" Hexagon Bit Socket 8mm	32	18	8	0.012	12

1/4" TORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60+/-2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73242-8B	1/4" Torx Bit Socket T6	32	18	T6	0.012	12
STMT73243-8B	1/4" Torx Bit Socket T7	32	18	T7	0.013	12
STMT73244-8B	1/4" Torx Bit Socket T8	32	18	T8	0.013	12
STMT73245-8B	1/4" Torx Bit Socket T9	32	18	T9	0.011	12
STMT73246-8B	1/4" Torx Bit Socket T10	32	18	T10	0.013	12
STMT73247-8B	1/4" Torx Bit Socket T15	32	18	T15	0.013	12
STMT73248-8B	1/4" Torx Bit Socket T20	32	18	T20	0.013	12
STMT73249-8B	1/4" Torx Bit Socket T25	32	18	T25	0.015	12
STMT73250-8B	1/4" Torx Bit Socket T27	32	18	T27	0.014	12
STMT73251-8B	1/4" Torx Bit Socket T30	32	18	T30	0.014	12
STMT73252-8B	1/4" Torx Bit Socket T40	32	18	T40	0.014	12

1/4" TAMPER TORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	A (mm)	Weight (kg)	Box Qty
STMT73253-8B	1/4" Tamper Torx Bit Socket TT8	32	18	TT8	0.014	12
STMT73254-8B	1/4" Tamper Torx Bit Socket TT10	32	18	TT10	0.014	12
STMT73255-8B	1/4" Tamper Torx Bit Socket TT15	32	18	TT15	0.014	12
STMT73256-8B	1/4" Tamper Torx Bit Socket TT20	32	18	TT20	0.014	12
STMT73257-8B	1/4" Tamper Torx Bit Socket TT25	32	18	TT25	0.014	12
STMT73258-8B	1/4" Tamper Torx Bit Socket TT27	32	18	TT27	0.014	12
STMT73259-8B	1/4" Tamper Torx Bit Socket TT30	32	18	TT30	0.015	12
STMT73260-8B	1/4" Tamper Torx Bit Socket TT40	32	18	TT40	0.015	12

1/4" PHILLIPS BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73236-8B	1/4" Phillips Bit Socket PH1	32	18	PH1	0.011	12
STMT73237-8B	1/4" Phillips Bit Socket PH2	32	18	PH2	0.012	12
STMT73238-8B	1/4" Phillips Bit Socket PH3	32	18	PH3	0.012	12

1/4" SLOTTED BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73233-8B	1/4" Slotted Bit Socket 4mm	32	18	4	0.011	12
STMT73234-8B	1/4" Slotted Bit Socket 5.5mm	32	18	5.5	0.011	12
STMT73235-8B	1/4" Slotted Bit Socket 7mm	32	18	7	0.012	12

1/4" POZIDRIV BIT SOCKET



- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73239-8B	1/4" Pozidriv Bit Socket PZ1	32	18	PZ1	0.011	12
STMT73240-8B	1/4" Pozidriv Bit Socket PZ2	32	18	PZ2	0.012	12
STMT73241-8B	1/4" Pozidriv Bit Socket PZ3	32	18	PZ3	0.013	12



“ I HAVE BEEN WORKING WITH STANLEY SOCKETS FOR OVER A DECADE AND WE HAVE BEEN THROUGH EVERY IMAGINABLE SCENARIO. THEY HAVE NEVER FAILED ME AND THIS SPEAKS VOLUMES OF THE PRODUCTS' DURABILITY AND HARDINESS. NOT ONLY THAT, THEY STILL LOOK AND FEEL GREAT. ”

3/8" METRIC SOCKET MODULE - 36PCS




COMPATIBLE with
**TRANS
MODULE**
system

- 3/8" 12PT Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 3/8" 6PT Deep socket 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 3/8" Hexagon bit socket 4, 5, 6mm
- 3/8" Torx bit socket T25, T30, T40
- 3/8" Extension 125mm
- 3/8" Universal joint
- 3/8" Pear head ratchet NP9



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74174-8	36 PCS 3/8" Metric Socket Module	384	184	45	4

3/8" PEAR HEAD RATCHET NP9




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Chemical resistant ergonomic bimaterial handle
- Quick release button



Retail SKU #	BULK SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Retail / BULK Box Qty
STMT73983-8	STMT73983-8B	3/8" Pear Head Ratchet NP9	202	27.8	29.51	60	6°	0.23	10 / 10

3/8" PEAR HEAD RATCHET P7




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Quick release button



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT89818-8B	3/8" Pear Head Ratchet P7	195	32.5	30.8	54	6.7°	0.32	8

3/8" ROUND HEAD RATCHET




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Chrome vanadium steel
- Quick release button



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT86396-8B	3/8" Round Head Ratchet	210	36	37	45	8°	0.347	8

3/8" SLIDING TEE



- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Sliding head
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT86202-8B	3/8" Sliding Tee	170	9.5	0.133	4

3/8" EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Full polished finishing
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86206-8B	3/8" Extension 75mm	76.2	17	12.2	0.073	3
STMT86207-8B	3/8" Extension 125mm	152.4	17	12.2	0.145	8
STMT86208-8B	3/8" Extension 250mm	245	17	12.2	0.23	21

3/8" BIT HOLDER




- ASME B107.10, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D (mm)	Weight (kg)	Box Qty
STMT86250-8B	3/8" Holder For 1/4 Bits	28.6	17.3	0.024	11

3/8" COUPLER




- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86214-8B	Coupler 3/8" To 1/4"	25.4	17.4	6.3	0.020	12
STMT86215-8B	Coupler 3/8" To 1/2"	36	18	10	0.044	8

3/8" UNIVERSAL JOINT




- ASME B107.10M, ISO 1174-2
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86211-8B	3/8" Universal Joint	54.2	19	10	0.060	8

3/8" SPEED HANDLE



- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Fast rotation
- Rotating handle
- Knurled handle



SKU #	Description	L (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86212-8B	3/8" Speed Handle	380	17	0.318	6

3/8" SWIVEL HANDLE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Smooth-action joint
- Hinged handle for easier access
- Knurled handle



SKU #	Description	L (mm)	Weight (kg)	Box Qty
STMT86213-8B	3/8" Swivel Handle 200mm	215.5	0.234	6

3/8" 6PTS SPARK PLUG SOCKET




- ASME B107.34M
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT88941-8B	3/8" 6 PTS Spark Plug Socket 16mm	65	22	10	0.097	2

3/8" 6PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72914-8B	3/8" 6 PTS Standard Socket 6mm	25.7	17.1	10.1	0.02	12
STMT72915-8B	3/8" 6 PTS Standard Socket 7mm	25.7	17.1	11	0.021	12
STMT72916-8B	3/8" 6 PTS Standard Socket 8mm	25.7	17.1	12.2	0.025	12
STMT72917-8B	3/8" 6 PTS Standard Socket 9mm	25.7	17.1	13.2	0.022	12
STMT72918-8B	3/8" 6 PTS Standard Socket 10mm	25.7	17.1	14.7	0.022	12
STMT72919-8B	3/8" 6 PTS Standard Socket 11mm	25.7	17.1	16	0.024	12
STMT72920-8B	3/8" 6 PTS Standard Socket 12mm	25.7	17.1	16.5	0.024	12
STMT72921-8B	3/8" 6 PTS Standard Socket 13mm	25.7	18.3	17	0.026	12
STMT72922-8B	3/8" 6 PTS Standard Socket 14mm	25.7	19.5	18	0.028	11
STMT72923-8B	3/8" 6 PTS Standard Socket 15mm	25.7	20.4	18	0.028	11
STMT72924-8B	3/8" 6 PTS Standard Socket 16mm	29	22.1	19	0.038	15
STMT72925-8B	3/8" 6 PTS Standard Socket 17mm	29	23.3	19	0.042	14
STMT72926-8B	3/8" 6 PTS Standard Socket 18mm	29	24.2	20	0.046	14
STMT72927-8B	3/8" 6 PTS Standard Socket 19mm	29	25.5	21	0.054	11
STMT72928-8B	3/8" 6 PTS Standard Socket 20mm	29	26.8	22	0.05	10
STMT72929-8B	3/8" 6 PTS Standard Socket 21mm	29	27.7	23	0.056	9
STMT72930-8B	3/8" 6 PTS Standard Socket 22mm	29	29.5	24	0.072	8
STMT72931-8B	3/8" 6 PTS Standard Socket 23mm	29	30.7	25	0.07	8
STMT72932-8B	3/8" 6 PTS Standard Socket 24mm	29	31	26	0.075	7

3/8" 12PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72895-8B	3/8" 12 PTS Standard Socket 6mm	25.7	17.1	10.1	0.031	12
STMT72896-8B	3/8" 12 PTS Standard Socket 7mm	25.7	17.1	11	0.021	12
STMT72897-8B	3/8" 12 PTS Standard Socket 8mm	25.7	17.1	12.2	0.020	12

SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72898-8B	3/8" 12 PTS Standard Socket 9mm	25.7	17.1	13.2	0.022	12
STMT72899-8B	3/8" 12 PTS Standard Socket 10mm	25.7	17.1	14.7	0.022	12
STMT72900-8B	3/8" 12 PTS Standard Socket 11mm	25.7	17.1	16	0.024	12
STMT72901-8B	3/8" 12 PTS Standard Socket 12mm	25.7	17.1	16.5	0.024	12
STMT72902-8B	3/8" 12 PTS Standard Socket 13mm	25.7	18.3	17	0.026	12
STMT72903-8B	3/8" 12 PTS Standard Socket 14mm	25.7	19.5	18	0.028	11
STMT72904-8B	3/8" 12 PTS Standard Socket 15mm	25.7	20.4	18	0.032	11
STMT72905-8B	3/8" 12 PTS Standard Socket 16mm	29	22.1	19	0.039	15
STMT72906-8B	3/8" 12 PTS Standard Socket 17mm	29	23.3	19	0.04	14
STMT72907-8B	3/8" 12 PTS Standard Socket 18mm	29	24.2	20	0.046	14
STMT72908-8B	3/8" 12 PTS Standard Socket 19mm	29	25.5	21	0.05	11
STMT72909-8B	3/8" 12 PTS Standard Socket 20mm	29	26.8	22	0.048	10
STMT72910-8B	3/8" 12 PTS Standard Socket 21mm	29	27.7	23	0.052	9
STMT72911-8B	3/8" 12 PTS Standard Socket 22mm	29	29.5	24	0.074	8
STMT72912-8B	3/8" 12 PTS Standard Socket 23mm	29	30.7	25	0.082	8
STMT72913-8B	3/8" 12 PTS Standard Socket 24mm	29	31	26	0.082	7

3/8" 6PTS DEEP SOCKET




- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73261-8B	3/8" 6 PTS Deep Socket 8mm	45.5	16.5	12	0.032	9
STMT73262-8B	3/8" 6 PTS Deep Socket 9mm	45.5	16.5	13.1	0.034	9
STMT73263-8B	3/8" 6 PTS Deep Socket 10mm	45.5	16.5	14.7	0.036	9
STMT73264-8B	3/8" 6 PTS Deep Socket 11mm	45.5	16.5	16	0.04	8
STMT73265-8B	3/8" 6 PTS Deep Socket 12mm	45.5	17.1	-	0.040	8
STMT73266-8B	3/8" 6 PTS Deep Socket 13mm	45.5	18.5	-	0.05	8
STMT73267-8B	3/8" 6 PTS Deep Socket 14mm	50	19.5	-	0.062	11
STMT73268-8B	3/8" 6 PTS Deep Socket 15mm	53	20.4	-	0.07	18
STMT73269-8B	3/8" 6 PTS Deep Socket 16mm	53	22	-	0.085	15
STMT73270-8B	3/8" 6 PTS Deep Socket 17mm	56	23.3	-	0.1	15
STMT73271-8B	3/8" 6 PTS Deep Socket 18mm	56	24.2	-	0.112	14
STMT73272-8B	3/8" 6 PTS Deep Socket 19mm	56	25.5	-	0.128	11
STMT73273-8B	3/8" 6 PTS Deep Socket 20mm	63.5	26.8	-	0.111	4
STMT73274-8B	3/8" 6 PTS Deep Socket 21mm	63.5	27.7	-	0.12	4
STMT73275-8B	3/8" 6 PTS Deep Socket 22mm	63.5	29.8	-	0.14	4

3/8" 12PTS DEEP SOCKET




- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73276-8B	3/8" 12 PTS Deep Socket 8mm	45.5	16.5	12	0.032	9
STMT73277-8B	3/8" 12 PTS Deep Socket 9mm	45.5	16.5	13.1	0.034	9
STMT73278-8B	3/8" 12 PTS Deep Socket 10mm	45.5	16.5	14.7	0.036	9
STMT73279-8B	3/8" 12 PTS Deep Socket 11mm	45.5	16.5	16	0.04	8
STMT73280-8B	3/8" 12 PTS Deep Socket 12mm	45.5	17.1	-	0.041	8
STMT73281-8B	3/8" 12 PTS Deep Socket 13mm	45.5	18.5	-	0.05	8
STMT73282-8B	3/8" 12 PTS Deep Socket 14mm	50	19.5	-	0.062	11
STMT73283-8B	3/8" 12 PTS Deep Socket 15mm	53	20.4	-	0.07	18
STMT73284-8B	3/8" 12 PTS Deep Socket 16mm	53	22	-	0.084	15
STMT73285-8B	3/8" 12 PTS Deep Socket 17mm	56	23.3	-	0.1	15
STMT73286-8B	3/8" 12 PTS Deep Socket 18mm	56	24.2	-	0.112	14
STMT73287-8B	3/8" 12 PTS Deep Socket 19mm	56	25.5	-	0.127	11
STMT73288-8B	3/8" 12 PTS Deep Socket 20mm	63.5	26.8	-	0.111	4
STMT73289-8B	3/8" 12 PTS Deep Socket 21mm	63.5	27.7	-	0.12	4
STMT73290-8B	3/8" 12 PTS Deep Socket 22mm	63.5	29.8	-	0.14	4

3/8" TORX SOCKET




- ISO 1174-1
- For male Torx® screws
- Chrome vanadium steel



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT73291-8B	3/8" Torx Socket E10	31	17.3	0.0267	12
STMT73292-8B	3/8" Torx Socket E12	31	17.3	0.027	12
STMT73293-8B	3/8" Torx Socket E14	31	17.3	0.0285	12
STMT73294-8B	3/8" Torx Socket E16	31	18.5	0.0336	12

3/8" HEXAGON BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60+/-2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73295-8B	3/8" Hexagon Bit Socket 4mm	50	17.9	4	0.038	8
STMT73296-8B	3/8" Hexagon Bit Socket 5mm	50	17.9	5	0.038	8
STMT73297-8B	3/8" Hexagon Bit Socket 6mm	50	17.9	6	0.04	8
STMT73298-8B	3/8" Hexagon Bit Socket 7mm	50	17.9	7	0.04	8
STMT73299-8B	3/8" Hexagon Bit Socket 8mm	50	17.9	8	0.04	8
STMT73300-8B	3/8" Hexagon Bit Socket 10mm	50	17.9	10	0.05	8
STMT73301-8B	3/8" Hexagon Bit Socket 12mm	50	22	12	0.042	8

3/8" TORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73313-8B	3/8" Torx Bit Socket T8	50	17.9	T8	0.038	8
STMT73314-8B	3/8" Torx Bit Socket T10	50	17.9	T10	0.038	8
STMT73315-8B	3/8" Torx Bit Socket T15	50	17.9	T15	0.04	8
STMT73316-8B	3/8" Torx Bit Socket T20	50	17.9	T20	0.04	8
STMT73317-8B	3/8" Torx Bit Socket T25	50	17.9	T25	0.05	8
STMT73318-8B	3/8" Torx Bit Socket T27	50	17.9	T27	0.05	8
STMT73319-8B	3/8" Torx Bit Socket T30	50	17.9	T30	0.05	8
STMT73320-8B	3/8" Torx Bit Socket T40	50	17.9	T40	0.045	8
STMT73321-8B	3/8" Torx Bit Socket T45	50	17.9	T45	0.045	8
STMT73322-8B	3/8" Torx Bit Socket T50	50	17.9	T50	0.045	8
STMT73323-8B	3/8" Torx Bit Socket T55	50	17.9	T55	0.06	8

3/8" PHILLIPS BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73305-8B	3/8" Phillips Bit Socket PH1	50	17.9	PH1	0.038	8
STMT73306-8B	3/8" Phillips Bit Socket PH2	50	17.9	PH2	0.038	8
STMT73307-8B	3/8" Phillips Bit Socket PH3	50	17.9	PH3	0.04	8
STMT73308-8B	3/8" Phillips Bit Socket PH4	50	17.9	PH4	0.04	8

3/8" SLOTTED BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73302-8B	3/8" Slotted Bit Socket 5.5mm	50	17.9	5.5	0.038	8
STMT73303-8B	3/8" Slotted Bit Socket 7mm	50	17.9	7	0.04	8
STMT73304-8B	3/8" Slotted Bit Socket 8mm	50	17.9	8	0.04	8

3/8" POZIDRIV BIT SOCKET



- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73309-8B	3/8" Pozidriv Bit Socket PZ1	50	17.9	PZ1	0.038	8
STMT73310-8B	3/8" Pozidriv Bit Socket PZ2	50	17.9	PZ2	0.04	8
STMT73311-8B	3/8" Pozidriv Bit Socket PZ3	50	17.9	PZ3	0.04	8
STMT73312-8B	3/8" Pozidriv Bit Socket PZ4	50	17.9	PZ4	0.04	8



“ THE NP9 RATCHET IS THE STAR PRODUCT IN MY TOOL BOX. ITS 60 TEETH MECHANISM IS JUST RIGHT AS IT IS NOT TOO MUCH AND NOT TOO LITTLE. IT OFFERS THE PERFECT COMBINATION OF DURABILITY AND PRECISION TO ENSURE THAT I GET THE JOB DONE EVERY TIME. ”

STANLEY® CLASSIC 1/2" SOCKET SET - 24 PCS

NEW

PRECISION TORQUE DURABILITY



24PCS 1/2" 6PTS CONTENTS:

- 1/2" Pear head ratchet NP9
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 6PTS Spark plug socket 16mm
- 1/2" 15" Swivel handle
- 1/2" 6PTS Standard socket 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

24PCS 1/2" 12PTS CONTENTS:

- 1/2" Pear head ratchet NP9
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 12PTS Spark plug socket 16mm
- 1/2" 15" Swivel handle
- 1/2" 12PTS Standard socket 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm




SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Carton Qty
STMT74183-8	24PCS 1/2" 6PTS Socket Set In Metal Tin	428	175	52	4.89	2
STMT74184-8	24PCS 1/2" 12PTS Socket Set In Metal Tin	428	175	52	4.89	2

1/2" SOCKET SET - 24 PCS

NEW
신제품
NEW
신제품
NEW
신제품



- 1/2" 6PTS Standard socket 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1/2" Pear head ratchet P9
- 1/2" Extension 125, 250mm
- 1/2" Sliding tee
- 1/2" Universal joint
- 1/2" 12PTS Spark plug socket 16mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)
STMT72795-8	24PCS 1/2" Dr. Socket & Bit Set	200	70	417	4.25

23 PCS 1/2" 6PTS METRIC SOCKET SET

NEW
신제품
NEW
신제품
NEW
신제품



16" TOOL SET CASE + MODULE :

- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 6PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

COMPATIBLE with
**TRANS
MODULE**
system



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74173-8C	23 PCS 1/2" 6 PTS Metric Socket Set	405	290	60	3.95	1

23 PCS 1/2" 12PTS METRIC SOCKET SET



COMPATIBLE with
**TRANS
MODULE**
system

16" TOOL SET CASE + MODULE :

- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 12PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



SKU #	Description	L (mm)	W (mm)	H (mm)	Weight (kg)	Box Qty
STMT74726-8C	23 PCS 1/2" 12 PTS Metric Socket Set	405	290	60	3.95	1

1/2" 6PTS METRIC SOCKET MODULE - 23 PCS



COMPATIBLE with
**TRANS
MODULE**
system

6

- 1/2" 6PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74173-8	23 PCS 1/2" 6PTS Metric Socket Module	384	184	45	4

1/2" 12PTS METRIC SOCKET MODULE - 23 PCS



COMPATIBLE with
**TRANS
MODULE**
system

12

- 1/2" 12PTS Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74726-8	23 PCS 1/2" 12PTS Metric Socket Module	384	184	45	4

1/2" METRIC BIT SOCKET MODULE - 24 PCS




COMPATIBLE with
**TRANS
MODULE**
system

STANLEY
EXCEEDS
DIN/ISO
STANDARD

- 1/2" Torx bit socket T20, T25, T27, T30, T40, T45, T50, T55, T60
- 1/2" Long torx bit socket T30, T40, T45, T50, T55, T60
- 1/2" Torx socket E10, E11, E12, E14, E16, E18, E20, E22, E24

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74176-8	24 PCS 1/2" Metric Bit Socket Module	384	184	45	4

1/2" PEAR HEAD RATCHET NP9




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Chemical resistant ergonomic bimaterial handle
- Quick release button

STANLEY
EXCEEDS
DIN/ISO
STANDARD

Retail SKU #	BULK SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Retail / BULK Box Qty
STMT73984-8	STMT73984-8B	1/2" Pear Head Ratchet NP9	256.5	32.5	35.7	60	6°	0.425	5 / 5

1/2" PEAR HEAD RATCHET P7




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Quick release button

STANLEY
EXCEEDS
ANSI
STANDARD

SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT89819-8B	1/2" Pear Head Ratchet P7	240	41	40	54	6.7°	0.588	6

1/2" ROUND HEAD RATCHET




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Chrome vanadium steel
- Quick release button



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT86397-8B	1/2" Round Head Ratchet	265	42	46	45	8°	0.596	4

1/2" SLIDING TEE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Sliding head
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT86410-8B	1/2" Sliding Tee	241	12.7	0.41	4

1/2" EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Full polished finishing
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT88930-8B	1/2" Extension 75mm	76.2	22.5	16.3	0.123	5
STMT86407-8B	1/2" Extension 125mm	125	22.5	16.3	0.22	6
STMT86408-8B	1/2" Extension 250mm	252	22.5	16.3	0.42	12

1/2" COUPLER




- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86414-8B	1/2" F x 3/8" M	34.5	22	10	0.046	15
STMT88558-8B	1/2" F x 3/4" M	42	25.2	19	0.111	12

1/2" UNIVERSAL JOINT



- ASME B107.10M, ISO 1174-2
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86411-8B	1/2" Universal Joint	68.5	24.9	12.5	0.1426	10

1/2" SPEED HANDLE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Fast rotation
- Rotating handle
- Knurled handle



SKU #	Description	L (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86412-8B	1/2" Speed Handle	420	21	0.554	4

1/2" SWIVEL HANDLE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Smooth-action joint
- Hinged handle for easier access
- Knurl surface handle design to anti-slip



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT86405-8B	1/2" 250mm Swivel Handle	254	28	21	0.5338	4

1/2" L-HANDLE




- ASME B107.10M, ISO 1174-1, ISO 691 SO 1174-1, ISO 691
- Chrome vanadium steel
- Knurled handle



SKU #	Description	L1 (mm)	L2 (mm)	Weight (kg)	Box Qty
STMT86493-8B	1/2" L-Handle 90 degree	250	50	0.304	4

1/2" 12PTS SPARK PLUG SOCKET




- ASME B107.34M
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT88996-8B	1/2" 12 PTS Spark Plug Socket 21mm	70	27	12.5	0.146	4

1/2" 6PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72933-8B	1/2" 6 PTS Standard Socket 8mm	38	21.8	12.4	0.045	15
STMT72934-8B	1/2" 6 PTS Standard Socket 9mm	38	21.8	14	0.048	15
STMT72935-8B	1/2" 6 PTS Standard Socket 10mm	38	21.8	15.5	0.048	15
STMT72936-8B	1/2" 6 PTS Standard Socket 11mm	38	21.8	16.7	0.05	15
STMT72937-8B	1/2" 6 PTS Standard Socket 12mm	38	21.8	18	0.053	15
STMT72938-8B	1/2" 6 PTS Standard Socket 13mm	38	21.8	19.2	0.052	15
STMT72939-8B	1/2" 6 PTS Standard Socket 14mm	38	21.8	20.5	0.056	15
STMT72940-8B	1/2" 6 PTS Standard Socket 15mm	38	21.8	21	0.054	15
STMT72941-8B	1/2" 6 PTS Standard Socket 16mm	38	23.3	22.5	0.064	14
STMT72942-8B	1/2" 6 PTS Standard Socket 17mm	38	24	23	0.07	12
STMT72943-8B	1/2" 6 PTS Standard Socket 18mm	38	24.8	23	0.07	12
STMT72944-8B	1/2" 6 PTS Standard Socket 19mm	38	26.3	24	0.074	9
STMT72945-8B	1/2" 6 PTS Standard Socket 20mm	38	26.8	24	0.066	9
STMT72946-8B	1/2" 6 PTS Standard Socket 21mm	38	27.7	24	0.084	9
STMT72947-8B	1/2" 6 PTS Standard Socket 22mm	40	29.8	26	0.098	4
STMT72948-8B	1/2" 6 PTS Standard Socket 23mm	40	30.8	26	0.098	4
STMT72949-8B	1/2" 6 PTS Standard Socket 24mm	40	31.8	26	0.1	4
STMT72950-8B	1/2" 6 PTS Standard Socket 25mm	40	32.8	27	0.115	2
STMT72951-8B	1/2" 6 PTS Standard Socket 26mm	43	33.8	28.8	0.11	2
STMT72952-8B	1/2" 6 PTS Standard Socket 27mm	43	35.8	29.5	0.136	2
STMT72953-8B	1/2" 6 PTS Standard Socket 28mm	43	37.6	30.5	0.142	2
STMT72954-8B	1/2" 6 PTS Standard Socket 29mm	43	37.8	31.5	0.145	2
STMT72955-8B	1/2" 6 PTS Standard Socket 30mm	43	39.8	32.5	0.184	2
STMT72956-8B	1/2" 6 PTS Standard Socket 32mm	43	41.8	34.5	0.23	2
STMT72957-8B	1/2" 6 PTS Standard Socket 34mm	45.5	43.8	36.5	0.3	3
STMT72958-8B	1/2" 6 PTS Standard Socket 36mm	57.2	49.8	38	0.45	2

1/2" 12PTS STANDARD SOCKET




- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT72959-8B	1/2" 12 PTS Standard Socket 8mm	38	21.8	12.4	0.044	15
STMT72960-8B	1/2" 12 PTS Standard Socket 9mm	38	21.8	14	0.048	15
STMT72961-8B	1/2" 12 PTS Standard Socket 10mm	38	21.8	15.5	0.048	15
STMT72962-8B	1/2" 12 PTS Standard Socket 11mm	38	21.8	16.7	0.05	15
STMT72963-8B	1/2" 12 PTS Standard Socket 12mm	38	21.8	18	0.052	15
STMT72964-8B	1/2" 12 PTS Standard Socket 13mm	38	21.8	19.2	0.052	15
STMT72965-8B	1/2" 12 PTS Standard Socket 14mm	38	21.8	20.5	0.056	15
STMT72966-8B	1/2" 12 PTS Standard Socket 15mm	38	21.8	21	0.054	15
STMT72967-8B	1/2" 12 PTS Standard Socket 16mm	38	23.3	22.5	0.064	14
STMT72968-8B	1/2" 12 PTS Standard Socket 17mm	38	24	23	0.065	12
STMT72969-8B	1/2" 12 PTS Standard Socket 18mm	38	24.8	23	0.07	12
STMT72970-8B	1/2" 12 PTS Standard Socket 19mm	38	26.3	24	0.074	9
STMT72971-8B	1/2" 12 PTS Standard Socket 20mm	38	26.8	24	0.066	9
STMT72972-8B	1/2" 12 PTS Standard Socket 21mm	38	27.7	24	0.068	9
STMT72973-8B	1/2" 12 PTS Standard Socket 22mm	40	29.8	26	0.096	4
STMT72974-8B	1/2" 12 PTS Standard Socket 23mm	40	30.8	26	0.096	4
STMT72975-8B	1/2" 12 PTS Standard Socket 24mm	40	31.8	26	0.100	4
STMT72976-8B	1/2" 12 PTS Standard Socket 25mm	40	32.8	27	0.11	2
STMT72977-8B	1/2" 12 PTS Standard Socket 26mm	43	33.8	28.8	0.120	2
STMT72978-8B	1/2" 12 PTS Standard Socket 27mm	43	35.8	29.5	0.126	2
STMT72979-8B	1/2" 12 PTS Standard Socket 28mm	43	37.6	30.5	0.138	2
STMT72980-8B	1/2" 12 PTS Standard Socket 29mm	43	37.8	31.5	0.14	2
STMT72981-8B	1/2" 12 PTS Standard Socket 30mm	43	39.8	32.5	0.164	2
STMT72982-8B	1/2" 12 PTS Standard Socket 32mm	43	41.8	34.5	0.22	2
STMT72983-8B	1/2" 12 PTS Standard Socket 34mm	45.5	43.8	36.5	0.3	3
STMT72984-8B	1/2" 12 PTS Standard Socket 36mm	57.2	49.8	38	0.45	2

1/2" 6PTS DEEP SOCKET



- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73324-8B	1/2" 6 PTS Deep Socket 10mm	79	22	15.5	0.125	8
STMT73325-8B	1/2" 6 PTS Deep Socket 11mm	79	22	16.7	0.13	8
STMT73326-8B	1/2" 6 PTS Deep Socket 12mm	79	22	18	0.113	8
STMT73327-8B	1/2" 6 PTS Deep Socket 13mm	79	22	19.2	0.12	8
STMT73328-8B	1/2" 6 PTS Deep Socket 14mm	79	22	20.5	0.12	8
STMT73329-8B	1/2" 6 PTS Deep Socket 15mm	79	22	21	0.115	8
STMT73330-8B	1/2" 6 PTS Deep Socket 16mm	79	23.3	22.5	0.131	6
STMT73331-8B	1/2" 6 PTS Deep Socket 17mm	79	24	-	0.155	6
STMT73332-8B	1/2" 6 PTS Deep Socket 18mm	79	25.3	-	0.165	6
STMT73333-8B	1/2" 6 PTS Deep Socket 19mm	79	26.5	-	0.186	4
STMT73334-8B	1/2" 6 PTS Deep Socket 21mm	79	27.8	-	0.19	6
STMT73335-8B	1/2" 6 PTS Deep Socket 22mm	79	27.8	-	0.222	5
STMT73336-8B	1/2" 6 PTS Deep Socket 23mm	79	30.8	-	0.25	5
STMT73337-8B	1/2" 6 PTS Deep Socket 24mm	79	31.8	-	0.255	5
STMT73338-8B	1/2" 6 PTS Deep Socket 27mm	79	35.8	-	0.325	4
STMT73339-8B	1/2" 6 PTS Deep Socket 30mm	79	39.8	-	0.45	2
STMT73340-8B	1/2" 6 PTS Deep Socket 32mm	79	41.3	-	0.52	2



“ WHEN A CAR COMES IN WITH A LOT OF DAMAGED FASTENERS WE KNOW THAT THE PREVIOUS GUY WAS NOT USING STANLEY SOCKETS AND ITS MAXI-DRIVE PROFILE. IT'S VERY IMPORTANT FOR US NOT TO DAMAGE NUTS WHEN WE DO THE JOB; WE KNOW THE CAR WILL COME BACK ONE DAY THAT'S WHEN PROBLEMS ARISE. ”

1/2" 12PTS DEEP SOCKET



- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73341-8B	1/2" 12 PTS Deep Socket 10mm	79	22	15.5	0.125	8
STMT73342-8B	1/2" 12 PTS Deep Socket 11mm	79	22	16.7	0.13	8
STMT73343-8B	1/2" 12 PTS Deep Socket 12mm	79	22	18	0.109	8
STMT73344-8B	1/2" 12 PTS Deep Socket 13mm	79	22	19.2	0.114	8
STMT73345-8B	1/2" 12 PTS Deep Socket 14mm	79	22	20.5	0.117	8
STMT73346-8B	1/2" 12 PTS Deep Socket 15mm	79	22	21	0.113	8
STMT73347-8B	1/2" 12 PTS Deep Socket 16mm	79	23.3	22.5	0.127	6
STMT73348-8B	1/2" 12 PTS Deep Socket 17mm	79	24	-	0.155	6
STMT73349-8B	1/2" 12 PTS Deep Socket 18mm	79	25.3	-	0.165	6
STMT73350-8B	1/2" 12 PTS Deep Socket 19mm	79	26.5	-	0.179	4
STMT73351-8B	1/2" 12 PTS Deep Socket 20mm	79	27.8	-	0.195	6
STMT73352-8B	1/2" 12 PTS Deep Socket 21mm	79	27.8	-	0.187	6
STMT73353-8B	1/2" 12 PTS Deep Socket 22mm	79	27.8	-	0.215	5
STMT73354-8B	1/2" 12 PTS Deep Socket 23mm	79	30.8	-	0.25	5
STMT73355-8B	1/2" 12 PTS Deep Socket 24mm	79	31.8	-	0.245	5
STMT73356-8B	1/2" 12 PTS Deep Socket 25mm	79	32.8	-	0.3	4
STMT73357-8B	1/2" 12 PTS Deep Socket 26mm	79	33.8	-	0.3	4
STMT73358-8B	1/2" 12 PTS Deep Socket 27mm	79	35.8	-	0.315	4
STMT73359-8B	1/2" 12 PTS Deep Socket 28mm	79	37.6	-	0.45	2
STMT73360-8B	1/2" 12 PTS Deep Socket 30mm	79	39.8	-	0.48	2
STMT73361-8B	1/2" 12 PTS Deep Socket 32mm	79	41.3	-	0.5	2



“ I HAVE BEEN A STANLEY USER FOR YEARS BECAUSE THE WAY I SEE IT, THERE IS NO NEED TO IMPROVE ON EXCELLENCE. ”

1/2" HEXAGON BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73371-8B	1/2" Hexagonal Bit Socket 4mm	55	22	4	0.06	6
STMT73372-8B	1/2" Hexagonal Bit Socket 5mm	55	22	5	0.06	6
STMT73373-8B	1/2" Hexagonal Bit Socket 6mm	55	22	6	0.06	6
STMT73374-8B	1/2" Hexagonal Bit Socket 7mm	55	22	7	0.06	6
STMT73375-8B	1/2" Hexagonal Bit Socket 8mm	55	22	8	0.065	6
STMT73376-8B	1/2" Hexagonal Bit Socket 9mm	55	22	9	0.075	6
STMT73377-8B	1/2" Hexagonal Bit Socket 10mm	55	22	10	0.08	6
STMT73378-8B	1/2" Hexagonal Bit Socket 12mm	55	22	12	0.085	6
STMT73379-8B	1/2" Hexagonal Bit Socket 14mm	55	22	14	0.098	6
STMT73380-8B	1/2" Hexagonal Bit Socket 17mm	55	25	17	0.14	3
STMT73381-8B	1/2" Hexagonal Bit Socket 19mm	60	27.9	19	0.16	2

1/2" LONG HEX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel Bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73382-8B	1/2" Long Hex Bit Socket 4mm	100	22	4	0.07	6
STMT73383-8B	1/2" Long Hex Bit Socket 5mm	100	22	5	0.07	6
STMT73384-8B	1/2" Long Hex Bit Socket 6mm	100	22	6	0.07	6
STMT73385-8B	1/2" Long Hex Bit Socket 7mm	100	22	7	0.07	6
STMT73386-8B	1/2" Long Hex Bit Socket 8mm	100	22	8	0.09	6
STMT73387-8B	1/2" Long Hex Bit Socket 10mm	100	22	10	0.1	6
STMT73388-8B	1/2" Long Hex Bit Socket 12mm	100	22	12	0.11	6

1/2" TORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73389-8B	1/2" Torx Bit Socket T20	55	22	T20	0.052	6
STMT73390-8B	1/2" Torx Bit Socket T25	55	22	T25	0.052	6
STMT73391-8B	1/2" Torx Bit Socket T27	55	22	T27	0.052	6
STMT73392-8B	1/2" Torx Bit Socket T30	55	22	T30	0.052	6
STMT73393-8B	1/2" Torx Bit Socket T40	55	22	T40	0.052	6
STMT73394-8B	1/2" Torx Bit Socket T45	55	22	T45	0.060	6
STMT73395-8B	1/2" Torx Bit Socket T50	55	22	T50	0.062	6
STMT73396-8B	1/2" Torx Bit Socket T55	55	22	T55	0.072	6
STMT73397-8B	1/2" Torx Bit Socket T60	55	22	T60	0.075	6

1/2" LONG TORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73398-8B	1/2" Long Torx Bit Socket T30	100	22	T30	0.08	6
STMT73399-8B	1/2" Long Torx Bit Socket T40	100	22	T40	0.08	6
STMT73400-8B	1/2" Long Torx Bit Socket T45	100	22	T45	0.085	6
STMT73401-8B	1/2" Long Torx Bit Socket T50	100	22	T50	0.09	6
STMT73402-8B	1/2" Long Torx Bit Socket T55	100	22	T55	0.102	6
STMT73403-8B	1/2" Long Torx Bit Socket T60	100	22	T60	0.122	6

1/2" TAMPERTORX BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73404-8B	1/2" Tampertorx Bit Socket TT10	55	22	TT10	0.07	6
STMT73405-8B	1/2" Tampertorx Bit Socket TT15	55	22	TT15	0.07	6
STMT73406-8B	1/2" Tampertorx Bit Socket TT20	55	22	TT20	0.07	6
STMT73407-8B	1/2" Tampertorx Bit Socket TT25	55	22	TT25	0.07	6
STMT73408-8B	1/2" Tampertorx Bit Socket TT27	55	22	TT27	0.07	6
STMT73409-8B	1/2" Tampertorx Bit Socket TT30	55	22	TT30	0.07	6
STMT73410-8B	1/2" Tampertorx Bit Socket TT40	55	22	TT40	0.07	6
STMT73411-8B	1/2" Tampertorx Bit Socket TT45	55	22	TT45	0.07	6
STMT73412-8B	1/2" Tampertorx Bit Socket TT50	55	22	TT50	0.07	6
STMT73413-8B	1/2" Tampertorx Bit Socket TT55	55	22	TT55	0.07	6
STMT73414-8B	1/2" Tampertorx Bit Socket TT60	55	22	TT60	0.082	6

1/2" SPLINE BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73415-8B	1/2" Spline Bit Socket M5	55	22	M5	0.07	6
STMT73416-8B	1/2" Spline Bit Socket M6	55	22	M6	0.07	6
STMT73417-8B	1/2" Spline Bit Socket M8	55	22	M8	0.07	6
STMT73418-8B	1/2" Spline Bit Socket M10	55	22	M10	0.072	6
STMT73419-8B	1/2" Spline Bit Socket M12	55	22	M12	0.072	6
STMT73420-8B	1/2" Spline Bit Socket M14	55	22	M14	0.072	6
STMT73421-8B	1/2" Spline Bit Socket M16	55	25	M16	0.14	6

1/2" LONG SPLINE BIT SOCKET




- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174-1, ISO 691
- S2 Steel Bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use



SKU #	Description	L (mm)	D1 (mm)	N (mm)	Weight (kg)	Box Qty
STMT73422-8B	1/2" Long Spline Bit Socket M5	100	22	M5	0.116	6
STMT73423-8B	1/2" Long Spline Bit Socket M6	100	22	M6	0.116	6
STMT73424-8B	1/2" Long Spline Bit Socket M8	100	22	M8	0.116	6
STMT73425-8B	1/2" Long Spline Bit Socket M10	100	22	M10	0.12	6
STMT73426-8B	1/2" Long Spline Bit Socket M12	100	22	M12	0.13	6
STMT73427-8B	1/2" Long Spline Bit Socket M14	100	22	M14	0.16	6
STMT73428-8B	1/2" Long Spline Bit Socket M16	100	25	M16	0.218	6

1/2" TORX SOCKET




- ISO 1174-1
- For male Torx® screws
- Chrome vanadium steel



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT73362-8B	1/2" Torx Socket E10	40	22	0.05	15
STMT73363-8B	1/2" Torx Socket E11	40	22	0.05	15
STMT73364-8B	1/2" Torx Socket E12	40	22	0.052	15
STMT73365-8B	1/2" Torx Socket E14	40	22	0.052	15
STMT73366-8B	1/2" Torx Socket E16	40	22	0.056	15
STMT73367-8B	1/2" Torx Socket E18	40	22	0.056	15
STMT73368-8B	1/2" Torx Socket E20	40	23.5	0.058	15
STMT73369-8B	1/2" Torx Socket E22	40	25	0.09	12
STMT73370-8B	1/2" Torx Socket E24	40	27	0.107	9

3/4" RATCHET




- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Chrome vanadium steel
- Knurled handle



SKU #	Description	L (mm)	Gear	Increment	Weight (kg)	Box Qty
STMT91316-8B	3/4" Ratchet With Handle	500	45	8	2.56	2

3/4" SLIDING TEE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Sliding head
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT89303-8B	3/4" Sliding Tee	483	20	1.437	2

3/4" EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- Full polished finishing
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT89306-8B	3/4" Extension 100mm	102	35.5	23	0.44	4
STMT89307-8B	3/4" Extension 200mm	203	35.5	23	0.72	4

3/4" COUPLER




- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT88908-8B	Coupler 3/4" to 1/2"	48	35	12.5	0.125	4
STMT88909-8B	Coupler 3/4" to 1"	62	37.3	25.4	0.16	4

3/4" UNIVERSAL JOINT



- ASME B107.10M, ISO 1174-2
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT93091-8B	3/4" Universal Joint	110	40	19	0.225	4

3/4" SWIVEL HANDLE




- ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1
- Smooth-action joint
- Hinged handle for easier access
- Knurled handle



SKU #	Description	L (mm)	Weight (kg)	Box Qty
STMT89302-8B	3/4" Swivel Handle	510	1.406	2

3/4" 6PTS STANDARD SOCKET



- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Chrome vanadium steel
- For manual use




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT89319-8B	3/4" 6PTS Socket 19mm	50	36	29.3	0.213	4
STMT89322-8B	3/4" 6PTS Socket 22mm	50	36	31.3	0.217	4
STMT89324-8B	3/4" 6PTS Socket 24mm	51	36	33.3	0.216	4
STMT89325-8B	3/4" 6PTS Socket 25mm	52	36	34.3	0.216	4
STMT89327-8B	3/4" 6PTS Socket 27mm	52	36	36	0.219	4
STMT89328-8B	3/4" 6PTS Socket 28mm	52	38	38	0.254	4
STMT89330-8B	3/4" 6PTS Socket 30mm	54	38	40	0.285	4
STMT89332-8B	3/4" 6PTS Socket 32mm	56	38	42	0.315	4
STMT89333-8B	3/4" 6PTS Socket 33mm	56	38	44	0.329	4
STMT89334-8B	3/4" 6PTS Socket 34mm	56	38	44	0.332	4
STMT89336-8B	3/4" 6PTS Socket 36mm	58	42	50	0.417	4
STMT89338-8B	3/4" 6PTS Socket 38mm	60	45	52	0.479	4
STMT89341-8B	3/4" 6PTS Socket 41mm	64	45	56	0.573	4
STMT89346-8B	3/4" 6PTS Socket 46mm	68	48	62	0.684	4
STMT89350-8B	3/4" 6PTS Socket 50mm	72	48	68	0.852	4



“ FOR GOOD REASON, WE CALL THE 3/4 RANGE THE MAMMOTH OF ALL SOCKETS AS THEY ARE SO HUGE AND STURDY. HOWEVER UNLIKE THE GIANT CREATURES, WE KNOW THAT THIS RANGE WILL PROBABLY NOT GO EXTINCT AS THEY ARE SIMPLE UNBREAKABLE. ”

3/4" 12PTS STANDARD SOCKET



- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
Metric						
STMT89619-8B	3/4" 12 PTS Socket 19mm	50	36	29.3	0.213	4
STMT89621-8B	3/4" 12 PTS Socket 21mm	50	36	30.3	0.213	4
STMT89622-8B	3/4" 12 PTS Socket 22mm	50	36	31.3	0.217	4
STMT89623-8B	3/4" 12 PTS Socket 23mm	50	36	32.3	0.213	4
STMT89624-8B	3/4" 12 PTS Socket 24mm	51	36	33.3	0.216	4
STMT89625-8B	3/4" 12 PTS Socket 25mm	52	36	34.3	0.216	4
STMT89626-8B	3/4" 12 PTS Socket 26mm	52	36	35	0.216	4
STMT89627-8B	3/4" 12 PTS Socket 27mm	52	36	36	0.219	4
STMT89628-8B	3/4" 12 PTS Socket 28mm	52	38	38	0.254	4
STMT89629-8B	3/4" 12 PTS Socket 29mm	52	38	40	0.253	4
STMT89630-8B	3/4" 12 PTS Socket 30mm	54	38	40	0.285	4
STMT89632-8B	3/4" 12 PTS Socket 32mm	56	38	42	0.315	4
STMT89633-8B	3/4" 12 PTS Socket 33mm	56	38	44	0.329	4
STMT89634-8B	3/4" 12 PTS Socket 34mm	56	38	44	0.332	4
STMT89635-8B	3/4" 12 PTS Socket 35mm	58	42	46	0.379	4
STMT89636-8B	3/4" 12 PTS Socket 36mm	58	42	50	0.417	4
STMT89638-8B	3/4" 12 PTS Socket 38mm	60	45	52	0.479	4
STMT89640-8B	3/4" 12 PTS Socket 40mm	62	45	54	0.573	4
STMT89641-8B	3/4" 12 PTS Socket 41mm	64	45	56	0.573	4
STMT89642-8B	3/4" 12 PTS Socket 42mm	64	45	57	0.572	4
STMT89644-8B	3/4" 12 PTS Socket 44mm	66	48	60	0.587	4
STMT89646-8B	3/4" 12 PTS Socket 46mm	68	48	62	0.684	4
STMT89650-8B	3/4" 12 PTS Socket 50mm	72	48	68	0.852	4
STMT89654-8B	3/4" 12 PTS Socket 54mm	74	48	72	0.953	4
STMT89655-8B	3/4" 12 PTS Socket 55mm	76	48	74	0.994	4
STMT89658-8B	3/4" 12 PTS Socket 58mm	76	52	76	1.12	4
STMT89660-8B	3/4" 12 PTS Socket 60mm	78	54	78	1.28	4

3/4" 12PTS STANDARD SOCKET

- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Chrome vanadium steel
- For manual use



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
Imperial						
STMT89661-8B	3/4" 12 PTS Socket 3/4"	50	36	29.3	0.213	4
STMT89662-8B	3/4" 12 PTS Socket 13/16"	50	36	30.3	0.213	4
STMT89663-8B	3/4" 12 PTS Socket 7/8"	50	36	31.3	0.217	4
STMT89664-8B	3/4" 12 PTS Socket 15/16"	51	36	33.3	0.216	4
STMT89665-8B	3/4" 12 PTS Socket 1"	52	36	35	0.219	4
STMT89666-8B	3/4" 12 PTS Socket 1-1/16"	52	36	36	0.219	4
STMT89667-8B	3/4" 12 PTS Socket 1-1/8"	52	38	40	0.253	4
STMT89668-8B	3/4" 12 PTS Socket 1-3/16"	54	38	40	0.285	4
STMT89669-8B	3/4" 12 PTS Socket 1-1/4"	56	38	42	0.315	4
STMT89670-8B	3/4" 12 PTS Socket 1-5/16"	56	38	44	0.329	4
STMT89671-8B	3/4" 12 PTS Socket 1-3/8"	58	42	46	0.379	4
STMT89672-8B	3/4" 12 PTS Socket 1-7/16"	58	42	50	0.417	4
STMT89673-8B	3/4" 12 PTS Socket 1-1/2"	60	45	52	0.479	4
STMT89674-8B	3/4" 12 PTS Socket 1-5/8"	64	45	56	0.573	4
STMT89675-8B	3/4" 12 PTS Socket 1-11/16"	65	45	58	0.581	4
STMT89676-8B	3/4" 12 PTS Socket 1-3/4"	66	48	60	0.587	4
STMT89677-8B	3/4" 12 PTS Socket 1-13/16"	68	48	62	0.684	4
STMT89678-8B	3/4" 12 PTS Socket 1-7/8"	70	48	64	0.75	4
STMT89679-8B	3/4" 12 PTS Socket 2"	72	48	68	0.852	4



“ WHEN I TOLD MY TEAM THAT WE WERE UPGRADING OUR TOOL KITS TO STANLEY PRODUCTS, YOU CANNOT IMAGINE THE WAVES OF EXCITEMENT THAT RIPPLED THROUGH EVERYONE. WE KNOW THAT THE QUALITY OF OUR TOOLS REFLECTS THE PROFESSIONALISM OF OUR DUTY. ”

STANLEY®

IMPACT SOCKETS



Impact Sockets

Impact Bits

Accessories

IMPACT SOCKETS AND ACCESSORIES

STRENGTH BY DESIGN

Manufactured for use with air or electric power impact tools the **STANLEY® AUTOMOTIVE** Impact Standard Socket range are designed to stand up to extreme stresses - even in the toughest conditions.

The range includes a wide variety of common sizes and bit profiles as well as couplers, extension bars and bit holders, so you're never short of an option.

Clearly marked and manufactured from Chrome-Molybdenum steel with a black phosphate finish, they're fully certified and exceed ISO/DIN standards. The impact range is perfect for seized bolts and other high torque applications.



ANSI

American National Standards Institute



ISO

Accreditation by independent organization made up of members from the national standards bodies of 164 countries.

DIN

Accredited standards carried out by the German Institute for Standardisation.



IMPACT RANGE OVERVIEW

	Profile	Type	3/8" Drive	1/2" Drive	3/4" Drive
Socket	6PT	Standard	8-24mm	8-32mm	17-70mm
	6PT	Deep	8-24mm	8-36mm	17-46mm
Bit	Hex	-	-	5-19mm	-
	Torx	-	-	T25-T60	-
	Spline	-	-	M8-M12	-
Extension Bar	50mm			●	
	75mm		●		
	125mm			●	
	150mm		●		
	175mm				●
	250mm			●	●
Universal Joint			●	●	●
Bit Holder 5/16"			●	●	
Coupler	3/8" F - 1/2" M		●		
	1/2" F - 3/8" M			●	
	3/4" F - 1/2" M				●
Torx Socket	E10			●	
	E12			●	
	E14			●	
	E16			●	
	E18			●	
	E20			●	
	E24			●	

3/8" IMPACT STANDARD SOCKET SET - 9 PCS



- 3/8" Impact standard socket 8mm
- 3/8" Impact standard socket 9mm
- 3/8" Impact standard socket 10mm
- 3/8" Impact standard socket 11mm
- 3/8" Impact standard socket 12mm
- 3/8" Impact standard socket 13mm
- 3/8" Impact standard socket 14mm
- 3/8" Impact standard socket 17mm
- 3/8" Impact standard socket 19mm

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73918-8	9 PCS 3/8" Impact Standard Socket Set	300	100	0.705

3/8" IMPACT DEEP SOCKET SET - 9 PCS



- 3/8" Impact deep socket 8mm
- 3/8" Impact deep socket 9mm
- 3/8" Impact deep socket 10mm
- 3/8" Impact deep socket 11mm
- 3/8" Impact deep socket 12mm
- 3/8" Impact deep socket 13mm
- 3/8" Impact deep socket 14mm
- 3/8" Impact deep socket 17mm
- 3/8" Impact deep socket 19mm

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73919-8	9 PCS 3/8" Impact Deep Socket Set	300	130	1.257

1/2" IMPACT HEX BIT SET - 8 PCS



- 1/2" Impact hexagon bit 5mm
- 1/2" Impact hexagon bit 6mm
- 1/2" Impact hexagon bit 8mm
- 1/2" Impact hexagon bit 10mm
- 1/2" Impact hexagon bit 12mm
- 1/2" Impact hexagon bit 14mm
- 1/2" Impact hexagon bit 17mm
- 1/2" Impact hexagon bit 19mm

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73914-8	8 PCS 1/2" Impact Hex Bit Set	320	150	1.125

1/2" IMPACT TORX BIT SET - 8 PCS



- 1/2" Impact torx bit T25
- 1/2" Impact torx bit T27
- 1/2" Impact torx bit T30
- 1/2" Impact torx bit T40
- 1/2" Impact torx bit T45
- 1/2" Impact torx bit T50
- 1/2" Impact torx bit T55
- 1/2" Impact torx bit T60

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73915-8	8 PCS 1/2" Impact Torx Bit Set	320	150	0.8

1/2" IMPACT STANDARD SOCKET SET - 13 PCS



- 1/2" Impact standard socket 10mm
- 1/2" Impact standard socket 11mm
- 1/2" Impact standard socket 12mm
- 1/2" Impact standard socket 13mm
- 1/2" Impact standard socket 14mm
- 1/2" Impact standard socket 15mm
- 1/2" Impact standard socket 16mm
- 1/2" Impact standard socket 17mm
- 1/2" Impact standard socket 18mm
- 1/2" Impact standard socket 19mm
- 1/2" Impact standard socket 21mm
- 1/2" Impact standard socket 22mm
- 1/2" Impact standard socket 24mm

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73916-8	13 PCS 1/2" Impact Standard Socket Set	480	110	1.53


1/2" IMPACT DEEP SOCKET SET - 13 PCS



- 1/2" Impact deep socket 10mm
- 1/2" Impact deep socket 11mm
- 1/2" Impact deep socket 12mm
- 1/2" Impact deep socket 13mm
- 1/2" Impact deep socket 14mm
- 1/2" Impact deep socket 15mm
- 1/2" Impact deep socket 16mm
- 1/2" Impact deep socket 17mm
- 1/2" Impact deep socket 18mm
- 1/2" Impact deep socket 19mm
- 1/2" Impact deep socket 21mm

SKU #	Description	L (mm)	W (mm)	Weight (kg)
STMT73917-8	13 PCS 1/2" Impact Deep Socket Set	480	150	3.144

3/8" IMPACT EXTENSION




- ASME B107.10M, ISO 3316 - DIN 3123 - ISO 1174-1
- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73502-8B	3/8" Impact Extension 75mm	75	19	12.3	0.08	10
STMT73503-8B	3/8" Impact Extension 150mm	150	19	12.3	0.15	10

3/8" IMPACT UNIVERSAL JOINT




- ASME B107.10M, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73504-8B	3/8" Impact Universal Joint	50	22	27	0.093	10

3/8" IMPACT COUPLER




- ASME B107.2, ISO 1174-2
- Chrome-Molybdenum steel.
- Designed specifically for impact tools - maximum performance and safety



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73506-8B	3/8" Impact Coupler 3/8" F - 1/2" M	33	22	12.58	0.067	10

3/8" IMPACT BIT HOLDER




- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT73505-8B	3/8" Impact 5/16" Bit Holder	28	12.5	0.131	10

3/8" IMPACT STANDARD SOCKET




- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73429-8B	3/8" Impact Standard Socket 8mm	29.5	19	12.7	0.032	10
STMT73430-8B	3/8" Impact Standard Socket 9mm	29.5	19	14	0.034	10
STMT73431-8B	3/8" Impact Standard Socket 10mm	29.5	19	15.2	0.034	10
STMT73432-8B	3/8" Impact Standard Socket 11mm	29.5	19	17	0.037	10
STMT73433-8B	3/8" Impact Standard Socket 12mm	29.5	19	18	0.04	10
STMT73434-8B	3/8" Impact Standard Socket 13mm	29.5	19	20	0.044	10
STMT73435-8B	3/8" Impact Standard Socket 14mm	29.5	19	21.5	0.054	10
STMT73436-8B	3/8" Impact Standard Socket 15mm	29.5	19	22	0.054	10
STMT73437-8B	3/8" Impact Standard Socket 16mm	30	22	23.5	0.067	10
STMT73438-8B	3/8" Impact Standard Socket 17mm	30	22	24	0.067	10
STMT73439-8B	3/8" Impact Standard Socket 18mm	30	22	25	0.07	10
STMT73440-8B	3/8" Impact Standard Socket 19mm	30	22	26	0.072	10
STMT73441-8B	3/8" Impact Standard Socket 21mm	30	22	28	0.08	10
STMT73442-8B	3/8" Impact Standard Socket 22mm	30	22	30	0.095	10
STMT73443-8B	3/8" Impact Standard Socket 24mm	30	22	32	0.11	10

3/8" IMPACT DEEP SOCKET



- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73444-8B	3/8" Impact Deep Socket 8mm	64	19	12.7	0.077	10
STMT73445-8B	3/8" Impact Deep Socket 9mm	64	19	14	0.08	10
STMT73446-8B	3/8" Impact Deep Socket 10mm	64	19	15.2	0.08	10
STMT73447-8B	3/8" Impact Deep Socket 11mm	64	19	17	0.08	10
STMT73448-8B	3/8" Impact Deep Socket 12mm	64	19	18	0.08	10
STMT73449-8B	3/8" Impact Deep Socket 13mm	64	19	20	0.09	10
STMT73450-8B	3/8" Impact Deep Socket 14mm	64	19	21	0.095	10
STMT73451-8B	3/8" Impact Deep Socket 15mm	64	19	22	0.102	10
STMT73452-8B	3/8" Impact Deep Socket 16mm	64	22	23	0.108	10
STMT73453-8B	3/8" Impact Deep Socket 17mm	64	22	24	0.12	10
STMT73454-8B	3/8" Impact Deep Socket 18mm	64	22	25	0.12	10
STMT73455-8B	3/8" Impact Deep Socket 19mm	64	22	26	0.125	10
STMT73456-8B	3/8" Impact Deep Socket 21mm	64	22	28	0.14	10
STMT73457-8B	3/8" Impact Deep Socket 22mm	64	22	30	0.16	10
STMT73458-8B	3/8" Impact Deep Socket 24mm	64	22	32	0.16	10



“ STANLEY'S RANGE OF AIR TOOLS WHOLLY COMPLEMENT THE IMPACT SOCKETS SO THERE IS NO REASON NOT TO USE THE TWO OF THEM TOGETHER. ”

1/2" IMPACT EXTENSION




- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73493-8B	1/2" Impact Extension 50mm	50	25	16.5	0.11	10
STMT73494-8B	1/2" Impact Extension 125mm	125	25	16.5	0.226	10
STMT73495-8B	1/2" Impact Extension 250mm	250	25	16.5	0.427	10

1/2" IMPACT UNIVERSAL JOINT



- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73497-8B	1/2" Impact Universal Joint	63	30	34	0.194	10



“ I BELIEVE THAT WITH THE RIGHT TOOLS, ANYTHING IS POSSIBLE. STANLEY'S WIDE VARIETY OF PRODUCTS HAS ENABLED ME TO PROVE NOT JUST TO THE WORLD, BUT TO MYSELF WHAT I CAN ACCOMPLISH. ”

1/2" IMPACT BIT HOLDER




- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety



SKU #	Description	L (mm)	D1 (mm)	Weight (kg)	Box Qty
STMT73496-8B	1/2" Impact 5/16" Bit Holder	38	17	0.8	10

1/2" IMPACT COUPLER



- ASME B107.2, ISO 1174-2
- Chrome-Molybdenum steel.
- Designed specifically for impact tools - maximum performance and safety




SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73507-8B	1/2" Impact Coupler 1/2" F - 3/8" M	38	25	10	0.07	10



“ YEAR AGO I HURT MYSELF RATHER BADLY WHEN I PAIRED A STANDARD SOCKET WITH AN AIR TOOL. EVER SINCE THEN I AM VERY PARTICULAR ABOUT ONLY USING IMPACT SOCKETS AS WORK SAFETY SHOULD NEVER BE COMPROMISED FOR CONVENIENCE. ”

1/2" IMPACT HEXAGON BIT




- DIN 7422, ISO 1174-2
- SNCM
- Designed specifically for impact tools - maximum performance and safety
- One piece screwdriver sockets



SKU #	Description	L (mm)	D1 (mm)	A (mm)	Weight (kg)	Box Qty
STMT73477-8B	1/2" Impact Hexagon Bit 5mm	78	25	5	0.075	10
STMT73478-8B	1/2" Impact Hexagon Bit 6mm	78	25	6	0.08	10
STMT73479-8B	1/2" Impact Hexagon Bit 8mm	78	25	8	0.09	10
STMT73480-8B	1/2" Impact Hexagon Bit 10mm	78	25	10	0.105	10
STMT73481-8B	1/2" Impact Hexagon Bit 12mm	78	25	12	0.125	10
STMT73482-8B	1/2" Impact Hexagon Bit 14mm	78	25	14	0.15	10
STMT73483-8B	1/2" Impact Hexagon Bit 17mm	78	25	17	0.185	10
STMT73484-8B	1/2" Impact Hexagon Bit 19mm	78	25	19	0.215	10

1/2" IMPACT SPLINE BIT




- DIN 7422, ISO 1174-2
- SNCM
- Designed specifically for impact tools - maximum performance and safety



SKU #	Description	L (mm)	D1 (mm)	A (mm)	Weight (kg)	Box Qty
STMT73508-8B	1/2" Impact Spline Bit M8	78	25	M8	0.08	10
STMT73509-8B	1/2" Impact Spline Bit M10	78	25	M10	0.09	10
STMT73510-8B	1/2" Impact Spline Bit M12	78	25	M12	0.1	10

1/2" IMPACT TORX BIT




- DIN 7422, ISO 1174-2
- SNCM
- Designed specifically for impact tools - maximum performance and safety
- One piece screwdriver sockets



SKU #	Description	L (mm)	D1 (mm)	A (mm)	Weight (kg)	Box Qty
STMT73485-8B	1/2" Impact Torx Bit, T25	78	25	T25	0.7	10
STMT73486-8B	1/2" Impact Torx Bit, T27	78	25	T27	0.7	10
STMT73487-8B	1/2" Impact Torx Bit, T30	78	25	T30	0.8	10
STMT73488-8B	1/2" Impact Torx Bit, T40	78	25	T40	0.75	10
STMT73489-8B	1/2" Impact Torx Bit, T45	78	25	T45	0.9	10
STMT73490-8B	1/2" Impact Torx Bit, T50	78	25	T50	0.9	10
STMT73491-8B	1/2" Impact Torx Bit, T55	78	25	T55	0.105	10
STMT73492-8B	1/2" Impact Torx Bit, T60	78	25	T60	0.2	10

1/2" IMPACT TORX SOCKET




- DIN 7422, ISO 1174-2
- SNCM
- Designed specifically for impact tools - maximum performance and safety
- One piece screwdriver sockets



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73511-8B	1/2" Impact Torx Socket E10	38	25	13.8	0.05	10
STMT73512-8B	1/2" Impact Torx Socket E12	38	25	15.8	0.051	10

SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73513-8B	1/2" Impact Torx Socket E14	38	25	17.8	0.053	10
STMT73514-8B	1/2" Impact Torx Socket E16	38	25	19.8	0.056	10
STMT73515-8B	1/2" Impact Torx Socket E18	38	25	21.8	0.059	10
STMT73516-8B	1/2" Impact Torx Socket E20	38	25	23.8	0.074	10
STMT73517-8B	1/2" Impact Torx Socket E24	38	30	28.5	0.109	10

1/2" IMPACT STANDARD SOCKET



- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT89435-8B	1/2" Impact Standard Socket 8mm	38	25	14.5	0.067	10
STMT89436-8B	1/2" Impact Standard Socket 9mm	38	25	15.6	0.068	10
STMT89437-8B	1/2" Impact Standard Socket 10mm	38	25	16.7	0.068	10
STMT89438-8B	1/2" Impact Standard Socket 11mm	38	25	18	0.07	10
STMT89439-8B	1/2" Impact Standard Socket 12mm	38	25	19	0.071	10
STMT89440-8B	1/2" Impact Standard Socket 13mm	38	25	20.2	0.072	10
STMT89441-8B	1/2" Impact Standard Socket 14mm	38	25	21.5	0.074	10
STMT89442-8B	1/2" Impact Standard Socket 15mm	38	25	23	0.076	10
STMT89443-8B	1/2" Impact Standard Socket 16mm	38	25	24.5	0.077	10
STMT89444-8B	1/2" Impact Standard Socket 17mm	38	25	26	0.082	10
STMT89445-8B	1/2" Impact Standard Socket 18mm	38	25	27	0.084	10
STMT89446-8B	1/2" Impact Standard Socket 19mm	38	25	28	0.087	10
STMT89447-8B	1/2" Impact Standard Socket 20mm	38	25	30	0.09	10
STMT89448-8B	1/2" Impact Standard Socket 21mm	38	25	30	0.093	10
STMT89449-8B	1/2" Impact Standard Socket 22mm	38	30	32	0.127	10
STMT89450-8B	1/2" Impact Standard Socket 23mm	38	30	34	0.13	10
STMT89451-8B	1/2" Impact Standard Socket 24mm	38	30	34	0.131	10
STMT89452-8B	1/2" Impact Standard Socket 25mm	42	30	36	0.162	10
STMT89453-8B	1/2" Impact Standard Socket 26mm	42	30	38	0.157	10
STMT89454-8B	1/2" Impact Standard Socket 27mm	42	30	40	0.172	10
STMT89455-8B	1/2" Impact Standard Socket 28mm	42	30	40	0.175	10
STMT89456-8B	1/2" Impact Standard Socket 30mm	42	30	42	0.192	10
STMT89457-8B	1/2" Impact Standard Socket 31mm	42	30	44	0.195	10
STMT89458-8B	1/2" Impact Standard Socket 32mm	42	30	44	0.201	10

1/2" IMPACT DEEP SOCKET



- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT95700-8B	1/2" Impact Deep Socket 8mm	82	25	14.5	0.114	10
STMT95711-8B	1/2" Impact Deep Socket 9mm	82	25	15.6	0.12	10
STMT92959-8B	1/2" Impact Deep Socket 10mm	82	25	16.7	0.128	10
STMT92960-8B	1/2" Impact Deep Socket 11mm	82	25	18	0.132	10
STMT91379-8B	1/2" Impact Deep Socket 12mm	82	25	19	0.14	10
STMT87500-8B	1/2" Impact Deep Socket 13mm	82	25	20.2	0.149	10
STMT87501-8B	1/2" Impact Deep Socket 14mm	82	25	21.5	0.153	10
STMT87502-8B	1/2" Impact Deep Socket 15mm	82	25	23	0.169	10
STMT91380-8B	1/2" Impact Deep Socket 16mm	82	25	24	0.167	10
STMT87504-8B	1/2" Impact Deep Socket 17mm	82	25	26	0.2	10
STMT87505-8B	1/2" Impact Deep Socket 18mm	82	25	27	0.208	10
STMT91391-8B	1/2" Impact Deep Socket 20mm	82	25	29	0.235	10
STMT87507-8B	1/2" Impact Deep Socket 21mm	82	25	30	0.243	10
STMT87508-8B	1/2" Impact Deep Socket 22mm	82	30	32	0.29	10
STMT91392-8B	1/2" Impact Deep Socket 23mm	82	30	33	0.291	10
STMT91393-8B	1/2" Impact Deep Socket 24mm	82	30	34	0.314	10
STMT91394-8B	1/2" Impact Deep Socket 25mm	82	30	36	0.351	10
STMT91395-8B	1/2" Impact Deep Socket 26mm	82	30	36	0.36	10
STMT91396-8B	1/2" Impact Deep Socket 27mm	82	30	38	0.374	10
STMT91397-8B	1/2" Impact Deep Socket 28mm	82	30	40	0.4	10
STMT91398-8B	1/2" Impact Deep Socket 29mm	82	30	41	0.425	10
STMT91403-8B	1/2" Impact Deep Socket 30MM	82	30	42	0.432	10
STMT73459-8B	1/2" Impact Deep Socket 31MM	82	30	43	0.44	10
STMT73460-8B	1/2" Impact Deep Socket 32MM	82	30	44	0.45	10
STMT73461-8B	1/2" Impact Deep Socket 33MM	82	35	46	0.471	10
STMT73462-8B	1/2" Impact Deep Socket 34MM	82	35	48	0.528	10
STMT73463-8B	1/2" Impact Deep Socket 36MM	82	35	50	0.548	10

3/4" IMPACT EXTENSION




- ASME B107.2, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73498-8B	3/4" Impact Extension 175mm	175	44	25	0.194	2
STMT73499-8B	3/4" Impact Extension 250mm	250	44	25	1.17	2

3/4" IMPACT UNIVERSAL JOINT




- ASME B107.10M, ISO 1174-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybden



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73500-8B	3/4" Impact Universal Joint	90	44	49.2	0.61	4

3/4" IMPACT COUPLER




- ASME B107.2, ISO 1174-2
- Chrome-Molybdenum steel.
- Designed specifically for impact tools - maximum performance and safety



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73501-8B	3/4" Impact Coupler 3/4" F - 1/2" M	56	44	16.5	0.308	4

3/4" IMPACT STANDARD SOCKET



- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT89395-8B	3/4" 6 PTS Impact Standard Socket 17mm	51	44	30	0.33	5
STMT89396-8B	3/4" 6 PTS Impact Standard Socket 18mm	51	44	31	0.33	4
STMT89397-8B	3/4" 6 PTS Impact Standard Socket 19mm	51	44	32.5	0.34	5
STMT89398-8B	3/4" 6 PTS Impact Standard Socket 20mm	51	44	33.5	0.34	4
STMT89399-8B	3/4" 6 PTS Impact Standard Socket 21mm	51	44	35	0.35	4
STMT89400-8B	3/4" 6 PTS Impact Standard Socket 22mm	51	44	36	0.35	5
STMT89401-8B	3/4" 6 PTS Impact Standard Socket 23mm	51	44	37.5	0.36	4
STMT89402-8B	3/4" 6 PTS Impact Standard Socket 24mm	51	44	38.5	0.37	4
STMT89403-8B	3/4" 6 PTS Impact Standard Socket 25mm	53	44	40	0.38	4
STMT89404-8B	3/4" 6 PTS Impact Standard Socket 26mm	53	44	41	0.38	5
STMT89405-8B	3/4" 6 PTS Impact Standard Socket 27mm	53	44	42.5	0.39	5
STMT89406-8B	3/4" 6 PTS Impact Standard Socket 28mm	53	44	44	0.4	5
STMT89407-8B	3/4" 6 PTS Impact Standard Socket 29mm	53	44	45	0.4	4
STMT89408-8B	3/4" 6 PTS Impact Standard Socket 30mm	53	44	46	0.43	5
STMT89409-8B	3/4" 6 PTS Impact Standard Socket 31mm	57	44	47	0.45	4
STMT89410-8B	3/4" 6 PTS Impact Standard Socket 32mm	57	44	48	0.46	4
STMT89411-8B	3/4" 6 PTS Impact Standard Socket 33mm	57	44	50	0.48	4
STMT89412-8B	3/4" 6 PTS Impact Standard Socket 34mm	57	44	51	0.5	4
STMT89413-8B	3/4" 6 PTS Impact Standard Socket 35mm	57	44	52	0.5	4
STMT89414-8B	3/4" 6 PTS Impact Standard Socket 36mm	57	44	53	0.51	4
STMT89415-8B	3/4" 6 PTS Impact Standard Socket 37mm	57	44	55	0.52	4
STMT89416-8B	3/4" 6 PTS Impact Standard Socket 38mm	57	44	56	0.55	4
STMT89417-8B	3/4" 6 PTS Impact Standard Socket 40mm	58	44	58	0.59	2
STMT89418-8B	3/4" 6 PTS Impact Standard Socket 41mm	58	44	59	0.65	4
STMT73464-8B	3/4" 6 PTS Impact Standard Socket 42mm	58	44	61	0.67	2
STMT89419-8B	3/4" 6 PTS Impact Standard Socket 43mm	62	44	62	0.68	2
STMT89420-8B	3/4" 6 PTS Impact Standard Socket 45mm	62	44	65	0.685	2
STMT89421-8B	3/4" 6 PTS Impact Standard Socket 46mm	62	44	66	0.7	2
STMT89422-8B	3/4" 6 PTS Impact Standard Socket 48mm	68	44	69	0.81	2
STMT89423-8B	3/4" 6 PTS Impact Standard Socket 50mm	68	44	71	0.83	2
STMT89424-8B	3/4" 6 PTS Impact Standard Socket 52mm	72	44	74	0.91	2
STMT89425-8B	3/4" 6 PTS Impact Standard Socket 54mm	72	44	76	1.02	2

SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT89426-8B	3/4" 6 PTS Impact Standard Socket 55mm	72	54	77.5	1.1	2
STMT73465-8B	3/4" 6 PTS Impact Standard Socket 56mm	74	54	79	1.1	2
STMT89427-8B	3/4" 6 PTS Impact Standard Socket 57mm	74	54	80	1.15	2
STMT89428-8B	3/4" 6 PTS Impact Standard Socket 58mm	74	54	81	1.15	2
STMT89429-8B	3/4" 6 PTS Impact Standard Socket 59mm	75	54	82	1.2	2
STMT89430-8B	3/4" 6 PTS Impact Standard Socket 60mm	75	54	84	1.295	2
STMT89431-8B	3/4" 6 PTS Impact Standard Socket 63mm	75	54	86	1.36	1
STMT89432-8B	3/4" 6 PTS Impact Standard Socket 65mm	78	54	88	1.5	1
STMT73466-8B	3/4" 6 PTS Impact Standard Socket 67mm	82	60	92	1.7	1
STMT89433-8B	3/4" 6 PTS Impact Standard Socket 70mm	85	60	95	1.9	1

3/4" IMPACT DEEP SOCKET



- ASME B107.33M, ASME B107.17M, DIN 7422, ISO 2725-2, ISO 1174-2, ISO 1711-2
- Designed specifically for impact tools - maximum performance and safety
- Chrome-Molybdenum steel



SKU #	Description	L (mm)	D1 (mm)	D2 (mm)	Weight (kg)	Box Qty
STMT73467-8B	3/4" 6 PTS Impact Deep Socket 17mm	90	44	30	0.49	2
STMT73468-8B	3/4" 6 PTS Impact Deep Socket 19mm	90	44	32	0.5	2
STMT73469-8B	3/4" 6 PTS Impact Deep Socket 24mm	90	44	38.3	0.58	2
STMT73470-8B	3/4" 6 PTS Impact Deep Socket 27mm	90	44	42	0.63	2
STMT73471-8B	3/4" 6 PTS Impact Deep Socket 30mm	90	44	46	0.7	2
STMT73472-8B	3/4" 6 PTS Impact Deep Socket 32mm	90	44	48	0.74	2
STMT73473-8B	3/4" 6 PTS Impact Deep Socket 33mm	90	44	50	0.77	2
STMT73474-8B	3/4" 6 PTS Impact Deep Socket 36mm	90	44	53	0.85	2
STMT73475-8B	3/4" 6 PTS Impact Deep Socket 41mm	90	44	59	0.95	2
STMT73476-8B	3/4" 6 PTS Impact Deep Socket 46mm	90	44	66	1.08	2

STANLEY®

TORQUE WRENCHES



1/4" Drive

3/8" Drive

1/2" Drive

3/4" Drive

Repair Kits



PROFESSIONAL FINISH

Precision torque setting for high or low loading.

POWER WITH PRECISION

VERSATILE AND ACCURATE

Quality manufactured from Chrome Vanadium **STANLEY®** Torque wrenches provide top levels of accuracy with easy to use features.

The Chrome - Molybdenum drives and locking pawl are built to withstand heavy use in the workshop.

Clear, dual scale engraved markings are easy to read and the knurled ring provides rapid torque setting adjustment. Designed for left or right rotations with audible click it's easy to get the job torqued up correctly.

The range includes in 1/4", 3/8", 1/2" and 3/4" drive options and covers torques from 5 up to 750 Nm - broad enough for a wide range of professional applications.

Every Torque wrench features a unique serial number for complete traceability and comes complete with a calibration certificate in blow molded case.



CERTIFIED PERFORMANCE

Tested to extremes, the **STANLEY® AUTOMOTIVE** Torque wrench range complies with ISO 6789 & ASME B107.14 - giving a consistent result and professional performance every time.

Accuracy - +/- 4%

Reliability - tested over 20,000 click cycles

Load Tested - 25% above load capacity

STANLEY Stanley Black & Decker Tel: 886 4 2506521 Fax: 886 4 2506528 www.stanleyblackanddecker.com									
Certificate of Calibration									
Model :	S-20 N-m			Tolerance :	± 1%				
Serial No. :	13111000001			Units :	Nm				
Maximum Capacity :	25			Inspection :	20°C				
Set Torque	Min	Max	Min	Max	Actual Reading	Actual Reading	Actual Reading	Actual Reading	Actual Reading
5	4.8	5.2	5	4.96	5.014	5.02	5.02		
15	14.4	15.6	15.21	15.18	15.18	15.09	15.1		
25	24	26	25.31	25.3	25.25	25.24	25.3		

The limits above and the test equipment used for this Calibration comply with the requirements of ISO 6789:2009

The uncertainty of the test equipment used is ± 0.1%

The test equipment used in the performance of the above calibration has international traceability through :

Tester name : Nathan Model No/32.9 Date of Calibration : 22/11/2013

Serial No. : 68165 Quality Manager :

Laboratory No. : UKAS 026




ISO
Accreditation by independent organization made up of members from the national standards bodies of 164 countries.



ANSI
American National Standards Institute



Audible Indicator
for precision tightening



Dual Scale
Easy to read Nm / lb-ft markings

GETTING THE BEST OUT OF A TORQUE WRENCH

INFORMATION & ADVICE

As a precision instrument, the **STANLEY®** Torque wrench range is designed along best practice principles. To preserve the set calibration, the tool should be reset to 10% of the maximum capable load after each use. In order to provide a secure fastening without the risk of distortion, it is important to follow correct tightening sequences.



RADIAL APPLICATIONS

For wheels and other radial applications, it is important to tighten the fasteners following the traditional star pattern sequence shown in the diagram on the right.

CYLINDER HEAD APPLICATIONS


Always start in the middle of the engine, between cylinders 2 and 3 for a 4 cylinder engine. Move outwards in a spiral or crosswise outward direction along both sides. Tighten gradually, increasing the torque in stages on each fastener to ensure an even clamping force, until the outer bolts on Cylinders 1 and 4 have been tightened

IMPORTANT: Torque specifications vary widely, always refer to the manufacturer's recommendation. The star pattern sequence should be used until all of the fasteners are tightened to the specified torque.



FORMULA FOR CALCULATING THE EFFECT OF TORQUE WRENCH EXTENSIONS

In cases whereby special attachments change the calibration of the torque wrench or when it is impractical to use regular sockets (such as whilst tightening threaded connectors), it is necessary to calculate the accurate settings using the formulas shown in the diagram opposite:




- E — Effective length of extension
- Lf — Lever length of the wrench: middle of handle to center of square drive
- T(W) — Torque setting on the wrench
- T(A) — Torque applied by the extension to the fastener
- $T(A) = T(W) \times \frac{L_f + E}{L_f}$

CONSISTENT PERFORMANCE, +/- 4% ACCURACY EVEN AFTER 20,000 CYCLES

Robust build quality and precision manufacture ensures **STANLEY®** Torque wrenches Meet and beat current standards, delivering reliability, day after day - year after year.

RELIABILITY OF MECHANISM




Test carried out using 1/4" drive, 5 - 25N.m 50% loading

TORQUE WRENCH COMPARATOR

SKU #	Description	Drive Size	Torque Range		Increments N-m	Width (mm)	Length (mm)	Weight (kg)
STMT73587-8	1/4" TORQUE WRENCH 5-25 Nm	1/4"	5 - 25N-m	39.8-225.7 in-lb	0.1 N-m	22.5	246	0.365
STMT73588-8	3/8" TORQUE WRENCH 10-50Nm	3/8"	10 - 50N-m	9.2-38.7 ft-lb	0.5 N-m	31	409	1.182
STMT73589-8	1/2" TORQUE WRENCH 20-100Nm	1/2"	20 - 100N-m	16.6-75.6 ft-lb	0.5 N-m	31	409	1.19
STMT73590-8	1/2" TORQUE WRENCH 40-200Nm	1/2"	40 - 200N-m	33.2-151.2 ft-lb	1 N-m	41	519	1.6
STMT73591-8	1/2" TORQUE WRENCH 60-340Nm	1/2"	60 - 340N-m	51.6-258.1 ft-lb	2 N-m	41	610	1.785
STMT73592-8	3/4" TORQUE WRENCH 150-750Nm	3/4"	150 - 750N-m	110-550 ft-lb	2.5 N-m	58	1112	5.87


DUAL WAY TORQUE WRENCH

48 GEAR TEETH FOR SMALL INCREMENT SETTING



“ THIS TOOL HAS A SMOOTH ACTION AND FINE RATCHET, PLUS THE ABILITY TO TIGHTEN ACCURATELY IN BOTH DIRECTIONS. ”

1/4" TORQUE WRENCH 5-25 NM




- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & in-lb.)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73587-8	1/4" Torque Wrench 5-25 N-m	1/4"	5-25 N-m	48.7-225.7 in-lb.	0.1 N-m	22.5	246	0.365

3/8" TORQUE WRENCH 10-50NM




- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb.)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73588-8	3/8" Torque Wrench 10-50N-m	3/8"	10-50 N-m	9.2-38.7 ft-lb	0.5 N-m	31	409	1.182

1/2" TORQUE WRENCH 20-100NM




- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73589-8	1/2" Torque Wrench 20-100N-m	1/2"	20-100 N-m	16.6-75.6 ft-lb	0.5 N-m	31	409	1.19

1/2" TORQUE WRENCH 40-200NM




- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) Click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73590-8	1/2" Torque Wrench 40-200N-m	1/2"	40-200 N-m	33.2-151.2 ft-lb	1 N-m	41	519	1.6

1/2" TORQUE WRENCH 60-340NM




- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73591-8	1/2" Torque Wrench 60-340N-m	1/2"	60-340 N-m	51.6-258.1 ft-lb	2 N-m	41	610	1.785

3/4" TORQUE WRENCH 150-750NM



- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- Adjusting ring locking system
- Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth



SKU #	Description	Drive Size	Torque Range	Torque Range	Increment	B (mm)	L (mm)	Weight (kg)
STMT73592-8	3/4" Torque Wrench 150-750N-m	3/4"	150-750 N-m	110-550 ft-lb	2.5 N-m	58	1112	5.87

REPAIR KITS



- 1/4" Square Drive × 1pc, Pawl × 1pc, Switch × 1pc, Steel Ball × 1pc, Screw × 2pcs, Spring × 1pc, Steel Cover × 1pc.
- 3/8" Square Drive × 1pc, Pawl × 1pc, Switch × 1pc, Steel Ball × 1pc, Screw × 3pcs, Spring × 1pc, Steel Cover × 1pc.
- 1/2" Square Drive × 1pc, Pawl × 1pc, Switch × 1pc, Steel Ball × 1pc, Screw × 3pcs, Spring × 1pc, Steel Cover × 1pc.
- 3/4" Square Drive × 1pc, Pawl × 1pc, Switch × 1pc, Steel Ball × 1pc, Screw × 3pcs, Spring × 1pc, Steel Cover × 1pc.




SKU #	Description	Drive Size	Carton Qty
STMT73852-8	1/4" Repair Kit 5-25Nm	1/4"	50
STMT73853-8	3/8" Repair Kit 10-50Nm	3/8"	50
STMT74901-8	1/2" Repair Kit 20-100Nm	1/2"	50
STMT73854-8	1/2" Repair Kit 40-200Nm	1/2"	50
STMT74902-8	1/2" Repair Kit 60-340Nm	1/2"	50
STMT73855-8	3/4" Repair Kit 150-750Nm	3/4"	25



STANLEY®

AIR TOOLS



Impact Wrenches

Air Ratchets

Maintenance Kits

IMPACT WRENCHES AND AIR RATCHETS

CONTROLLED TORQUE FOR HEAVY JOBS

Featuring aluminium casings with heavy duty internal components, the **STANLEY®** Air tools range has been developed to offer speed, power and comfort.

Large switches for power adjustment and forward/ reverse make them fast and easy to use in all day long. Balanced design helps to keep the drive exactly where you need it, whilst durable clutch mechanisms avoid over-tightening.

Driver sizes of 3/8" up to 3/4" make them versatile enough for any workshop environment.

Used together with the **STANLEY®** Impact socket range they're the perfect solution to tough situations. With Air wrench and Air ratchet options available, they're flexible too.



“ I LIKE THE AIR RATCHETS COMPACT SIZE, IT'S GREAT FOR WORKING INSIDE DOORS OR ON TAILGATE STRUTS. ”

3/4"

AIR TOOL COMPARATOR


	SKU #	Drive Size	Max Torque		Free Speed (RPM)	Air Consumption (CFM)	Operating Pressure (PSI)	Vibration (m/s ²)	Noise Level dB (No Load)
			N-m	ft-lb					
IMPACT WRENCH	STMT70116-8	3/8"	244	180	9,000	3.1	90	3.0	86.0
	STMT99300-8	1/2"	610	450	7,500	3.9	90	5.20	95.0
	STMT97134-8	3/4"	1492	1100	3,600	4.0	90	5.50	96.2
	STMT74840-8	1/2"	678	500	10,000	5.3	90	9.77	95.9
AIR RATCHET	STMT78401-8	3/8"	81.4	60	180	3.9	90	3.73	88.5
	STMT78056-8	1/2"	81.4	60	180	3.9	90	3.73	88.5

1/2" MINI IMPACT WRENCH




- One hand rotation switch - forward/reverse for either left or right handed users
- Speed control – One hand operation with 3 positions disc switch
- Compact aluminium for better access in tight areas
- Durable jumbo hammer
- Ergonomic handle
- High working torque
- Durable and light weight
- Ergonomically engineered

1/2"DR.
678
MAX TORQUE N.m





SKU #	Description	Anvil (inch)	Max Torque (N.m)	Free Speed (RPM)	Average Air Consumption (CFM)	Air Pressure (PSI)	Hose Size (inch)
STMT74840-8	1/2" Mini Impact Wrench	1/2"	678	10,000	5.3	90	3/8"

1/2" IMPACT WRENCH REPAIR KIT




Serial No.	Parts No.	Description
A	12201-032U403-1	Housing repair kit
B	72AMPT2032003-1	Trigger set repair kit
C	72AMPT2032002-1	Air inlet repair kit
E	12202-0070073-1	Cylinder repair kit
F	72AMPT2032001-1	Hammer repair kit
I	12341-0324704-1	Gasket
L	72AMPT3032001-1	Rotor Blade

3/8" IMPACT WRENCH




- 5 speeds forward and reverse
- Compact design for light torque applications
- Max Torque : 244 N-m (180 ft-lb)
- Free Speed : 9.000 RPM
- Air Consumption : 3.1 CFM
- Hammering Mechanism : jumbo hammer
- Vibration : 3.0 m/s²
- Noise level : 86.0 dB under no load
- Housing: alum.
- Exhaust: handle
- Air Pressure : 90 PSI
- Air Hose : 3/8"
- Air Inlet : 1/4"

3/8"DR.
244
MAX TORQUE N.m




SKU #	Description	A (mm)	B (mm)	C (mm)	Weight (kg)
STMT70116-8	3/8" Impact Wrench 244 N-m (180 ft-lb)	154	168	71	1.27

3/8" IMPACT WRENCH REPAIR KIT




Serial No.	Parts No.	Description
A	K46301	Housing repair kit
B	K46008B	Air Inlet repair kit
C	46341	Handle Grip
D	K46009	Trigger set repair kit
E	K56313	Cylinder repair kit
F	K46333	Hammer repair kit
G	K46339	Front cover repair kit
H	K46340	Cap screw repair kit
I	46331	Washer
J	46327	Rotor Blade

1/2" IMPACT WRENCH




- Patented hammer case improving durability
- 5 speeds forward and reverse
- Balanced weight design and handle exhaust directs air away
- Max. Torque: 610 N-m (450 ft-lb)
- Free Speed: 7500 RPM
- Air Consumption: 3.9 CFM
- hammering mechanism : twin hammer
- Vibration: 5.20 m/s2
- Noise level: 95 dB under no load
- HOUSING: Alum.
- EXHAUST: Handle
- Air Pressure : 90 PSI
- Air hose : 3/8"
- Air Inlet : 1/4"

1/2"DR.
610
MAX TORQUE N.m




SKU #	Description	A (mm)	B (mm)	C (mm)	Weight (kg)
STMT99300-8	1/2" Impact Wrench 610 N-m (450 ft-lb)	187	193	70	2.58

1/2" IMPACT WRENCH REPAIR KIT



Serial No.	Parts No.	Description
A	K126001	Housing repair kit
B	K126011	Trigger set repair kit
C	K46008A	Air inlet repair kit
D	126042B	Handle grip
E	K126013	Cylinder repair kit
F	K106037	Hammer repair kit
G	K126039A	Front cover repair kit
H	116035	Hammer case pilot
I	126038	Gasket
J	16034	Screw
K	126040	Fixed plate
L	1260-25-A	Rotor Blade

3/4" IMPACT WRENCH




- High performance motor maximizes power output with full power in reverse; adjustable power in forward
- Balanced weight design and handle exhaust directs air away from the user
- Designed for fleet & truck service work
- Max. Torque: 1492 N-m (1.100 ft-lb)
- Free Speed: 3.600 RPM
- Air Consumption: 4.0 CFM
- Rotator: Pin Clutch
- Vibration: 5.50 m/s²
- Noise level: 96.2 under no load
- Housing: Alum.
- Exhaust: Handle
- Air Pressure : 90 PSI
- Air hose : 1/2"
- Air Inlet : 1/4"




SKU #	Description	A (mm)	B (mm)	C (mm)	Weight (kg)
STMT97134-8	3/4" Impact Wrench 1492 N-m (1.100 ft-lb)	259	263	99	5.72

3/4" IMPACT WRENCH REPAIR KIT



Serial No.	Parts No.	Description
A	K36144	Hammer Housing repair kit
B	K36122	Hammer Cage repair kit
C	K36104	Trigger repair kit
D	36131	Gasket
E	K36101	Housing repair kit
F	K36119	Rotor repair kit
G	36117	Cylinder
H	36147	Handle Grip
I	K36106	Valve Stem repair kit
J	36123	Gasket
K	K36128	Reverse Switch repair kit
L	36129	Rever Cover
M	36130/16126	Screw / Washer
N	36120	Rotor blade


3/8" AIR RATCHET



- Double ratchet pawls increase durability and tool life
- Enlarged forward and reverse switch
- Comfort rubber grip
- EXHAUST: 360° adjustable exhaust directs air away from the user
- Max. Torque: 81.4 N-m (60 ft-lb)
- Free Speed: 180 RPM
- Air Consumption: 3.9 CFM
- Rotator: Double Pawl
- Vibration: 3.73 m/s²
- Noise level: 88.50 dB under no load
- Air Pressure : 90 PSI
- Air hose : 3/8"
- Air Inlet : 1/4"


SKU #	Description	A (mm)	B (mm)	Weight (kg)
STMT78401-8	3/8" Air Ratchet 81.4 N-m (60 ft-lb)	278	41	1.22

3/8" AIR RATCHET REPAIR KIT




Serial No.	Parts No.	Description
A	K45021	Ratchet Housing repair kit
B	45015	Locking Nut
C	K15014	Gear repair kit
D	15012	Thread Ring Gear
E	45013	Washer
F	K15014	Cylinder repair kit
G	75020	Exhaust Deflector
H	45055	O-Ring
I	K75001	Housing repair kit
J	75018	Housing grip
K	K66024	Air Inlet repair kit
L	75003	Trigger
M	SF001	Repair tool for STMT78056-8 & STMT78401-8
N	15016	Rotor blade

1/2" AIR RATCHET




- Double ratchet pawls increase durability and tool life
- Enlarged forward and reverse switch
- Comfort rubber grip
- EXHAUST: 360° adjustable exhaust directs air away from the user
- Max. Torque: 81.4 N-m (60 ft-lb)
- Free Speed: 180 RPM
- Air Consumption: 3.9 CFM
- Rotator: Double Pawl
- Vibration: 3.73 m/s²
- Noise level: 88.50 dB under no load
- Air Pressure : 90 PSI
- Air hose : 3/8"
- Air Inlet : 1/4"



SKU #	Description	A (mm)	B (mm)	Weight (kg)
STMT78056-8	1/2" Air Ratchet 81.4 N-m (60 ft-lb)	278	41	1.22

1/2" AIR RATCHET REPAIR KIT



Serial No.	Parts No.	Description
A	K45021B	Ratchet Housing repair kit
B	45015	Locking Nut
C	K15014	Gear repair kit
D	15012	Thread Ring Gear
E	45013	Washer
F	K15014	Cylinder repair kit
G	75020	Exhaust Deflector
H	45055	O-Ring
I	K75001	Housing repair kit
J	75018	Housing grip
K	K66024	Air Inlet repair kit
L	75003	Trigger
M	SF001	Repair tool for STMT78056-8 & STMT78401-8
N	15016	Rotor blade



“ HERE’S A SMALL TIP TO MAXIMIZE YOUR AIR TOOL’S ENDURANCE: SLATHER A TEASPOON OF COOKING OIL IN THE AIR INLET ONCE IN A WHILE. THIS ENSURES THE MECHANISM IS WELL LUBRICATED AND THE TORQUE OUTPUT REMAINS CONSISTENT. THERE IS ALWAYS MOISTURE FORMING IN THE AIR PIPELINES OF ALL WORKSHOP ”

SERVICE & SUPPORT


Our success is heavily dependent on yours, along with our distribution network, we can and will remain dedicated to the maintenance and development of this tool range, providing the very best solutions for our customers.

Please contact our local service center representatives for air tool maintenance training materials.



STANLEY®

SPECIALTY TOOLS & ACCESSORIES



Feeler Guage

AC/Fuel Line Disconnect Set


Round Inspection Mirror

Magnetic Pick Up Tool

Oil Filter Wrench

Lever Action Grease Gun

Cross Wrench



STEEL BAND OIL FILTER WRENCHES

Perfect to quickly remove spin-on oil filters of most cars.

COMBINATION FEELER GAUGE 32/36 BLADES (65MN)




- For gauging and adjusting spacing between parts such as valve clearances, spark plug gaps and distributor points
- Hardened and tempered steel blades
- Each blade marked with SAE and metric sizes
- Lock nut holds blades in desired position

SKU #	Description	Feeler Blades	Size	Box Qty
STMT78221-8	Combination Feeler Gauge 32Blades (65Mn)	32	Magnetic (Inch) 0.010 Magnetic (MM) 0.254 Non-Magnetic (Inch) 0.0015, 0.002, 0.0025, 0.003, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.017, 0.018, 0.019, 0.020, 0.022, 0.023, 0.024, 0.025, 0.026, 0.028, 0.030, 0.032, 0.035 Non-Magnetic (MM) 0.038, 0.051, 0.063, 0.076, 0.102, 0.127, 0.152, 0.178, 0.203, 0.229, 0.254, 0.279, 0.305, 0.330, 0.356, 0.381, 0.406, 0.432, 0.457, 0.483, 0.508, 0.559, 0.584, 0.610, 0.635, 0.711, 0.762, 0.813, 0.889	6
STMT78214-8	Combination Feeler Gauge 36Blades (65Mn)	36	Magnetic (Inch) 0.002, 0.0025, 0.003, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.017, 0.018, 0.019, 0.020, 0.021, 0.022, 0.023, 0.024, 0.025, 0.026, 0.028, 0.030, 0.032, 0.035 Magnetic (MM) 0.051, 0.063, 0.076, 0.102, 0.127, 0.152, 0.178, 0.203, 0.229, 0.254, 0.279, 0.305, 0.330, 0.356, 0.381, 0.406, 0.432, 0.457, 0.483, 0.508, 0.533, 0.559, 0.584, 0.610, 0.635, 0.660, 0.711, 0.762, 0.813, 0.889 Non-Magnetic (Inch) 0.006, 0.008, 0.010, 0.012, 0.014, 0.016 Non-Magnetic (MM) 0.152, 0.203, 0.254, 0.305, 0.356, 0.406	6

AC/FUEL LINE DISCONNECT SET 7 SIZES



- Easily disconnects air conditioning lines and fuel lines
- ABS plastic construction




SKU #	Description	Size	Box Qty
STMT90062-8	AC/Fuel Line Disconnect Set 7 Sizes	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8"	24

ROUND INSPECTION MIRROR



- Allows visibility in confined areas
- Double ball joint allows extreme mirror angles along with 360° swivel



SKU #	Description	Diameter		Range		Box Qty
STMT78241-8	Round Inspection Mirror	57 mm	2-1/4 in	299-464 mm	11-3/4 - 18-1/4 in	24

MAGNETIC PICK UP TOOL



- Flexible shaft holds any angle
- Will magnetize to any iron or steel object
- Great for picking up fasteners that fall into tight spaces



SKU #	Description	Length	Box Qty
STMT78020-8	Magnetic Pick Up Tool	600 mm	10

OIL FILTER WRENCH



- Specially designed to remove and install oil filters
- With stainless steel band



SKU #	Description	Size	Box Qty
STMT78228-8	Oil Filter Wrench 73-83mm	73-83 mm, (2-7/8 - 3-1/4 ")	6
STMT78229-8	Oil Filter Wrench 89-98mm	89-98mm, (3-1/2 - 3-7/8 ")	6

LEVER ACTION GREASE GUN



- Precision-fitted and hardened plunger prevents lubricant escape from cartridge
- Extra-long handle for increased leverage and easy operation
- Rugged cast pump head for strength and durability and tough impact resistant construction
- Use standard grease cartridge or can be used for bulk fill
- High volume operation
- Non-slip grip handle
- 12000PSU pressure
- Easy to operate
- Heavy duty



SKU #	Description	Volume		Length		Box/CTN
95-385-IV	Lever Action Grease Gun	400 gr	14 oz	150 mm	16 in	6/24

CROSS WRENCH



- Chrome Vanadium Steel
- Cross type structure
- Convenient operation
- Greater torque
- Labor-saving



SKU #	Description	Size	Box Qty
STMT94030-8	Cross Wrench	17, 19, 21, 23mm	2